


AD-A251 740




UNITED STATES ARMY

(2)

HEALTH CARE STUDIES AND

CLINICAL INVESTIGATION ACTIVITY



**VARIABILITY IN DISPOSITION RATES AND MEAN
DAYS OF HOSPITALIZATION FOR THE 100 MOST
COMMON DIAGNOSTIC CODES IN U.S. ARMY
HEALTH SERVICES COMMAND FACILITIES**

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

COL David A. McFarling, COL MC

CR 92-002

92-15031



1992

92 6 08 035

UNITED STATES ARMY


HEALTH SERVICES COMMAND

FORT SAM HOUSTON, TEXAS 78234



**Best
Available
Copy**

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST
QUALITY AVAILABLE. THE COPY
FURNISHED TO DTIC CONTAINED
A SIGNIFICANT NUMBER OF
PAGES WHICH DO NOT
REPRODUCE LEGIBLY.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE

| REPORT DOCUMENTATION PAGE | | | | Form Approved OMB No. 0704-0188 | |
|---|-------|---|---|------------------------------------|----------------------------|
| 1a. REPORT SECURITY CLASSIFICATION Unclassified | | | 1b. RESTRICTIVE MARKINGS | | |
| 2a. SECURITY CLASSIFICATION AUTHORITY | | | 3. DISTRIBUTION/AVAILABILITY OF REPORT Distribution unlimited; Public use approved. | | |
| 2b. DECLASSIFICATION/DOWNGRADING SCHEDULE | | | | | |
| 4. PERFORMING ORGANIZATION REPORT NUMBER(S) CR 92-002 | | | 5. MONITORING ORGANIZATION REPORT NUMBER(S) | | |
| 6a. NAME OF PERFORMING ORGANIZATION | | 6b. OFFICE SYMBOL (if applicable) | 7a. NAME OF MONITORING ORGANIZATION | | |
| 6c. ADDRESS (City, State, and ZIP Code) | | | 7b. ADDRESS (City, State, and ZIP Code) | | |
| 8a. NAME OF FUNDING/SPONSORING ORGANIZATION | | 8b. OFFICE SYMBOL (if applicable) | 9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER | | |
| 8c. ADDRESS (City, State, and ZIP Code) | | | 10. SOURCE OF FUNDING NUMBERS | | |
| | | | PROGRAM ELEMENT NO. | PROJECT NO. | TASK NO. |
| | | | | | WORK UNIT ACCESSION NO. |
| 11. TITLE (Include Security Classification) (U) Variability in disposition rates and mean days of hospitalization for the 100 most common diagnostic codes in U.S. Army Health Services Command facilities | | | | | |
| 12. PERSONAL AUTHOR(S) COL David A. McFarling | | | | | |
| 13a. TYPE OF REPORT Consultation-Final | | 13b. TIME COVERED FROM _____ TO 1992 | 14. DATE OF REPORT (Year, Month, Day) 1992 June 2 | | 15. PAGE COUNT 221 |
| 16. SUPPLEMENTARY NOTATION | | | | | |
| 17. COSATI CODES | | | 18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) | | |
| FIELD | GROUP | SUB-GROUP | U.S. Army, Health care facilities, Health Services Command, Diagnostic Codes, Hospitalization | | |
| | | | | | |
| | | | | | |
| 19. ABSTRACT (Continue on reverse if necessary and identify by block number) (U) U.S. Army Health Services Command (HSC) is the operational medical major command responsible for all Army medical treatment facilities (MTF); providing comprehensive health care for more than 3 million beneficiaries. The period chosen for analysis is calendar year 1989 (CY89). The purpose of studying utilization rates such as those detailed in this report is to provide data which can be used to improve clinical quality and to reduce unnecessary resources utilization by identifying unusual patterns of variation. These studies identify possible problem areas for further evaluation. Small Area Analysis typically addresses variability in three major areas: disposition rates, bed day utilization, and costs. Due to the mechanisms through which military facilities are funded, cost information cannot be obtained for specific individual diagnoses or procedures. U.S. Army Patient Administration Systems and Biostatistics Activity (PASBA) maintains statistical records for all Army facilities. The PASBA provided a list of the 100 most common diagnoses, based on ICD-9-CM code, for HSC during CY89. All codes where based on primary diagnoses. The data | | | | | |
| 20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT <input type="checkbox"/> DTIC USERS | | | 21. ABSTRACT SECURITY CLASSIFICATION Unclassified | | |
| 22a. NAME OF RESPONSIBLE INDIVIDUAL COL David A. McFarling | | | 22b. TELEPHONE (Include Area Code) 221-0047 | | 22c. OFFICE SYMBOL HSHN |

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE

Unclassified

appear to show that of the 100 most common diagnostic codes in HSC, some codes show great inconsistency in disposition rates or bed days or both and other codes that show very little variability in either.



| | | |
|--------------------|---------|-------------------------------------|
| Acquisition For | | |
| Dist | Special | <input checked="" type="checkbox"/> |
| Dist | Special | <input type="checkbox"/> |
| Dist | Special | <input type="checkbox"/> |
| By | | |
| Distribution/ | | |
| Availability Codes | | |
| Avail and/or | | |
| Dist | Special | |
| A-1 | | 22 |

Variability in Disposition Rates and Mean Days of Hospitalization
for the 100 Most Common Diagnostic Codes in U.S. Army Health
Services Command Facilities

David A. McFarling, COL MC

"Statistical monitoring and feedback are the cornerstone of any continuous quality improvement effort, as they make it possible to engage everyone in an ongoing examination of performance." (Caper, 1991)

Significant variations in the utilization of health services occur between geographical areas with similar demographic characteristics. Although these variations were recognized more than fifty years ago (Wennberg, 1990), they received little serious attention until the work of Wennberg and Gittelsohn and others in the early 1970's and during the 1980's (1,2,4,13,16, 17,18).

Recent work by Chassin, Brook and others (4,5) demonstrates convincingly that at least some of the observed variability results from inconsistent and inappropriate utilization of health services. In turn, inconsistent and inappropriate utilization of services has played a significant role in the calamitous rise in health care costs and, equally importantly, such misutilization of health services must inevitably lead to poorer clinical outcomes.

Most studies of geographical variability in health care utilization have used techniques that are known collectively as "small area analysis" or SAA. Paul-Shaheen and coworkers (12)

have extensively reviewed SAA studies reported in the medical and the health policy research literature. This study used SAA-like techniques to analyze the utilization patterns in 37 of the 39 medical facilities within the U.S. Army Health Services Command (HSC). The goal of this study was to determine the range of variability among the most common diagnostic codes so that this information could eventually be incorporated into HSC's overall program of Total Quality Management (TQM).

METHODS

STUDY POPULATION. The U.S. Army Health Services Command is the operational medical major command responsible for all Army medical treatment facilities (MTF) in the continental United States (CONUS), Hawaii, Panama, and Puerto Rico. HSC is responsible for comprehensive health care for more than 3 million eligible beneficiaries. HSC operates thirty-nine hospitals ranging in size from Walter Reed Army Medical Center in Washington, D.C. (754 beds) to Weed Army Hospital at Fort Irwin, California (13 beds). HSC hospitals are spread throughout the United States with facilities in every geographical area.

The HSC is organized into regions corresponding to each of the eight Army Medical Centers (MEDCENS). (Note: In 1989, the year of the study data, Letterman Army Medical Center (LAMC) was the regional medical center for the lower half of the West Coast.

LAMC has subsequently been downsized and is no longer a MEDCEN.) For each region, the MEDCEN serves as the referral facility or tertiary care center for that region's smaller hospitals (called Medical Activities or MEDDACs). Each MEDCEN has a full range of medical specialists and offers comprehensive medical services. Each MEDCEN also provides graduate medical education (GME) programs including internships, residencies, and fellowships. Unlike the MEDCENS, the MEDDACs do not necessarily offer a full range of specialty and subspecialty services. The services offered at the MEDDACs largely depend of the mix of physicians assigned to the staff and other factors such as available medical equipment and ancillary support. Some of the larger MEDDACs have active residency programs in Family Practice but do not otherwise offer GME training.

Medical services which cannot be provided at the MEDDAC are provided either through referral to the regional MEDCEN or through local community practitioners. In the latter case, these services are paid for by the Civilian Health and Medical Program for the Uniformed Services (CHAMPUS). Since CHAMPUS has both a \$150 deductible and a 20% copayment once the deductible is exceeded, Army beneficiaries have a strong financial incentive to obtain their care in the Army medical facility when possible.

DATA SOURCES. The period chosen for analysis is calendar year 1989 (CY89). Calendar year 1989 is the most recent complete calendar year in which the clinical data are unaffected by the

rapid mobilization and deployment of medical assets in support of Operation Desert Shield and Operation Desert Storm.

Small Area Analysis typically addresses variability in three major areas: disposition rates, bed day utilization, and costs. Due to the mechanisms through which military facilities are funded, cost information cannot be obtained for specific individual diagnoses or procedures. Therefore, this study considered only disposition rates and bed day utilization.

The U.S. Army Patient Administration Systems and Biostatistics Activity (PASBA) maintains statistical records for all Army facilities. The U.S. Army Health Care Studies and Clinical Investigation Activity (HCSCIA) maintains a comprehensive statistical database which includes all CHAMPUS utilization data (including detailed expenditures) for all federal facilities since 1988.

The PASBA provided a list of the 100 most common diagnoses, based on ICD-9-CM code, for HSC during CY89. All codes were based on the primary diagnoses, that is the first diagnosis listed on the medical narrative summary sheet. For each diagnostic code, PASBA provided the number of dispositions and the mean days of hospitalization at each of 37 HSC facilities. The Fort Irwin and Fort Drum MEDDAC data were not included due to extremely small size and atypical mission of these facilities. The most common diagnostic code was V300 "single infant born in hospital" with

30,509 dispositions during calendar year 1989. The least common was 5920 "calculus of kidney" with 733 dispositions.

DATA ANALYSIS. The disposition rates per 10,000 population in each facility's catchment area were calculated by dividing the number of dispositions for each diagnosis by the reported population of Army beneficiaries in the catchment area and multiplying by 10,000. The catchment area includes all persons living within a 40 mile radius of the facility. The total of all catchment areas does not equal the total number of HSC beneficiaries for reasons discussed in the next paragraph. The average number of bed days for each diagnosis was entered into the study directly from the PASBA data. HCSCIA provided comparable CHAMPUS data on numbers of dispositions and bed days. The overall disposition and bed day rates were calculated for both direct care data only and for direct care data combined with CHAMPUS data.

The crude disposition rates and mean bed days for both direct care and the combination of direct care and CHAMPUS were adjusted using the indirect standardization method (Fleiss, 1981). The overall beneficiary population of HSC was used as the standard population. The data was standardized for age, sex, and active duty versus non-active duty status. The eight demographic groups used for data adjustment were:

Males, 0-17 years

Females, 0-17 years

Active duty males, 18-44 years

Active duty females, 18-44 years

Non-active duty males, 18-44 years

Non-active duty females, 18-44 years

Males, 45 years and older

Females, 45 years and older

Non-active duty males and females in the 18-44 years old range included dependents of active duty, retired personnel, and dependents of retired personnel. Over the age of 45, the numbers of active duty males and females are so small as to have no statistical significance when analyzed separately. Therefore, beneficiaries over 45 years old were not divided into active duty and non-active duty groups.

The HSC divides its facilities by size and by mission into four peer groups: Medical Centers, Large MEDDACs, Medium MEDDACs, and Small MEDDACs. The facilities comprising each peer group tend to be located in similar demographic areas (e.g. MEDCENs in larger metropolitan areas and small MEDDACs in more rural settings) and have similar population demographics. Each MEDCEN provides graduate medical education programs and serves as a referral center for its region. Therefore, MEDCEN practice patterns should be considerably different from those of smaller facilities. For the MEDDACs, the practice patterns may differ depending on additional factors such as size, staffing and population served. Demographic adjustments were made as

described. To try to adjust as much as possible for the effects of size, staffing, and mission the three MEDDAC peer groups were analyzed separately.

The MEDCEN peer group presented a problem in that unlike the rest of the members of that group, Letterman Army Medical Center (LAMC) did not offer OB/GYN care in 1989. Due to the overall high occurrence of OB/GYN diagnoses in HSC, this had a significant potential to distort the findings. Therefore, the data for disposition rates and mean bed days were recalculated deleting LAMC from the calculations for all OB/GYN related diagnoses. Since this recalculation made no significant difference in the overall peer group results, no adjustments for LAMC OB/GYN data were made in the final analysis.

For each set of rates, an average, standard deviation and coefficient of variation were calculated. The coefficient of variation (standard deviation divided by the mean) is a convenient measure of "spread" of the values for one set of data (e.g. disposition rates for a particular diagnostic code) compared to the "spread" of values for another data set. A wide range of variability produces a high coefficient of variation and a narrow range a small coefficient of variation. Within each peer group, the diagnostic codes were ranked from the greatest coefficient of variation to the least.

Ranking the diagnostic codes in descending order of

coefficient of variation for disposition rates and for mean bed days produced a numerical estimate of variability in each factor. To produce a single composite measure of variability, the two rankings--variability of disposition rate and of bed days--were summed and the resulting rank order used as a "composite index of variation." The lowest sum represents the most overall combined inconsistency and the highest the least. When ties in the ranking sums occurred, these were broken on the basis of the difference between the ranking for dispositions and the ranking for days. Smaller differences were taken to represent more consistent variability or non-variability and these diagnoses were placed ahead of those diagnoses with the same overall sum but with larger differences between the component rank scores.

For each of the summary tables, the consistency of the variability rankings between peer groups was determined by calculating a Kendall Coefficient of Concordance (Siegel, 1956). The same process was used to determine consistency in rankings across each of the four data sets. For comparisons across peer groups, the Coefficient of Concordance ranged from .51 to .63 and all "p" values were less than 0.001. The rankings across the four data sets produced coefficients of concordance between .53 and .88 and all "p" values were less than 0.001.

RESULTS

The Appendix, Sections B through J, contains the data on the

variability in disposition rates, bed days, and a composite measure of the two combined. This data is arrayed in a variety of ways (e.g. by facility, by peer group, by source of data, etc.). There is no generally recognized absolute degree of variability that is considered "acceptable" or "unacceptable" using this methodology (See DISCUSSION).

Table 1, Section A, contains the demographic data for the 37 HSC facilities in 1989. Table 2, Section A, shows the overall disposition rates per 10,000 population and Tables 3-9 show the overall disposition rates for each of the population subsets.

The individual facility disposition rates and average bed days by diagnosis are found in Section B, Tables 1-32. These tables also show the highest rate, lowest rate and the high-to-low ratio for each diagnosis. In cases where the low rate was zero, no ratio was calculated.

Tables 1-32 in Section C show the mean, the standard deviation, and the coefficient of variation for the disposition rates and bed days for each diagnostic code within a given peer group. In each table, the diagnostic codes are arranged in order of descending coefficient of variation. Therefore, the diagnostic codes toward the top of the list are those that show the most variability and those toward the bottom the least.

Section D contains the composite index of variability

rankings by peer group. The composite index of variation is the sum of the rankings for variability in disposition rate and for variability in bed days. The lowest sums represent those codes with the most overall variability.

Section E lists the average rates for dispositions and for bed days across the four peer groups. The codes are arranged in order of variability as previously determined using the coefficient of variation. Section F shows the comparative variability rankings across peer groups for disposition rates and for bed days separately.

Section G shows the composite index of variability rankings across the peer groups. Table 5, Section G shows how the overall composite index of variability rankings compare using the four different data sets.

Section H lists the diagnostic codes in order of overall composite index of variability rankings by data set (i.e. direct care, crude and adjusted, and combined CHAMPUS and direct care, crude and adjusted).

Tables 1-5, Section I, show a comparison of the rankings for disposition rates by data source (i.e., direct care crude, direct care adjusted, combined direct care and CHAMPUS crude, combined direct care and CHAMPUS adjusted). Tables 1-5, Section J, show a comparison of average length of stay rankings by data source.

DISCUSSION

The purpose of studying utilization rates such as those detailed in this report is to provide data which can be used to improve clinical quality and to reduce unnecessary resource utilization by identifying unusual patterns of variation. If the all medical care was delivered in a reasonably consistent manner from practitioner to practitioner, there would be little justification for such studies. However, every study of utilization patterns performed to date has shown just the opposite. For many types of care there are inconsistencies which cannot be explained on the basis of the characteristics of the population served (4,5,6,10,11,15,16,17,18). These inconsistencies contribute to both the high cost and to the uncertain clinical benefits of many current medical practices.

This study uses SAA-like techniques which are similar to previous studies. However, this study has several unique features. First, none of the previous studies deal with a large number of facilities within a single multifacility health care system covering all geographical regions of the United States. Second, none deal with care in the Military Health Services System (MHSS). The MHSS is unique in several respects. The MHSS has a dual role in health care, the maintenance of readiness to provide medical support for the troops in war and the provision of peacetime health care. Further, MHSS beneficiaries have the option of receiving care at military treatment facilities or at

civilian facilities through the Civilian Health and Medical Program for the Uniformed Services (CHAMPUS). At the moment, the choice of one or the other type of care is largely unconstrained.

Third and lastly, none of the previous studies of geographical variations in utilization rates specifically targeted the most common types of care within a health care system. Most of the previous studies have concentrated on a relatively small number of diagnoses and procedures selected on the basis of prior information about inconsistent practices or other issues such as high costs. In this study, frequency of occurrence was the only basis for selection of the diagnoses to be studied. One disadvantage of this approach is that the 100 most frequent diagnostic codes probably do not include many of the most variable diagnoses. On the other hand, if quality improvements in the system are to have a genuine impact on care, then they should logically be directed at the most frequent types of care. Analyzing the variability of a rare diagnosis or procedure might have little impact on the system as a whole.

The data appear to show that of the 100 most common diagnostic codes in HSC, some codes show great inconsistency in disposition rates or bed days or both and other codes that show very little variability in either. In order to accept this as a legitimate observation the likely accuracy of the data and the variation introduced by other factors such as population

demographics must be considered.

Several factors somewhat limit the precision of the data used for this study. First, the base population served by each facility is not entirely clear. Army facilities treat not only Army active duty and retired personnel and their dependents, but also often treat U.S. Navy and U.S. Air Force active duty and retired personnel and their dependents. The reported population in each facility's catchment area does not include non-Army beneficiaries. Another problem arises in that the catchment area population figures are based on enrollment in the Defense Eligibility Enrollment Reporting System (DEERS). At least 20-30% of the addresses in the DEERS records are incorrect.* Finally, the catchment areas extend only to a 40 mile radius from the facility. For a variety of reasons, many patients who live more than 40 miles from a medical facility will nonetheless travel to the facility for care. The number of such persons in any given facility's general geographical area, but beyond the 40 mile radius that determines the catchment area, is uncertain. Even if the true size of the potential eligible beneficiary population for most facilities is not precisely known, the errors should be more or less equally distributed throughout the system so that the results may not be significantly biased.

Another difficult problem presented by the data is the use of ICD-9-CM codes as the data source (Jencks, 1992). The ICD-9-

*U.S. Army Health Care Studies and Clinical Investigation Activity, Unpublished Data.

CM codes are often vague and may vary widely in the number of diagnoses that are included in any given code. Furthermore, to completely capture the data on a specific clinical diagnosis may require combining several related (or sometimes seemingly unrelated) codes. In this study, V670 Follow-up Exam, Following Surgery, was among the most variable of the diagnostic codes. Much of this variability clearly results from a hodgepodge of dissimilar clinical cases being encompassed in this code or from this code being inappropriately selected by the coding clerk or both. In such cases, little useful information can be obtained without further study of individual medical charts.

A related area of concern for quality management is how the diagnostic codes relate to procedures performed. The IDC-9-CM codes used were only the first code listed on the chart summaries. Therefore, in most cases, there is no information about what procedures were or were not performed during that admission. For example, Code 4741 Hypertrophy of Tonsils and Adenoids is relatively specific (i.e., denotes a single, uniform diagnosis) and shows a high degree of variability. Since this diagnosis is a frequent reason for admission for tonsillectomy, it may indicate a high degree of variation in the rates of tonsillectomies across the system. This will require confirmation through additional studies linking ICD-9-CM codes to procedures.

Finally, simple coding errors produce another possible

source of variation. Random coding errors due to typographical errors or misinterpretation of the narrative summary diagnoses should produce little or no effect on the overall results. On the other hand, coding errors caused by poorly dictated narrative summaries, consistent anomalous terminology by a practitioner, or misinterpretations by records clerks may not be randomly distributed and could potentially alter the results. The problems with using the ICD-9-CM codes are not unique to this study (Jencks, 1992) and will continue until a more specific and useable system is devised.

Another consideration in determining the significance of the observed variability is the source of the data. The Military Health Care System actually consists of two parallel systems, the "direct care" system comprised of the military treatment facilities and the CHAMPUS system. The decision to include CHAMPUS data in the analysis has both advantages and disadvantages. The direct care data reflects the behavior of providers who work in HSC facilities. The CHAMPUS data reflects the behavior of civilian community practitioners. Neither group necessarily follows the standards of the other so that mixing the data introduces an additional element of uncertainty.

On the other hand, there are advantages to using the CHAMPUS data. Not all facilities have the full complement of specialists necessary to offer comprehensive medical services. Therefore, some of the variability noted in the direct care data could

result from the provider mix at the facilities. Including the CHAMPUS utilization data from the corresponding facility catchment area partially compensates for this since patients unable to obtain care at the military treatment facility due to unavailability of a particular type of specialist often use the CHAMPUS system. The addition of CHAMPUS data to direct care data had only a slight effect on any of the variability rankings. In some cases this probably reflects the relatively small number of CHAMPUS admissions. In others, it suggests that some diagnoses and procedures are managed as inconsistently in the civilian community as in the direct care system. In any case, the degree of variability shown by those diagnoses at the top of the lists cannot be explained solely by citing variations in provider staffing since if this were so, factoring in the CHAMPUS data should have eliminated much of that variability.

Finally, in a system composed of widely differing treatment facilities covering widespread demographic areas, some of the variability observed might be expected to be due to the demographics of the population served. In addition, the realities of military life require that active duty patients sometimes be managed differently than non-active duty patients. Important factors that enter into the management of active duty patients include barracks living and the requirement for vigorous physical activity. The data was adjusted age, sex, and active duty versus non-active duty status. None of the demographic

adjustments had any significant effects on the variability rankings.

Assuming that the reliability and validity of the data are acceptable after recognizing the various confounding factors, the next question is what does the data actually measure? This study used disposition rates and mean bed days as measures of variability. Disposition rates reflect not only the community prevalence of a illness, injury or other condition, but also the local criteria for hospitalization. In previous studies, disposition rates have been generally more variable for conditions where there is greater practitioner discretion (14). Likewise, in this study many of the most variable diagnoses seem to represent areas where providers have considerable latitude in management, particularly with respect to admission for inpatient care. On the other hand, the diagnoses showing the least variation in disposition rates characteristically have a relatively limited number of provider options. For example, the admission rates for "acute appendicitis" and "pyelonephritis" show little variability, indicating a very high degree of consistency.

In some cases the variability in disposition rates found in this study reflects unique situations unrelated to general clinical practices. For example, the variability in 0449 HTLV-III/LAV is clearly related to other considerations. Patients infected with HIV are usually treated in the limited number of

medical centers where major HIV related research projects are underway. Clearly, this skews the natural distribution of patients and causes an artificially high degree of variability across regions.

Mean bed days reflect provider behavior once the patient is hospitalized. However, variation in mean bed days is not entirely independent of the variation in utilization rates. In all peer groups, there is a modest but significant correlation between the two measures using the Spearman Rank Order Coefficient (Siegel, 1956). This suggests that where there is uncertainty about the optimal management of a condition or inconsistency due to other factors, then this may be reflected in both the admission rates and in the mean bed days.

Since there seemed to be a relationship between variability in disposition rates and variability in bed days, a composite index of variation combining rankings of the variability in disposition rates and mean bed days was used to provide an additional perspective. For some purposes, this composite index may be preferable and for others it may be more important to concentrate on a single measure such as bed days.

The very high correlation between the rank order of variability across all four data sets (crude and adjusted direct care; crude and adjusted direct care combined with CHAMPUS) suggests that where there are no other confounding factors, the

high rankings for those diagnostic codes consistently at the top of all lists reflect genuine inconsistency which cannot be accounted for by underlying population characteristics or, in most cases, by staffing mix.

The data does not suggest any specific reason for this observed inconsistency. Subtle differences in system structure and specific policies with respect to certain kinds of care account for some of the variability. Staffing differences may affect utilization rates more in areas where CHAMPUS support is less readily available in the surrounding community or in cases where patients might not wish to use CHAMPUS due to the expense and non-urgent nature of the care. For example, the utilization rates for elective cosmetic surgery vary dramatically depending on the availability of military plastic surgeons. If cosmetic procedures are not available in the direct care facility, patients may opt not to undergo an expensive elective procedure which is only partially covered by CHAMPUS. The example of the effect of AIDS treatment programs and their effect on the distribution of patients has already been mentioned.

The final, and to health care providers least palatable, possibility is that practitioners are managing similar patients in much different ways. This may be due to the lack of consistent scientific information on which to base their practices or to other considerations such as personal biases, recent good or bad results, financial considerations, etc. (14)

How can a health care system use the results of this and similar studies to improve quality? First, these studies identify possible problem areas for further evaluation. As mentioned in the "Results" section, there is no standard absolute "acceptable" degree of variability. A single measure of variation such as a given value of the coefficient of variation or a particular numerical ranking might be arbitrarily used as a cutoff point, but there is little or no objective basis for picking one point as opposed to another. Alternately, and perhaps more appropriately, quality improvement groups can simply target a general range (e.g. the top quarter of a variability ranking list) and pick from the diagnostic codes in that group those that appear to need more detailed study. Which table or tables to use--direct care data, combined data, disposition rates only, bed days and disposition rates combined, etc.--depends on how the information is to be used. For example, if a project was undertaken to establish consistent admission criteria, then the disposition rates would be of primary importance. Second, the data from this study can be used as a "baseline" rate against which to compare the future results of quality improvement initiatives.

To effectively use this data for quality improvement, each of the possible sources of unexplained variation in practice patterns must be considered separately and the appropriate corrective action taken. One such source of variation is the data validity. This relates to the quality, accuracy and

precision of the recorded data rather than the actual provision of care. Inaccurate data is a major problem for all health care systems. Part of the problem is related to inadequate or inaccurate documentation of care and part is inherent in the use of the ICD-9-CM system. Improvements in the ICD-9-CM (now IDC-10-CM) coding system are likely to occur only over a long period of time. In the interim, practitioners need to evaluate how what they put in the chart is translated to diagnostic codes and whether or not those codes accurately reflect the care delivered.

Another source of apparent variability in practice patterns are externally imposed factors such as the availability and the distribution of specialists and research protocols, outbreaks of disease which may be limited to one area (e.g. food poisoning or heat stroke), or contingencies such as support provided to field training. These factors may produce variability in practice patterns unrelated to individual provider behavior. Many of these are management issues and subject to the vagaries of personnel, funding, etc.

The last source of variability, genuinely inconsistent provider behavior, is the major area where there are immediate opportunities for quality improvement. Where wide variations in actual clinical practices for the same or similar conditions exist, it is highly unlikely that all providers are practicing in an equally effective manner or using resources wisely. Wide variation in utilization of health services must include a

considerable degree of inappropriate utilization of health services.

Inappropriate utilization can occur in the form of overutilization, underutilization, and misutilization. Overutilization, particularly of high technology diagnostic procedures, is both costly and contributes to the maldistribution of care by diverting resources that could be more effectively utilized. Underutilization leads to the failure to detect and treat illnesses in the early stages resulting in poorer clinical outcomes. Misutilization, defined as the use of inappropriate or ineffective clinical practices, results in suboptimal clinical outcomes if not outright harm.

The recognition of variability in health services utilization due to clinical practice differences is only a preliminary step. Where two rates differ and no reason other than provider behavior can be identified, either or both rates may reflect suboptimal care. Further research is critically needed to determine what genuinely constitutes optimal or appropriate care, particularly in common conditions with broad provider discretion for care.

Where inconsistent and inappropriate clinical practices do occur, the question still remains as to the best way to correct the problem. Quality problems can be "systemic" or

"extrasystemic" (9). In the context of this study, a systemic cause for variability would be that practitioners are uncertain of the correct management for a problem and must choose among a wide variety of options without adequate information. An extrasystemic problem would be that one or only a few persons are practicing in a manner contrary to well-established and generally accepted practice. This concept can be applied equally well when one views each hospital as a "provider" within a multifacility (multifacility) system.

Successful total quality management programs address both extrasystemic and systemic issues. The data from this and similar studies can pinpoint possible extrasystemic problems (i.e., those unique to individual institutions or practitioners) by identifying institutions which are clearly outliers for certain types of care. Such cases can then be individually investigated in sufficient detail to allow corrective action to be taken where necessary. Systemic problems (i.e., those that are widespread throughout a system and not the result of isolated cases) can be approached through more generalized interventions such as carefully selected clinical practice guidelines.

Clinical practice guidelines remain controversial. Used properly, guidelines can in theory result in more effective and consistent clinical practices. Unfortunately, attempts to implement guidelines often meet intense resistance. Practitioners resent any potential loss of autonomy and fear

the use of guidelines as tools for supporting malpractice litigation. Data on unaccountable variations in utilization rates provide powerful tools to argue that guidelines and other attempts at rational standardization of care are genuinely needed. Conversely, data showing little or no variation in practice patterns across a system suggests that that particular type of care is delivered in a consistent manner. However, it is well to remember that increased consistency in either disposition rates or in the use of bed days does not, by itself, necessarily indicate improved quality of care. In addition to studies like this that evaluate patterns of resource utilization, studies that correlate these patterns to specific clinical outcomes and to the cost-effectiveness of care are critically needed.

BIBLIOGRAPHY

1. Barnes BA, O'Brien E, Comstock C, D'Apra DG, and Donahue CL "Report on Variation in Rates of Utilization of Surgical Services in the Commonwealth of Massachusetts" Journal of the American Medical Association 254:371-5, 1985.
2. Blumberg MS "Inter-Area Variations in Age-Adjusted Health Status" Medical Care 25:340-53, 1987.
3. Caper P "Population-Based Measures of the Quality of Medical Care" in Couch JB (ed) Health Care Quality Management for the 21st Century The American College of Physician Executives, Tampa, pp 281-327, 1991.
4. Chassin MR, Brook RH, Park RE, Keesey J, Fink A, Kosecoff J, Kahn K, Merrick N and Solomon DH "Variations in the Use of Medical and Surgical Services by the Medicare Population" New England Journal of Medicine 314:285-90, 1986.
5. Chassin MR, Kosecoff J, Park RE, Winslow CM, Kahn KL, Merrice NJ, Keesey J, Fink A, Solomon DH and Brook RH "Does Inappropriate Use Explain Geographic Variations in the Use of Health Care Services? A Study of Three Procedures" Journal of the American Medical Association 258(18):2533-37, 1987.
6. Cleary PD, Greenfield S, Mulley AG, Pauker SG, Schroeder SA, Wexler L, and McNeil BJ "Variations in Length of Stay and Outcomes for Six Medical and Surgical Conditions in Massachusetts and California" Journal of the American Medical Association 266(1):73-9, 1991.
7. Fleiss JL Statistical Methods for Rates and Proportions: 2nd Edition John Wiley and Sons, New York, pp. 237-44, 1981.
8. Jencks SF "Accuracy in Recorded Diagnoses" Journal of the American Medical Association 267:2238-9, 1992.
9. Kritchevsky SB and Simmons BP "Continuous Quality Improvement: Concepts and Applications for Physician Care" Journal of the American Medical Association 266:1817-23, 1991.
10. Leape LL, Park RE, Solomon DH, Chassin MR, Kosecoff J, Brook RH "Relation Between Surgeon's Practice Volumes and Geographic Variation in the Rate of Carotid Endarterectomy" New England Journal of Medicine 321:653-7, 1989.
11. Nattinger AB, Gottlieb MS, Veum J, Yahnke D, and Goodwin JS "Geographic Variation in the Use of Breast-Conserving Treatment for Breast Cancer" New England Journal of Medicine 326:1102-7, 1992.
12. Paul-Shaheen P, Clark JD, and Williams D "Small Area Analysis: A Review and Analysis of the North American Literature" Journal of Health Politics, Policy and Law 12(4):741-809, 1987.

13. Roos NP, Flowerdew G, Wajda A, and Tate R "Variations in Physicians Hospitalization Practices: A Population-based Study in Manitoba, Canada" American Journal of Public Health 76:45-51, 1986.
14. Siegel S Nonparametric Statistics for the Behavioral Sciences McGraw-Hill Book Company, New York, 1956, pp 229-38.
15. Wennberg JE "Small Area Analysis and the Medical Care Outcome Problem" in Sechrest L, Perrin E, and Bunker J (eds) Research Methodology: Strengthening Causal Interpretations of Nonexperimental Data Agency for Health Care Policy and Research (PHS)90-3454, May 1990.
16. Wennberg, Freeman JL and Culp WJ "Are Hospital Services Rationed in New Haven or Over-Utilized in Boston?" Lancet May 23, 1987: 1185-88.
17. Wennberg J and Gittlesohn A "Variations in Medical Care Among Small Areas" Scientific American 4:120-34, 1982.
18. Wennberg J and Gittlesohn A "Small Area Variations in Health Care Delivery" Science 182:1102-1108, 1973.

APPENDIX

SECTION A. HEALTH SERVICES COMMAND DATA

- Table 1. Demographic Data for HSC: Patient Groups and Proportions
- Table 2. Overall Disposition Rates for the Top 100 Diagnoses in Health Services Command
- Table 3. Disposition Rates by Patient Group: Males, 0-17
- Table 4. Disposition Rates by Patient Group: Females, 0-17
- Table 5. Disposition Rates by Patient Group: Active Duty Males, 18-44
- Table 6. Disposition Rates by Patient Group: Active Duty Females, 18-44
- Table 7. Disposition Rates by Patient Group: Non-active Duty Males, 18-44
- Table 8. Disposition Rates by Patient Group: Non-active Duty Females, 18-44
- Table 9. Disposition Rates by Patient Group: Males, 45 Years and Older
- Table 10. Disposition Rates by Patient Group: Females, 45 Years and Older

SECTION B: FACILITY DATA

- Table 1. MEDCEN Dispositions per 10K-- Direct Care: Crude Rates
- Table 2. MEDCEN Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 3. MEDCEN Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 4. MEDCEN Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 5. MEDCEN Average Length of Stay -- Direct Care: Crude Rates
- Table 6. MEDCEN Average Length of Stay -- Direct Care: Adjusted Rates
- Table 7. MEDCEN Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates
- Table 8. MEDCEN Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates
- Table 9. Large MEDDAC Dispositions per 10K-- Direct Care: Crude Rates
- Table 10. Large MEDDAC Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 11. Large MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 12. Large MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 13. Large MEDDAC Average Length of Stay -- Direct Care: Crude Rates
- Table 14. Large MEDDAC Average Length of Stay -- Direct Care: Adjusted Rates

- Table 15. Large MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates
- Table 16. Large MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates
- Table 17. Medium MEDDAC Dispositions per 10K-- Direct Care: Crude Rates
- Table 18. Medium MEDDAC Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 19. Medium MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 20. Medium MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 21. Medium MEDDAC Average Length of Stay -- Direct Care: Crude Rates
- Table 22. Medium MEDDAC Average Length of Stay -- Direct Care: Adjusted Rates
- Table 23. Medium MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates
- Table 24. Medium MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates
- Table 25. Small MEDDAC Dispositions per 10K-- Direct Care: Crude Rates
- Table 26. Small MEDDAC Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 27. Small MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 28. Small MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 29. Small MEDDAC Average Length of Stay -- Direct Care: Crude Rates
- Table 30. Small MEDDAC Average Length of Stay -- Direct Care: Adjusted Rates
- Table 31. Small MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates
- Table 32. Small MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates

SECTION C: VARIABILITY RANKINGS BY PEER GROUP

- Table 1. MEDCEN Dispositions per 10K-- Direct Care: Crude Rates
- Table 2. MEDCEN Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 3. MEDCEN Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 4. MEDCEN Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 5. MEDCEN Average Length of Stay -- Direct Care: Crude Rates
- Table 6. MEDCEN Average Length of Stay -- Direct Care: Adjusted Rates
- Table 7. MEDCEN Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates

- Table 8. MEDCEN Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates
- Table 9. Large MEDDAC Dispositions per 10K-- Direct Care: Crude Rates
- Table 10. Large MEDDAC Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 11. Large MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 12. Large MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 13. Large MEDDAC Average Length of Stay -- Direct Care: Crude Rates
- Table 14. Large MEDDAC Average Length of Stay -- Direct Care: Adjusted Rates
- Table 15. Large MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates
- Table 16. Large MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates
- Table 17. Medium MEDDAC Dispositions per 10K-- Direct Care: Crude Rates
- Table 18. Medium MEDDAC Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 19. Medium MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 20. Medium MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 21. Medium MEDDAC Average Length of Stay -- Direct Care: Crude Rates
- Table 22. Medium MEDDAC Average Length of Stay -- Direct Care: Adjusted Rates
- Table 23. Medium MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates
- Table 24. Medium MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates
- Table 25. Small MEDDAC Dispositions per 10K-- Direct Care: Crude Rates
- Table 26. Small MEDDAC Dispositions per 10K-- Direct Care: Adjusted Rates
- Table 27. Small MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Crude Rates
- Table 28. Small MEDDAC Dispositions per 10K-- Direct Care and CHAMPUS Combined: Adjusted Rates
- Table 29. Small MEDDAC Average Length of Stay -- Direct Care: Crude Rates
- Table 30. Small MEDDAC Average Length of Stay -- Direct Care: Adjusted Rates
- Table 31. Small MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Crude Rates
- Table 32. Small MEDDAC Average Length of Stay -- Direct and CHAMPUS Care Combined: Adjusted Rates

SECTION D: COMPOSITE INDEX OF VARIATION

| | |
|-----------|--|
| Table 1. | MEDCENS--Direct Care Data: Crude Rates |
| Table 2. | MEDCENS--Direct Care Data: Adjusted Rates |
| Table 3. | MEDCENS--Direct Care and CHAMPUS Data Combined: Crude Rates |
| Table 4. | MEDCENS--Direct Care and CHAMPUS Data Combined: Adjusted Rates |
| Table 5. | Large MEDDACs--Direct Care: Crude Rates |
| Table 6. | Large MEDDACs--Direct Care Data: Adjusted Rates |
| Table 7. | Large MEDDACs --Direct Care and CHAMPUS Data Combined: Crude Rates |
| Table 8. | Large MEDDACs--Direct Care and CHAMPUS Data: Combined Adjusted Rates |
| Table 9. | Medium MEDDACs--Direct Care: Crude Rates |
| Table 10. | Medium MEDDACs--Direct Care Data: Adjusted Rates |
| Table 11. | Medium MEDDACs --Direct Care and CHAMPUS Data Combined: Crude Rates |
| Table 12. | Medium MEDDACs--Direct Care and CHAMPUS Data: Combined Adjusted Rates |
| Table 13. | Small MEDDACs--Direct Care: Crude Rates |
| Table 14. | Small MEDDACs--Direct Care Data: Adjusted Rates |
| Table 15. | Small MEDDACs --Direct Care and CHAMPUS Data Combined: Crude Rates |
| Table 16. | Small MEDDACs--Direct Care and CHAMPUS Data: Combined Adjusted Rates |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES

| | |
|----------|--|
| Table 1. | Disposition Rates Per 10K Arranged by Variability Ranking -- Direct Care Data: Crude Rates |
| Table 2. | Disposition Rates Per 10K Arranged by Variability Ranking -- Direct Care Data: Adjusted Rates |
| Table 3. | Disposition Rates Per 10K Arranged by Variability Ranking -- Direct Care and CHAMPUS Data Combined: Crude Rates |
| Table 4. | Disposition Rates Per 10K Arranged by Variability Ranking -- Direct Care and CHAMPUS Data Combined: Adjusted Rates |
| Table 5. | Average Length of Stay (Days) -- Direct Care Data: Crude Rates |
| Table 6. | Average Length of Stay (Days) -- Direct Care Data: Adjusted Rates |
| Table 7. | Average Length of Stay (Days) -- Direct Care and CHAMPUS Data Combined: Crude Rates |
| Table 8. | Average Length of Stay (Days) -- Direct Care and CHAMPUS Data Combined: Adjusted Rates |

SECTION F: PEER GROUP COMPARISONS BY RANKINGS

| | |
|----------|--|
| Table 1. | Disposition Rates Per 10K -- Direct Care Data: Crude Rates |
| Table 2. | Disposition Rates Per 10K -- Direct Care Data: Adjusted Rates |

- Table 3. Disposition Rates Per 10K -- Direct Care and CHAMPUS Data Combined: Crude Rates
- Table 4. Disposition Rates Per 10K -- Direct Care and CHAMPUS Data Combined: Adjusted Rates
- Table 5. Average Length of Stay (Days) -- Direct Care Data: Crude Rates
- Table 6. Average Length of Stay (Days) -- Direct Care Data: Adjusted Rates
- Table 7. Average Length of Stay (Days) -- Direct Care and CHAMPUS Data Combined: Crude Rates
- Table 8. Average Length of Stay (Days) -- Direct Care and CHAMPUS Data Combined: Adjusted Rates

SECTION G: COMPOSITE INDEX OF VARIABILITY FOR THE 100 MOST COMMON DIAGNOSTIC CODES

- Table 1. Direct Care Data: Crude Rates
- Table 2. Direct Care Data: Adjusted Rates
- Table 3. Direct Care and CHAMPUS Combined: Crude Rates
- Table 4. Direct Care and CHAMPUS Combined: Adjusted Rates

SECTION H: OVERALL RANKINGS BY DATA SET: COMPOSITE VARIABILITY (DISPS/DAYS)

- Table 1. Direct Care Data: Based on Crude Rates
- Table 2. Direct Care Data: Based on Adjusted Rates
- Table 3. Direct Care and CHAMPUS Data Combined: Based on Crude Rates
- Table 4. Direct Care and CHAMPUS Data Combined: Based on Adjusted Rates
- Table 5. Composite Rankings Across Data Groups

SECTION I: OVERALL RANKINGS BY DATA SET: VARIABILITY IN DISPOSITION RATES

- Table 1. Direct Care Data: Based on Crude Rates
- Table 2. Direct Care Data: Based on Adjusted Rates
- Table 3. Direct Care and CHAMPUS Data Combined: Based on Crude Rates
- Table 4. Direct Care and CHAMPUS Data Combined: Based on Adjusted Rates
- Table 5. Composite Rankings Across Data Groups

SECTION J: OVERALL RANKINGS BY DATA SET: VARIABILITY IN AVERAGE LENGTH OF STAY RATES

- Table 1. Direct Care Data: Based on Crude Rates
- Table 2. Direct Care Data: Based on Adjusted Rates
- Table 3. Direct Care and CHAMPUS Data Combined: Based on Crude Rates
- Table 4. Direct Care and CHAMPUS Data Combined: Based on Adjusted Rates
- Table 5. Composite Rankings Across Data Groups

SECTION A: HEALTH SERVICES, LOUISIANA DATA
TABLE 1. DEMOGRAPHIC DATA FOR HSC: PATIENT GROUPS AND PROPORTIONS

| | MALE DEP 0-17 | FEMALE DEP 0-17 | MALE DEP 18-44 | FEMALE DEP 18-44 | MALE DEP 45+ | FEMALE DEP 45+ | | | | | | | | | | | | | | |
|-----------|---------------|-----------------|----------------|------------------|--------------|----------------|-------|------|--------|------|--------|------|--------|------|--------|------|---------|------|---------|--|
| | PROPRIN | \$ | PROPRIN | \$ | PROPRIN | \$ | | | | | | | | | | | | | | |
| HSC | 308692 | 0.14 | 299568 | 0.13 | 498899 | 0.22 | 63234 | 0.03 | 103223 | 0.05 | 403210 | 0.18 | 298718 | 0.13 | 291279 | 0.13 | 2217018 | 0.13 | 2217018 | |
| BMC | 10871 | 0.12 | 10488 | 0.12 | 7610 | 0.09 | 2148 | 0.02 | 5601 | 0.06 | 14489 | 0.17 | 17428 | 0.20 | 18874 | 0.22 | 87509 | 0.22 | 87509 | |
| EMC | 7335 | 0.13 | 7221 | 0.13 | 9790 | 0.18 | 2093 | 0.04 | 2960 | 0.05 | 9893 | 0.18 | 7899 | 0.14 | 7932 | 0.14 | 55123 | 0.14 | 55123 | |
| EMC | 6613 | 0.11 | 6393 | 0.10 | 7012 | 0.11 | 1537 | 0.02 | 3908 | 0.06 | 9498 | 0.15 | 14421 | 0.23 | 13562 | 0.22 | 62365 | 0.22 | 62365 | |
| EMC | 2925 | 0.09 | 2874 | 0.08 | 2062 | 0.06 | 435 | 0.01 | 1636 | 0.05 | 4621 | 0.14 | 9424 | 0.28 | 10008 | 0.29 | 33965 | 0.29 | 33965 | |
| EMC | 18119 | 0.13 | 17550 | 0.13 | 23565 | 0.17 | 3104 | 0.02 | 6844 | 0.05 | 24827 | 0.18 | 23195 | 0.17 | 22327 | 0.16 | 139531 | 0.16 | 139531 | |
| EMC | 19423 | 0.13 | 18339 | 0.13 | 18059 | 0.33 | 8018 | 0.06 | 4392 | 0.03 | 25129 | 0.17 | 11103 | 0.08 | 19235 | 0.07 | 14638 | 0.07 | 14638 | |
| EMC | 11212 | 0.13 | 1018 | 0.13 | 17725 | 0.21 | 2124 | 0.03 | 3806 | 0.05 | 15236 | 0.10 | 11230 | 0.13 | 11794 | 0.14 | 84385 | 0.14 | 84385 | |
| EMC | 4765 | 0.08 | 4688 | 0.08 | 14270 | 0.24 | 3636 | 0.06 | 2700 | 0.05 | 6936 | 0.12 | 11586 | 0.20 | 10443 | 0.17 | 44006 | 0.17 | 44006 | |
| BENING | 10302 | 0.13 | 10226 | 0.13 | 23057 | 0.29 | 1435 | 0.02 | 2563 | 0.03 | 14218 | 0.18 | 8977 | 0.11 | 9994 | 0.12 | 80722 | 0.12 | 80722 | |
| BRUNO | 20736 | 0.14 | 20429 | 0.14 | 42867 | 0.29 | 4145 | 0.03 | 4636 | 0.03 | 28804 | 0.20 | 12614 | 0.09 | 12210 | 0.09 | 146441 | 0.09 | 146441 | |
| MOORE | 19342 | 0.16 | 18758 | 0.15 | 33173 | 0.27 | 4250 | 0.03 | 4423 | 0.04 | 26104 | 0.21 | 9610 | 0.07 | 9149 | 0.07 | 122009 | 0.07 | 122009 | |
| KNOX | 10304 | 0.15 | 9942 | 0.14 | 16102 | 0.23 | 1131 | 0.02 | 2858 | 0.04 | 13704 | 0.20 | 7772 | 0.11 | 7445 | 0.11 | 63258 | 0.11 | 63258 | |
| LUND | 4947 | 0.14 | 4620 | 0.13 | 12206 | 0.15 | 935 | 0.02 | 1183 | 0.03 | 5595 | 0.16 | 2789 | 0.08 | 2453 | 0.08 | 14328 | 0.08 | 14328 | |
| PRINATA | 1906 | 0.10 | 1800 | 0.10 | 11744 | 0.14 | 1654 | 0.07 | 3034 | 0.11 | 2333 | 0.10 | 364 | 0.02 | 400 | 0.02 | 22145 | 0.02 | 22145 | |
| BELVOIR | 21150 | 0.17 | 20824 | 0.17 | 10952 | 0.09 | 1328 | 0.01 | 2787 | 0.06 | 27717 | 0.22 | 16568 | 0.13 | 17771 | 0.14 | 133937 | 0.14 | 133937 | |
| CAMPBELL | 10835 | 0.15 | 10456 | 0.15 | 21102 | 0.20 | 1967 | 0.03 | 2580 | 0.03 | 15387 | 0.22 | 4724 | 0.07 | 4630 | 0.06 | 71461 | 0.06 | 71461 | |
| CARSON | 12219 | 0.16 | 12102 | 0.16 | 15241 | 0.20 | 1533 | 0.02 | 3092 | 0.04 | 17097 | 0.22 | 7883 | 0.10 | 8279 | 0.11 | 77446 | 0.11 | 77446 | |
| DUNN | 6189 | 0.11 | 5938 | 0.10 | 13495 | 0.24 | 3413 | 0.06 | 2287 | 0.04 | 8237 | 0.15 | 8795 | 0.16 | 8363 | 0.15 | 56727 | 0.15 | 56727 | |
| MANCHUCA | 3956 | 0.13 | 3744 | 0.14 | 5237 | 0.21 | 1099 | 0.04 | 1630 | 0.05 | 4748 | 0.18 | 2909 | 0.11 | 2818 | 0.11 | 25021 | 0.11 | 25021 | |
| JACKSON | 5161 | 0.11 | 4935 | 0.10 | 10163 | 0.21 | 3085 | 0.06 | 2280 | 0.05 | 6470 | 0.13 | 8308 | 0.17 | 8606 | 0.18 | 48968 | 0.18 | 48968 | |
| LAKE | 4540 | 0.12 | 4443 | 0.11 | 8403 | 0.16 | 1720 | 0.04 | 2176 | 0.06 | 5943 | 0.15 | 7320 | 0.19 | 6529 | 0.17 | 39080 | 0.17 | 39080 | |
| MELELLA | 3424 | 0.12 | 3241 | 0.11 | 8397 | 0.22 | 1587 | 0.06 | 1424 | 0.05 | 4393 | 0.15 | 4014 | 0.14 | 3965 | 0.14 | 28445 | 0.14 | 28445 | |
| PAUL | 8730 | 0.13 | 8369 | 0.13 | 17503 | 0.31 | 2360 | 0.04 | 1860 | 0.03 | 2696 | 0.05 | 7269 | 0.13 | 7994 | 0.14 | 56781 | 0.14 | 56781 | |
| PAUL | 6438 | 0.16 | 6236 | 0.15 | 14034 | 0.34 | 1432 | 0.03 | 1079 | 0.03 | 8373 | 0.20 | 2026 | 0.05 | 1929 | 0.05 | 41507 | 0.05 | 41507 | |
| REILEY | 8236 | 0.18 | 8236 | 0.17 | 14034 | 0.34 | 1432 | 0.03 | 1079 | 0.03 | 8373 | 0.20 | 2026 | 0.05 | 1929 | 0.05 | 41507 | 0.05 | 41507 | |
| REILEY | 9046 | 0.15 | 8719 | 0.14 | 17765 | 0.29 | 1175 | 0.02 | 1256 | 0.03 | 10443 | 0.21 | 2335 | 0.05 | 2427 | 0.05 | 49789 | 0.05 | 49789 | |
| SILL | 10186 | 0.16 | 9335 | 0.15 | 16823 | 0.27 | 1793 | 0.03 | 2008 | 0.03 | 13470 | 0.22 | 3872 | 0.06 | 3887 | 0.06 | 61792 | 0.06 | 61792 | |
| STEWART | 3434 | 0.11 | 3289 | 0.11 | 5888 | 0.27 | 1793 | 0.03 | 2008 | 0.03 | 13470 | 0.22 | 3872 | 0.06 | 3887 | 0.06 | 61792 | 0.06 | 61792 | |
| WEST POIN | | | | | | | | | | | | | | | | | | | | |
| MGM MARGH | 3048 | 0.15 | 3023 | 0.15 | 8220 | 0.39 | 861 | 0.04 | 572 | 0.03 | 3694 | 0.18 | 760 | 0.04 | 0 | 0.00 | 20836 | 0.00 | 20836 | |
| DEWEES | 6224 | 0.11 | 5977 | 0.11 | 5192 | 0.09 | 782 | 0.01 | 3424 | 0.06 | 8581 | 0.16 | 13515 | 0.25 | 11264 | 0.20 | 54959 | 0.20 | 54959 | |
| EUSTIS | 5361 | 0.14 | 5235 | 0.13 | 3889 | 0.21 | 1463 | 0.03 | 2895 | 0.05 | 9259 | 0.20 | 5434 | 0.12 | 5602 | 0.12 | 46338 | 0.12 | 46338 | |
| BEN MARR | 3604 | 0.14 | 3525 | 0.13 | 2318 | 0.11 | 689 | 0.03 | 1836 | 0.07 | 4582 | 0.17 | 4988 | 0.19 | 4266 | 0.16 | 26408 | 0.16 | 26408 | |
| LUMMARTH | 3892 | 0.13 | 3605 | 0.12 | 5520 | 0.15 | 577 | 0.02 | 2054 | 0.06 | 5865 | 0.16 | 7204 | 0.20 | 6178 | 0.17 | 36895 | 0.17 | 36895 | |
| MORDE | 3963 | 0.14 | 3676 | 0.13 | 6784 | 0.12 | 1640 | 0.02 | 4474 | 0.06 | 13659 | 0.19 | 12788 | 0.17 | 12567 | 0.17 | 73521 | 0.17 | 73521 | |
| MONMOUTH | 3091 | 0.10 | 3158 | 0.10 | 4885 | 0.16 | 746 | 0.02 | 1747 | 0.06 | 3986 | 0.13 | 7195 | 0.23 | 5852 | 0.19 | 30660 | 0.19 | 30660 | |
| REDSTONE | 3611 | 0.12 | 3429 | 0.12 | 2328 | 0.10 | 440 | 0.02 | 1986 | 0.07 | 4913 | 0.17 | 6065 | 0.21 | 5746 | 0.20 | 29118 | 0.20 | 29118 | |
| BUCKER | 4986 | 0.14 | 4806 | 0.13 | 6446 | 0.19 | 636 | 0.02 | 1630 | 0.05 | 7264 | 0.29 | 4970 | 0.14 | 4857 | 0.13 | 44007 | 0.13 | 44007 | |

SECTION 11: HEALTH SERVICES, COMBINED OVERALL DATA
TABLE 2. OVERALL DISPOSITION RATES IN HEALTH SERVICES, COMBINED
N = 227,302

| | | DIAGNOSES | TOTAL DIR CARE DISP | TOTAL COMBINED DIR CARE DISP | TOTAL CARE RATE/10K | TOTAL COMBINED CARE RATE/10K | TOTAL DIR CARE DISP | TOTAL COMBINED DIR CARE DISP | TOTAL CARE RATE/10K | TOTAL COMBINED CARE RATE/10K | | | |
|----|------|--------------------------------|---------------------------|---------------------------------------|---------------------------|---------------------------------------|---------------------------|---------------------------------------|----------------------------------|---------------------------------------|------|-------|-------|
| 1 | U232 | STERILIZATION | 4732 | 4732 | 20.82 | 20.82 | 71 | 6441 | THREATENED LABOR (374K) | 875 | 896 | 3.85 | 3.94 |
| 2 | U288 | ANTENATAL SCREENING | 3528 | 3529 | 15.52 | 15.53 | 72 | 6442 | EARLY ONSET DELIVERY (374K) | 1361 | 1386 | 5.99 | 6.10 |
| 3 | U300 | SINGL INFANT BORN IN WOSP | 28725 | 39124 | 126.37 | 172.12 | 73 | 6450 | PROLONGED PREGNANCY | 1336 | 1446 | 5.88 | 6.36 |
| 4 | U301 | OTH PLASTIC SURG, COSMETIC APP | 925 | 925 | 4.07 | 4.07 | 74 | 6466 | INFECT GU TRACT IN PREGNANCY | 753 | 763 | 3.31 | 3.36 |
| 5 | U302 | REMOVAL FX PLATE/FIXTH DEVICE | 1219 | 1235 | 5.36 | 5.43 | 75 | 6488 | RENAL GLUC TOL TEST IN PREGNANCY | 1150 | 1178 | 5.06 | 5.18 |
| 6 | U303 | AFTERCARE MAINT CHEMOTHERAPY | 1868 | 1981 | 8.22 | 8.72 | 76 | 6500 | DELIVERY IN NORMAL CASE | 5277 | 5470 | 23.22 | 24.06 |
| 7 | U304 | FOLLOW-UP EXAM, SURGERY | 2452 | 2490 | 10.79 | 10.95 | 77 | 6522 | BREACH PRESENT W/O VERSION | 742 | 766 | 3.26 | 3.37 |
| 8 | U305 | F/U EXAM, OTHER TREATMENT | 870 | 886 | 3.93 | 3.95 | 78 | 6542 | PREVIOUS CESARIAN SECTION | 1545 | 1547 | 6.81 | 6.81 |
| 9 | U306 | OBSERVATION SUSP CARDIASC DIS | 848 | 911 | 3.73 | 4.06 | 79 | 6563 | FETAL DISPESS | 2007 | 2051 | 12.35 | 12.54 |
| 10 | U307 | OBSERVATION OTH SPECIFIED FOND | 2303 | 2377 | 10.13 | 10.46 | 80 | 6565 | POOR FETAL GROWTH | 727 | 802 | 3.20 | 3.53 |
| 11 | U308 | INTESTINAL INFECT, OTH DRG NEC | 1830 | 1893 | 8.05 | 8.33 | 81 | 6566 | EXCESSIVE FETAL GROWTH | 965 | 990 | 4.31 | 4.36 |
| 12 | U309 | STREPTOCOCCAL SORE THROAT | 514 | 2550 | 11.06 | 11.22 | 82 | 6612 | OTITIS MEDIA | 731 | 756 | 3.22 | 3.33 |
| 13 | U310 | VARICELLA W/O COMPLICATIONS | 822 | 918 | 3.62 | 4.04 | 83 | 6631 | UMBILICAL CORD AROUND NECK | 1579 | 1551 | 6.77 | 6.82 |
| 14 | U311 | VARICELLA W/O COMPLICATIONS | 850 | 879 | 3.74 | 3.87 | 84 | 6633 | UNILATERAL CORD ENTANGLEMENT | 872 | 1077 | 3.75 | 3.86 |
| 15 | U312 | CANCER, BROMCHUS/LUNG NOS | 791 | 793 | 3.48 | 3.49 | 85 | 6640 | 1ST DEGREE LACERATION PERINEUM | 1797 | 1422 | 6.43 | 6.26 |
| 16 | U313 | CANCER, BREAST, LFM, NOS | 796 | 806 | 3.50 | 3.55 | 86 | 6641 | 2ND DEGREE LACERATION PERINEUM | 1478 | 1513 | 6.41 | 6.62 |
| 17 | U314 | CANCER, PROSTATE | 724 | 744 | 3.27 | 3.27 | 87 | 6642 | 3RD DEGREE LACERATION PERINEUM | 1106 | 1510 | 5.22 | 6.64 |
| 18 | U315 | REIGN NEOPLASM, COLON | 2043 | 2059 | 8.99 | 9.06 | 88 | 6926 | OTHER CELLULITIS/ABSCESS ILE | 865 | 902 | 3.81 | 3.97 |
| 19 | U316 | LEIOMYOMA, UTERUS, NOS | 1419 | 1500 | 6.24 | 6.82 | 89 | 7159 | OSTEOMYELITIS | 817 | 916 | 3.59 | 4.03 |
| 20 | U317 | VOLUME DEPLETION | 2194 | 2516 | 9.55 | 11.07 | 90 | 7178 | OTH SPEC INI DEFACEMENT KNEE | 1071 | 1083 | 4.71 | 4.79 |
| 21 | U318 | DRUG ABUSE, ALCOHOL | 1412 | 1568 | 6.32 | 6.82 | 91 | 7221 | DISPLACED INI INTRACRANIAL HISC | 1170 | 1295 | 5.16 | 5.70 |
| 22 | U319 | ADJUST REPT, BRIEF DEPRESSIV | 1102 | 1187 | 4.97 | 5.22 | 92 | 7242 | LUMBAGO | 1010 | 1025 | 4.44 | 4.51 |
| 23 | U320 | ADJUST REPT, W/ADJUST OTH FIRM | 1015 | 1039 | 4.47 | 4.52 | 93 | 7270 | SYNOVITIS/LENOVITIS | 866 | 883 | 3.81 | 3.88 |
| 24 | U321 | CARPAL TUNNEL SYNDROME | 2322 | 2352 | 10.22 | 10.54 | 94 | 7274 | GONORRHEA (VUL) | 860 | 864 | 3.79 | 3.80 |
| 25 | U322 | ACUTE PHARYNGITIS | 1001 | 1163 | 4.96 | 5.14 | 95 | 7350 | GONORRHEA (VAG) | 911 | 930 | 3.57 | 3.65 |
| 26 | U323 | ACUTE TONSILLITIS | 4836 | 4924 | 21.28 | 21.66 | 96 | 7802 | SYNOVITIS/LENOVITIS | 1094 | 1107 | 4.60 | 4.60 |
| 27 | U324 | ACUTE UPPER RESP INFECT | 1125 | 1149 | 4.95 | 5.05 | 97 | 7803 | CONVULSION | 1045 | 1245 | 4.25 | 5.48 |
| 28 | U325 | DEHYDRATED NASAL SEPTUM | 1096 | 1313 | 4.92 | 5.78 | 98 | 7865 | CHEST PAIN | 3012 | 3107 | 13.67 | 14.25 |
| 29 | U326 | CHRONIC TONSILLITIS/ADENOTID | 784 | 876 | 3.45 | 3.85 | 99 | 7890 | ADRENAL PHEN THROMB | 1804 | 1927 | 8.29 | 8.99 |
| 30 | U327 | PNEUMONITIS, ORIGIN UNUSP | 3941 | 3632 | 14.70 | 16.07 | 100 | 8540 | THROMB PHEN THROMB | 1210 | 1310 | 5.17 | 5.62 |
| 31 | U328 | BRONCHITIS | 1057 | 1077 | 4.65 | 4.74 | | | | | | | |
| 32 | U329 | ASTHMA NOS | 2858 | 3286 | 12.57 | 14.46 | | | | | | | |
| 33 | U330 | CHRONIC BILIRY OBSTRUCTION | 1362 | 1390 | 5.99 | 6.12 | | | | | | | |
| 34 | U331 | DISTURB TOOTH EJECTION | 3212 | 3229 | 14.13 | 14.21 | | | | | | | |
| 35 | U332 | ENDOMETRIAL TOOTH POSITION | 784 | 954 | 3.36 | 4.20 | | | | | | | |
| 36 | U333 | ESOPHAGITIS | 1293 | 1823 | 5.63 | 8.02 | | | | | | | |
| 37 | U334 | GASTRITIS/GASTROENTERITIS NOS | 1036 | 1154 | 4.56 | 5.08 | | | | | | | |
| 38 | U335 | ACUTE APPENDICITIS W/O PERITON | 1084 | 1148 | 4.77 | 5.27 | | | | | | | |
| 39 | U336 | INGUINAL HERNIA | 4641 | 4745 | 20.51 | 20.88 | | | | | | | |
| 40 | U337 | GASTROENTERITIS | 1801 | 3963 | 16.72 | 17.43 | | | | | | | |
| 41 | U338 | DIVERTICULITIS OF COLON | 1200 | 1215 | 5.14 | 5.35 | | | | | | | |
| 42 | U339 | CALCULUS GALLBLADDER W/OTH CHN | 1630 | 1639 | 7.17 | 7.21 | | | | | | | |
| 43 | U340 | HEPATOMA OF LIVER NOS | 834 | 866 | 3.67 | 3.90 | | | | | | | |
| 44 | U341 | PERICARDITIS/PERICARDIOPHOSIS | 845 | 877 | 3.72 | 3.96 | | | | | | | |
| 45 | U342 | CALCULUS OF KIDNEY | 696 | 704 | 3.06 | 3.10 | | | | | | | |
| 46 | U343 | CALCULUS OF URETER | 729 | 838 | 3.21 | 3.69 | | | | | | | |
| 47 | U344 | URINARY TRACT INFECTION | 1013 | 1054 | 4.46 | 4.64 | | | | | | | |
| 48 | U345 | HYPERPLASIA OF PROSTATE | 1260 | 1288 | 5.34 | 5.67 | | | | | | | |
| 49 | U346 | RECONDANT PREPICE/PHIMOSIS | 924 | 927 | 4.07 | 4.08 | | | | | | | |
| 50 | U347 | DIFUSE CYSTIC MASTOPATHY | 1033 | 1043 | 4.51 | 4.59 | | | | | | | |
| 51 | U348 | PELVIC/PERITON ADHESIONS, FFM | 896 | 905 | 3.94 | 3.98 | | | | | | | |
| 52 | U349 | DYSPLASIA OF CERVIX | 945 | 953 | 4.16 | 4.22 | | | | | | | |
| 53 | U350 | SYMPTOMS/PAIN FEM GENITAL | 926 | 941 | 4.07 | 4.14 | | | | | | | |
| 54 | U351 | EXCESSIVE/PAIN MENSTRUATION | 907 | 913 | 3.55 | 3.58 | | | | | | | |
| 55 | U352 | MISSED ABORTION | 744 | 744 | 3.22 | 3.27 | | | | | | | |
| 56 | U353 | SPONTANEOUS ABORTION | 2733 | 2539 | 10.88 | 11.17 | | | | | | | |
| 57 | U354 | MILD/UNSPEC PREECLAMPSIA | 830 | 846 | 3.65 | 3.72 | | | | | | | |
| 58 | U355 | WILD/HYPERTENSIVE CRANIUMIN | 740 | 755 | 3.29 | 3.32 | | | | | | | |
| 59 | U356 | THREATENED PARTU THINUR | 5146 | 5146 | 22.64 | 22.64 | | | | | | | |

SECTION 0- NEW TM SERVICES COMMAND OVERALL 1 DIRM

268805 = M

[illegible]

SECTION 0: HEALTH SERVICES: COMMING OVERALL DATA
TABLE 4. DISPOSITION RATES BY PATIENT GROUP: FEMALES 0-17
N = 299568

[illegible]

SECTION II - HEALTH SERVICES CONTINUED OVERALL INPATIENT
TABLE 5. DISPOSITION RATES BY PATIENT GROUPS: ACTIVE DAILY INPATIENTS IN 1991
NY 198999

| | | DISP | RATE/10K | DIAGNOSES | DISP | RATE/10K | DIAGNOSES | DISP | RATE/10K | |
|----|------|------|----------|---------------------------------|------|----------|---------------------------------|------|----------|--|
| 1 | 0232 | | 38.87 | STERILIZATION | 1939 | 0 | THREATENED LABOR (+37WKS) | 71 | 6441 | |
| 2 | 0288 | | 0 | ANTENATAL SCREENING | 0 | 0.00 | EARLY ONSET DELIVERY (+37WKS) | 72 | 6442 | |
| 3 | 0300 | | 0 | SINGL INFANT BORN IN HOSP | 0 | 0.00 | PROLONGED PREGNANCY | 73 | 6450 | |
| 4 | 0501 | | 83 | OTH PLASTIC SURG, COSMETIC APP | 83 | 1.66 | INJECT GU TRACT IN PREGNANCY | 74 | 6466 | |
| 5 | 0540 | | 716 | REMOVAL FM PLUG/FIXTN DEVICE | 716 | 14.35 | ABNL GLUC TOL TEST IN PREGNANCY | 75 | 6488 | |
| 6 | 0581 | | 38 | AFTERCARE MAINT CHEMOTHERAPY | 38 | 0.76 | DELIVERY IN NORMAL CASE | 76 | 6500 | |
| 7 | 0670 | | 411 | FOLLOW-UP EXAM, SURGERY | 411 | 8.24 | BREECH PRESENT W/O VERSION | 77 | 6522 | |
| 8 | 0675 | | 300 | F/U EXAM, OTHER TREATMENT | 300 | 6.01 | PREVIOUS CESARIAN SECTION | 78 | 6542 | |
| 9 | 0717 | | 224 | OBSEVATION SUSP CARDIASC DIS | 224 | 4.49 | FETAL DISTRESS | 79 | 6563 | |
| 10 | 0718 | | 344 | OBSEVATION OTH SPECIFIED (OND | 344 | 6.30 | POOR FETAL GROWTH | 80 | 6565 | |
| 11 | 0808 | | 670 | INTESTINAL INFECT, OTH ORG INF | 670 | 13.43 | EXCESSIVE FETAL GROWTH | 81 | 6566 | |
| 12 | 0340 | | 2048 | STREPTOCOCCAL SORE THROAT | 2048 | 41.05 | OTH/UNSPEC UTERINE INJURY | 82 | 6612 | |
| 13 | 0449 | | 435 | MYLV-III/LAV NOS | 435 | 8.72 | UMBILICAL CORD AROUND NECK | 83 | 6631 | |
| 14 | 0529 | | 677 | VARICELLA W/O COMPLICATIONS | 677 | 13.57 | UMBILICAL CORD ENTANGLEMENT | 84 | 6633 | |
| 15 | 0799 | | 2693 | VIRAL INFECT, NOS | 2693 | 53.98 | 1ST DEGREE LACERATION PERINEUM | 85 | 6640 | |
| 16 | 1629 | | 12 | CANCER, BRONCHUS/LUNG NOS | 12 | 0.24 | 2ND DEGREE LACERATION PERINEUM | 86 | 6641 | |
| 17 | 1749 | | 0 | CANCER, BREAST, FEM, NOS | 0 | 0.00 | 3RD DEGREE LACERATION PERINEUM | 87 | 6642 | |
| 18 | 185 | | 5 | CANCER, PROSTATE | 5 | 0.10 | OTHER CELLULITIS/ABSCESSES | 88 | 6626 | |
| 19 | 1913 | | 79 | BENIGN NEOPLASIA, COLON | 79 | 1.58 | OSTEOARTHRITIS | 89 | 7159 | |
| 20 | 2189 | | 0 | LEIOMYOMA, UTERUS, NOS | 0 | 0.00 | OTH SPEC INF DEFORMATION KNEE | 90 | 7179 | |
| 21 | 2765 | | 425 | VOLUME DEPLETION | 425 | 8.52 | DISPLACEMENT INJURY KNEE | 91 | 7221 | |
| 22 | 3039 | | 1635 | ALCOHOL DEPENDENCE | 1635 | 32.77 | LUMBAGO | 92 | 7242 | |
| 23 | 3050 | | 744 | DRUG ABUSE, ALCOHOL | 744 | 14.91 | SYNOVITIS/TELEIOVITIS | 93 | 7270 | |
| 24 | 3090 | | 956 | ADJUST REACT, BRIEF DEPRESSIVE | 956 | 19.16 | GANGLION CYST | 94 | 7274 | |
| 25 | 3092 | | 844 | ADJUST REACT, MAJOR DEPRESSIVE | 844 | 16.92 | HALLUX VALGUS | 95 | 7350 | |
| 26 | 3540 | | 140 | CARPAL TUNNEL SYNDROME | 140 | 2.81 | SYNOVIO AND COLLAGE | 96 | 7802 | |
| 27 | 3669 | | 44 | CATARACT NOS | 44 | 0.88 | CONVULSIONS | 97 | 7803 | |
| 28 | 3829 | | 213 | OTITIS MEDIA NOS | 213 | 4.27 | CHEST PAIN | 98 | 7865 | |
| 29 | 4111 | | 30 | INTERMEDIATE CORONARY SYNDROME | 30 | 0.60 | ABDOMINAL PAIN | 99 | 7890 | |
| 30 | 4139 | | 49 | ANGINA, OTHER AND UNSPEC | 49 | 0.98 | INTRACRANIAL INJURY, NEC/NOS | 100 | 8140 | |
| 31 | 4140 | | 238 | CORONARY ARTERIO-SCLEROSIS | 238 | 4.77 | | | | |
| 32 | 4149 | | 135 | CHRONIC ISCHEMIC HEART DISEASE | 135 | 2.71 | | | | |
| 33 | 4273 | | 96 | ATRIAL FIBRILLATION/FLUTTER | 96 | 1.92 | | | | |
| 34 | 4280 | | 2 | CONGESTIVE HEART FAILURE | 2 | 0.04 | | | | |
| 35 | 462 | | 1305 | ACUTE PHARYNGITIS | 1305 | 26.16 | | | | |
| 36 | 463 | | 588 | ACUTE TONSILLITIS | 588 | 11.79 | | | | |
| 37 | 4659 | | 3247 | ACUTE UPPER RESPIR INFECT | 3247 | 65.08 | | | | |
| 38 | 470 | | 692 | DEVIATED NASAL SEPTUM | 692 | 13.87 | | | | |
| 39 | 4740 | | 296 | CHRONIC TONSILLITIS | 296 | 5.93 | | | | |
| 40 | 4741 | | 85 | HYPERTROPHY TONSILLOIDENITIS | 85 | 1.70 | | | | |
| 41 | 486 | | 1057 | PNEUMONIA, ORGANISM UNSPEC | 1057 | 21.19 | | | | |
| 42 | 490 | | 524 | BRONCHITIS | 524 | 10.50 | | | | |
| 43 | 4939 | | 334 | ASTHMA NOS | 334 | 6.69 | | | | |
| 44 | 496 | | 16 | CHRONIC AIRWAY OBSTRUCTION | 16 | 0.32 | | | | |
| 45 | 5206 | | 1753 | DISTURB TOOTH POSITION | 1753 | 35.14 | | | | |
| 46 | 5243 | | 551 | ANOMALIES TOOTH POSITION | 551 | 11.04 | | | | |
| 47 | 5301 | | 277 | ESOPHAGITIS | 277 | 5.55 | | | | |
| 48 | 5355 | | 264 | GASTRITIS/GASTROENTERITIS NOS | 264 | 5.29 | | | | |
| 49 | 5409 | | 428 | ACUTE APENDICITIS W/O PERITON | 428 | 8.58 | | | | |
| 50 | 5509 | | 1824 | INGUINAL HERNIA | 1824 | 36.56 | | | | |
| 51 | 5589 | | 1636 | GASTROENTERITIS | 1636 | 32.79 | | | | |
| 52 | 5621 | | 56 | DIVERTICULA OF COLON | 56 | 1.12 | | | | |
| 53 | 5741 | | 78 | CALCULUS GALLBLADDER W/OTH CHOL | 78 | 1.56 | | | | |
| 54 | 5789 | | 104 | HEMORRHOIDS GI TRACT NOS | 104 | 2.08 | | | | |
| 55 | 5908 | | 23 | PYELONEPHRITIS/PYONEPHROSIS | 23 | 0.46 | | | | |
| 56 | 5920 | | 246 | CALCULUS OF KIDNEY | 246 | 4.93 | | | | |
| 57 | 5921 | | 299 | CALCULUS OF URETER | 299 | 5.93 | | | | |
| 58 | 5990 | | 57 | URINARY TRACT INFECTION | 57 | 1.14 | | | | |
| 59 | 600 | | 7 | HYPERPLASIA OF PROSTATE | 7 | 0.14 | | | | |
| 60 | 605 | | 704 | REDUNDANT PREPUCE/PHIMOSIS | 704 | 6.09 | | | | |
| 61 | 6101 | | 1 | DIFFUSE CYSTIC MYOEPITHY | 1 | 0.02 | | | | |
| 62 | 6146 | | 0 | PELVIC/PERITON ANHEGIONS, FEM | 0 | 0.00 | | | | |
| 63 | 6221 | | 0 | DYSPLASIA OF CERVIX | 0 | 0.00 | | | | |
| 64 | 6259 | | 0 | SYMPTOMS/PAIN FEM GENITAL | 0 | 0.00 | | | | |
| 65 | 6262 | | 0 | EXCESSIVE/FREQ FEM IRRITATION | 0 | 0.00 | | | | |
| 66 | 632 | | 0 | MISSED ABORTION | 0 | 0.00 | | | | |
| 67 | 6349 | | 0 | SPONTANEOUS ABORTION | 0 | 0.00 | | | | |
| 68 | 6424 | | 0 | MILD/UNSPEC PREECLAMPSIA | 0 | 0.00 | | | | |
| 69 | 6430 | | 0 | MILD HYPERTENSIL GRANULOPH | 0 | 0.00 | | | | |
| 70 | 6440 | | 0 | TYPE II HYPERTENSION | 0 | 0.00 | | | | |

SECTION 11: HEALTH SERVICES CONTINUED OVERBULL DOLL
TABLE 6. DISPOSITION RATES BY PATIENT GROUP: ACTIVE DUTY FEMILES 10-44
N = 69214

| | | DIAGNOSES | SDCAFE OISP | RATE/10K | DIAGNOSES | SDCAFE OISP | RATE/10K | | | |
|----|------|---------------------------------|----------------|----------|-----------|----------------|---------------------------------|-----|--------|--|
| 1 | 2352 | STERILIZATION | 584 | 84.35 | 71 | 6441 | THREATENED LABOR (37WPS) | 161 | 23.25 | |
| 2 | 2360 | ANTENATAL SCREENING | 626 | 90.42 | 72 | 6442 | EARLY UNSFT DELIVERY (37WPS) | 253 | 36.54 | |
| 3 | 2380 | SINGL INFANT BORN IN HOSP | 0 | 0.00 | 73 | 6450 | PROLONGED PREGNANCY | 191 | 27.59 | |
| 4 | 2391 | OTH PLASTIC SURG, COSMETIC APP | 140 | 20.22 | 74 | 6466 | INFECT GU TRACT IN PREGNANCY | 164 | 23.62 | |
| 5 | 2401 | RETHAL FX PLAT/FIXTN DEVICE | 64 | 9.24 | 75 | 6488 | ABNL GLUC TOL TEST IN PREGNANCY | 122 | 17.62 | |
| 6 | 2401 | AFTERCARE MAINT CHEMOTHERAPY | 27 | 3.90 | 76 | 6500 | DELIVERY IN NORMAL CASE | 896 | 129.42 | |
| 7 | 2401 | FOLLOW-UP EXAM, SURGERY | 52 | 7.51 | 77 | 6522 | BREACH PRESENT W/O VERSION | 109 | 15.74 | |
| 8 | 2401 | F/U EXAM, OTHER TREATMENT | 19 | 2.74 | 78 | 6542 | PREVIOUS CESARIAN SECTION | 180 | 26.00 | |
| 9 | 2417 | OBSERVATION SUSP CARDIASC DIS | 7 | 1.01 | 79 | 6563 | FETAL DISTRESS | 480 | 69.33 | |
| 10 | 2418 | OBSERVATION OTH SPECIFIED COND | 135 | 19.50 | 80 | 6565 | POOR FETAL GROWTH | 117 | 16.90 | |
| 11 | 2418 | INTESTINAL INFECT, OTH ORG N/C | 275 | 39.72 | 81 | 6566 | EXCESSIVE FETAL GROWTH | 129 | 18.49 | |
| 12 | 2440 | STREPTOCOCCAL SORE THROAT | 302 | 43.19 | 82 | 6612 | OTH/UNSPEC UTERINE INJURY | 114 | 16.47 | |
| 13 | 2449 | HIV-1/2/LAB NOS | 32 | 4.62 | 83 | 6631 | UMBILICAL CORD AROUND NECK | 279 | 40.00 | |
| 14 | 2452 | VARICELLA W/O COMPLICATION | 91 | 13.14 | 84 | 6633 | UMBILICAL CORD ENTANGLEMENT | 100 | 15.00 | |
| 15 | 2459 | VIRAL INFECT, NOS | 627 | 89.67 | 85 | 6640 | 1ST DEGREE LACERATION PERINEUM | 163 | 24.41 | |
| 16 | 2459 | CANCER, BRONCHUS/LUNG NOS | 1 | 0.14 | 86 | 6641 | 2ND DEGREE LACERATION PERINEUM | 185 | 26.72 | |
| 17 | 2459 | CANCER, BREAST, FEM NOS | 11 | 1.59 | 87 | 6642 | 3RD DEGREE LACERATION PERINEUM | 193 | 27.60 | |
| 18 | 2459 | CANCER, PROSTATE | 0 | 0.00 | 88 | 6926 | OTHER CELLULITIS/ABSCESS/LEG | 33 | 4.77 | |
| 19 | 2459 | CANCER, NEOPLASM, CHILD | 5 | 0.72 | 89 | 7159 | OSTEOARTHRITIS | 17 | 2.46 | |
| 20 | 2459 | LEIOMYOMA, UTERUS, NOS | 140 | 20.22 | 90 | 7178 | OTH SPEC INJ DEGREE HEAD INJ | 81 | 11.70 | |
| 21 | 2459 | VULVINE DEPLETION | 151 | 21.81 | 91 | 7221 | DISPLACED INJ DEGREE HEAD INJ | 57 | 8.23 | |
| 22 | 3039 | ALCOHOL DEPENDENCE | 124 | 17.91 | 92 | 7242 | LUNARIGO | 112 | 16.40 | |
| 23 | 3050 | DRUG ABUSE, ALCOHOL | 55 | 7.94 | 93 | 7270 | SYNDROME/TERMINOLOGY | 86 | 12.42 | |
| 24 | 3090 | ADJUST REACT, BRIEF DEPRESSION | 252 | 37.12 | 94 | 7274 | GAULIAVUS | 90 | 14.15 | |
| 25 | 3092 | ADJUST REACT W/OUT OTH EMOT | 147 | 21.21 | 95 | 7350 | MILLUM VULGUS | 173 | 25.05 | |
| 26 | 3540 | CARPAL TUNNEL - SYMPTOM | 43 | 6.21 | 96 | 7802 | SYNCHIAE AND CHLOROMA | 81 | 11.70 | |
| 27 | 3669 | CARPAL TUNNEL NOS | 1 | 0.14 | 97 | 7803 | CONJUGATIONS | 37 | 5.34 | |
| 28 | 3829 | OTITIS MEDIA NOS | 44 | 6.36 | 98 | 7865 | CHEST PAIN | 61 | 8.81 | |
| 29 | 4111 | INTERMITTENT CORONARY SYNDROME | 0 | 0.00 | 99 | 7890 | ABNORMAL PAIN | 224 | 32.35 | |
| 30 | 4139 | ANGINA, OTHER AND UNSPEC | 3 | 0.43 | 100 | 8540 | INTERMITTENT PAIN, LOC NOS | 71 | 10.20 | |
| 31 | 4140 | CORONARY ARTERIO-SCLEROSIS | 1 | 0.14 | | | | | | |
| 32 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 2 | 1.01 | | | | | | |
| 33 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 4 | 0.58 | | | | | | |
| 34 | 4280 | CONGESTIVE HEART FAILURE | 1 | 0.14 | | | | | | |
| 35 | 462 | ACUTE PHARYNGITIS | 213 | 30.77 | | | | | | |
| 36 | 463 | ACUTE TONSILLITIS | 182 | 26.29 | | | | | | |
| 37 | 4659 | ACUTE UPPER RESP INFECT | 116 | 17.06 | | | | | | |
| 38 | 470 | DIAPYED NASAL SEPTUM | 76 | 10.98 | | | | | | |
| 39 | 4740 | CHRONIC TONSILLITIS | 91 | 12.13 | | | | | | |
| 40 | 4741 | HYPERTROPHY TONSILLOIDENITIS | 23 | 3.32 | | | | | | |
| 41 | 486 | PNEUMONIA, ORGANISM UNSPEC | 143 | 20.65 | | | | | | |
| 42 | 490 | BRONCHITIS | 152 | 21.95 | | | | | | |
| 43 | 4939 | ASTHMA NOS | 96 | 13.87 | | | | | | |
| 44 | 496 | CHRONIC AIRWAY OBSTRUCTION | 1 | 0.14 | | | | | | |
| 45 | 5206 | DISTURB TOOTH ERUPTION | 441 | 63.70 | | | | | | |
| 46 | 5243 | ANOMALIES TOOTH POSITION | 113 | 16.32 | | | | | | |
| 47 | 5301 | ESOPHAGITIS | 43 | 6.21 | | | | | | |
| 48 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 80 | 11.56 | | | | | | |
| 49 | 5409 | ACUTE APPENDICITIS W/O PERITON | 62 | 8.96 | | | | | | |
| 50 | 5509 | INGUINAL HERNIA | 39 | 5.63 | | | | | | |
| 51 | 5589 | GASTROENTERITIS | 104 | 15.24 | | | | | | |
| 52 | 5621 | DIVERTICULA OF COLON | 3 | 0.43 | | | | | | |
| 53 | 5741 | CALCULUS GALLBLADDER W/OTH CHOL | 73 | 10.54 | | | | | | |
| 54 | 5789 | HEMORRHOGE GI TRACT NOS | 15 | 2.17 | | | | | | |
| 55 | 5908 | PYELOPHORITIS/NEPHROSIS | 142 | 20.51 | | | | | | |
| 56 | 5920 | CALCULUS OF KIDNEY | 25 | 3.61 | | | | | | |
| 57 | 5921 | CALCULUS OF URETER | 13 | 1.89 | | | | | | |
| 58 | 5990 | URINARY TRACT INFECTION | 15 | 18.05 | | | | | | |
| 59 | 600 | HYPERPLASIA OF PROSTATE | 0 | 0.00 | | | | | | |
| 60 | 605 | REDUNDANT PREPICE/PHIMOSIS | 66 | 9.53 | | | | | | |
| 61 | 6101 | DIFFUSE CYSTIC HYSTIOPATHY | 284 | 41.02 | | | | | | |
| 62 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 241 | 34.81 | | | | | | |
| 63 | 6221 | DYSPLASIA OF CERVIX | 352 | 50.84 | | | | | | |
| 64 | 6259 | SYMPTOMS/PAIN FEM/GENITAL | 59 | 8.52 | | | | | | |
| 65 | 6262 | EXCESSIVE/PAUC MENSTRUATION | 155 | 22.39 | | | | | | |
| 66 | 632 | MISSED ABORTION | 539 | 77.85 | | | | | | |
| 67 | 6349 | SPONTANEOUS ABORTION | 177 | 25.57 | | | | | | |
| 68 | 6424 | MILD/UNSPEC PRETERLAPSA | 205 | 29.61 | | | | | | |
| 69 | 6430 | MILD/HYPEREMETIC GRADUATION | 177 | 25.57 | | | | | | |
| 70 | 6440 | HYPEREMETIC WITH TUNOR | 177 | 25.57 | | | | | | |

SECTION 11: HEALTH SERVICES COMMAND OVERHULL DATA
DISPOSITION RATES BY PATIENT GROUP: 1
N- 10323

[illegible]

MM FS 18-44

| ICD9-CM | DIAGNOSES | BCDR | ICD9-CM | DIR | CARE | COMBINED |
|---------|---------------|------|---------|---------|------------|------------|
| | | DISP | DISP | INT/EXT | INT/EXT/OK | INT/EXT/OK |
| 1 0252 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0253 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0254 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0255 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0256 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0257 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0258 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0259 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0260 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0261 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0262 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0263 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0264 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0265 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0266 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0267 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0268 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0269 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0270 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0271 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0272 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0273 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0274 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0275 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0276 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0277 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0278 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0279 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0280 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0281 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0282 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0283 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0284 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0285 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0286 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0287 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0288 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0289 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0290 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0291 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0292 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0293 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0294 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0295 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0296 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0297 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0298 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0299 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0300 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0301 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0302 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |
| 1 0303 | STERILIZATION | 0 | 0 | 50.37 | 50.37 | 100.74 |

SECTION 11: HEALTH SERVICES CUMULATIVE OVERALL DATA
TABLE 10: DISPOSITION RATES BY PATIENT GROUP: FEMALES 45 YEARS AND OLDER
N = 291279

| | DISP | 8CMH | DIR | CARE | COMBINED |
|---------|---------------------------------|------|-----|-------|----------|
| | | | | | |
| 1 2532 | STERILIZATION | 7 | 0 | 0.24 | 0.24 |
| 2 2086 | WATERBURY SCREENING | 0 | 0 | 0.00 | 0.00 |
| 3 4300 | SINGL INFANT BORN IN HOSP | 0 | 0 | 0.00 | 0.00 |
| 4 4501 | OTH PLASTIC SURG, COSMETIC APP | 245 | 0 | 0.41 | 0.41 |
| 5 4540 | REMOVAL FX PLATE/FIXTIN DEVICE | 62 | 0 | 2.13 | 2.13 |
| 6 4561 | AFTERCARE MAINT CHEMOTHERAPY | 551 | 0 | 18.32 | 18.32 |
| 7 4670 | FOLLOW-UP EXAM, SURGERY | 609 | 3 | 20.91 | 21.01 |
| 8 4675 | F/U EXAM, OTHER TREATMENT | 139 | 3 | 4.72 | 4.88 |
| 9 4717 | OBSERVATION SUSP CARDIASC DIS | 214 | 0 | 7.35 | 7.35 |
| 10 4718 | OBSERVATION OTH SPECIFIED COND | 428 | 2 | 14.69 | 14.76 |
| 11 0088 | INTESTINAL INFECT, OTH ORG, ILL | 16 | 0 | 2.27 | 2.27 |
| 12 0340 | STREPTOCOCCAL SORE THROAT | 6 | 0 | 0.07 | 0.07 |
| 13 0449 | HYLO-III/LAV NOS | 2 | 0 | 0.07 | 0.07 |
| 14 0529 | VARICELLA W/O COMPLICATION | 65 | 0 | 2.71 | 2.71 |
| 15 0799 | UTERINE INFECT, NOS | 111 | 0 | 6.63 | 6.63 |
| 16 1629 | CANCER, BRONCHUS/LUNG NOS | 111 | 1 | 1.71 | 2.17 |
| 17 1749 | CANCER, BREAST, FEM, NOS | 594 | 1 | 10.43 | 10.43 |
| 18 1805 | CANCER, PROSTATE | 594 | 1 | 10.43 | 10.43 |
| 19 2113 | BENIGN MED/LASH, COLON | 241 | 7 | 8.11 | 8.55 |
| 20 2189 | LEIOMYOMA, UTERUS, NOS | 122 | 0 | 4.19 | 4.19 |
| 21 2765 | VOLUME DEPLETION | 59 | 0 | 2.03 | 2.03 |
| 22 3039 | ALCOHOL DEPENDENCE | 27 | 0 | 0.74 | 0.74 |
| 23 3050 | DRUG ABUSE, ALCOHOL | 14 | 0 | 0.51 | 0.51 |
| 24 3090 | ADJUST REACT, BRIEF DEPRESS | 6 | 2 | 0.27 | 0.27 |
| 25 3092 | ADJUST REACT, W/OUT OTH COND | 176 | 4 | 12.91 | 12.91 |
| 26 3540 | CARPAL TUNNEL SYNDROME | 1021 | 4 | 15.05 | 15.19 |
| 27 3669 | CATARACT NOS | 28 | 3 | 0.96 | 1.06 |
| 28 3699 | OTITIS MEDIA NOS | 322 | 0 | 11.05 | 11.05 |
| 29 4111 | INTERMEDIATE CORONARY SYNDROME | 255 | 0 | 8.75 | 8.75 |
| 30 4139 | ANGINA, OTHER AND UNSPEC | 475 | 0 | 16.31 | 16.31 |
| 31 4140 | CORONARY ARTERIO-SCLEROSIS | 185 | 4 | 6.35 | 6.49 |
| 32 4149 | CHRONIC ISCHEMIC HEART DISEASE | 395 | 4 | 13.56 | 13.56 |
| 33 4271 | ARRIAL FIBRILLATION/FLUTTER | 402 | 2 | 16.55 | 16.55 |
| 34 4280 | CONGESTIVE HEART FAILURE | 5 | 2 | 0.17 | 0.24 |
| 35 462 | ACUTE PHARYNGITIS | 1 | 0 | 0.03 | 0.03 |
| 36 463 | ACUTE TONSILLITIS | 35 | 0 | 1.20 | 1.20 |
| 37 4659 | ACUTE UPPER RESP INFECT | 14 | 0 | 1.51 | 1.51 |
| 38 470 | DEVIATED NASAL SEPTUM | 8 | 0 | 0.27 | 0.27 |
| 39 4740 | CHRONIC TONSILLITIS | 3 | 2 | 0.10 | 0.17 |
| 40 4741 | HYPERTROPHY TONSILS/ADENOIDS | 86 | 0 | 2.95 | 2.95 |
| 41 486 | PNEUMONIA, ORIGIN: M, UNSPEC | 354 | 0 | 12.15 | 12.15 |
| 42 490 | BRONCHITIS | 520 | 3 | 17.45 | 17.45 |
| 43 4939 | ASTHMA NOS | 10 | 7 | 0.34 | 0.58 |
| 44 496 | CHRONIC AIRWAY OBSTRUCTION | 1 | 12 | 0.03 | 0.45 |
| 45 5206 | DISTURB TOOTH Eruption | 229 | 6 | 7.86 | 8.07 |
| 46 5243 | ANOMALIES TOOTH POSITION | 42 | 0 | 1.44 | 1.44 |
| 47 5301 | ESOPHAGITIS | 194 | 13 | 3.23 | 3.67 |
| 48 5355 | GASTRITIS/GASTROENTERITIS NOS | 483 | 0 | 16.78 | 16.78 |
| 49 5409 | ACUTE APENDICITIS W/O PERITON | 451 | 0 | 15.48 | 15.48 |
| 50 5509 | INGUINAL HERNIA | 233 | 4 | 8.00 | 8.14 |
| 51 5589 | GASTROENTERITIS | 125 | 4 | 4.29 | 4.43 |
| 52 5621 | DIVERTICULA OF COLON | 96 | 0 | 3.30 | 3.30 |
| 53 5741 | CALCULUS GALLBLADDER W/OTH CHN | 67 | 0 | 2.30 | 2.30 |
| 54 5789 | HEMORRHOID, GI TRACT NOS | 209 | 0 | 7.18 | 7.18 |
| 55 5908 | PYELONEPHRITIS/NEPHROSIS | 0 | 0 | 0.00 | 0.00 |
| 56 5920 | CALCULUS OF KIDNEY | 0 | 0 | 0.00 | 0.00 |
| 57 5921 | CALCULUS OF URETER | 0 | 0 | 0.00 | 0.00 |
| 58 5990 | URINARY TRACT INFECTION | 0 | 0 | 0.00 | 0.00 |
| 59 600 | HYPERPLASIA OF PROSTATE | 0 | 0 | 0.00 | 0.00 |
| 60 605 | REDUNDANT PREPICE/PHIMOSIS | 646 | 0 | 22.18 | 22.18 |
| 61 6101 | DIFFUSE CYSTIC MASTOPATHY | 19 | 0 | 0.65 | 0.65 |
| 62 6146 | PELVIC/PERITON ADHESIONS, FEM | 113 | 0 | 3.88 | 3.88 |
| 63 6221 | DYSPLASIA OF CERVIX | 120 | 0 | 5.90 | 5.90 |
| 64 6259 | SYMPTOMS/PAIN FEMENITAL | 172 | 0 | 0.00 | 0.00 |
| 65 6262 | EXCESSIVE/FREQ MENSTRUATION | 2 | 0 | 0.07 | 0.07 |
| 66 632 | MISSED ABORTION | 0 | 0 | 0.00 | 0.00 |
| 67 6349 | SPONTANEOUS ABORTION | 0 | 0 | 0.00 | 0.00 |
| 68 6424 | MILD/UNSPEC PRECLAMPSIA | 0 | 0 | 0.00 | 0.00 |
| 69 6430 | MILD HYPERTENSIC GRAVITARIUM | 0 | 0 | 0.00 | 0.00 |
| 70 6440 | THROMBEMIA FROM LUMBAR | 0 | 0 | 0.00 | 0.00 |

| DISP | 8CMH | DIR | CARE | COMBINED |
|----------|---------------------------------|-----|------|----------|
| | | | | |
| 71 6441 | THREATENED LABOR (>37WKS) | 0 | 0 | 0.00 |
| 72 6442 | EARLY ONSET DELIVERY (>37WKS) | 0 | 0 | 0.00 |
| 73 6450 | PROLONGED PREGNANCY | 0 | 0 | 0.00 |
| 74 6465 | INFECT GU TRACT IN PREGNANCY | 0 | 0 | 0.00 |
| 75 6489 | ABNL GLUC TOL TEST IN PREGNANCY | 1 | 0 | 0.03 |
| 76 650 | DELIVERY IN NORMAL CASE | 1 | 0 | 0.03 |
| 77 6522 | BREECH PRESENT W/O VERSION | 0 | 0 | 0.00 |
| 78 6542 | PREVIOUS CESARIAN SECTION | 0 | 0 | 0.00 |
| 79 6563 | FETAL DISTRESS | 1 | 0 | 0.03 |
| 80 6565 | POOR FETAL GROWTH | 1 | 0 | 0.03 |
| 81 6566 | EXCESSIVE FETAL GROWTH | 1 | 0 | 0.03 |
| 82 6612 | UTERUS/UTERINE INJURY | 0 | 0 | 0.00 |
| 83 6631 | UMBILICAL CORD AROUND NECK | 0 | 0 | 0.00 |
| 84 6633 | 1ST DEGREE LACERATION PERINEUM | 1 | 0 | 0.03 |
| 85 6640 | 2ND DEGREE LACERATION PERINEUM | 1 | 0 | 0.03 |
| 86 6641 | 3RD DEGREE LACERATION PERINEUM | 0 | 6 | 0.21 |
| 87 6642 | OTHER CELLULITIS/ABSCESS, LG | 103 | 0 | 3.54 |
| 88 6826 | OSTEOARTHRITIS | 4 | 0 | 0.14 |
| 89 7159 | OTH SPEC INI OF PREGNANT KNEE | 89 | 2 | 3.12 |
| 90 7178 | DISPLACEMENT IN PREGNANT KNEE | 154 | 0 | 5.29 |
| 91 7221 | SYNCHONIA/TENDONITIS | 70 | 1 | 2.40 |
| 92 7242 | LABORATION CYST | 151 | 0 | 5.10 |
| 93 7270 | HAIR LUX ULCERS | 146 | 0 | 5.01 |
| 94 7274 | SYNCHONIA AND TENDONITIS | 50 | 0 | 1.72 |
| 95 7350 | CONVULSIONS | 940 | 0 | 12.55 |
| 96 7802 | CHEST PAIN | 237 | 0 | 8.14 |
| 97 7803 | ANOMALOUS PAIN | 24 | 0 | 0.08 |
| 98 7865 | THROMBOPHLEBITIS | 24 | 0 | 0.08 |
| 99 7890 | THROMBOPHLEBITIS | 24 | 0 | 0.08 |
| 100 7890 | THROMBOPHLEBITIS | 24 | 0 | 0.08 |

SECTION 11: FACILITY WITH
TABLE 1. MEDICINE DISPOSITIONS PER 10K
DIRECT CARE DAYS; CRUDE RATES

[illegible]

SECTION #: FACILITY DATA
TABLE 1. MEDICINE DISPOSITIONS PER 10K
DIRECT CARE DRAIN: CRUDE RATE

[illegible]

SECTION B: FACILITY DATA
TABLE 2. MEDICIN DISPOSITIONS PER 10K
DIRECT CASE DATA: ADJUSTED RATES

| | ADJ BANC RATE/10K | ADJ ERMC RATE/10K | ADJ FANC RATE/10K | ADJ LANC RATE/10K | ADJ MAMC RATE/10K | ADJ TANC RATE/10K | ADJ WBMHC RATE/10K | ADJ WRRHC RATE/10K | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|--|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|-----------------|-----------------|------------------|
| 4800 DELIVERY IN NORMAL CASE | 12.24 | 24.17 | 12.14 | 0.00 | 23.68 | 37.87 | 22.80 | 85.50 | 85.50 | 12.14 | 7.04 |
| 4802 BREACH PRESENT W/O VERSION | 2.00 | 3.02 | 2.14 | 0.00 | 6.09 | 6.48 | 5.16 | 5.80 | 6.48 | 2.00 | 3.24 |
| 4804 PREVIOUS CESARIAN SECTION | 4.46 | 6.80 | 8.30 | 0.00 | 4.21 | 5.33 | 2.65 | 11.69 | 11.69 | 2.65 | 4.41 |
| 4806 FETAL DISTRESS | 4.54 | 7.76 | 10.59 | 0.00 | 14.22 | 34.35 | 18.66 | 12.00 | 34.35 | 4.54 | 7.56 |
| 4808 POOR FETAL GROWTH | 0.75 | 5.66 | 2.74 | 0.00 | 5.25 | 5.25 | 27.51 | 0.20 | 27.51 | 0.20 | 135.62 |
| 4810 EXCESSIVE FETAL GROWTH | 2.74 | 0.71 | 2.91 | 0.00 | 5.03 | 2.63 | 92.14 | 0.21 | 92.14 | 0.21 | 433.89 |
| 4812 OTH/UNSPEC UTERINE INERTIA | 0.50 | 0.89 | 2.34 | 0.00 | 0.15 | 3.25 | 36.73 | 0.41 | 36.73 | 0.15 | 249.40 |
| 4814 UNBILICAL CORD ENTANGLEMENT | 4.01 | 7.10 | 7.02 | 0.00 | 0.07 | 1.36 | 21.24 | 1.03 | 21.24 | 0.07 | 297.21 |
| 4831 UNBILICAL CORD AROUND NECK | 6.72 | 6.25 | 6.41 | 0.00 | 0.22 | 0.63 | 2.27 | 0.00 | 6.72 | 0.00 | 4.59 |
| 4840 1ST DEGREE LACERATION PERINEUM | 3.35 | 3.58 | 1.74 | 0.00 | 6.90 | 7.97 | 5.29 | 6.24 | 7.97 | 1.74 | 18.44 |
| 4841 2ND DEGREE LACERATION PERINEUM | 2.36 | 3.03 | 2.52 | 0.00 | 6.41 | 15.50 | 0.84 | 5.55 | 15.50 | 0.84 | 18.44 |
| 4842 3RD DEGREE LACERATION PERINEUM | 1.01 | 9.37 | 1.96 | 0.00 | 8.12 | 10.42 | 5.16 | 2.83 | 10.42 | 1.01 | 10.35 |
| 4826 OTHER CELLULITIS/ABSCESS LEG | 4.92 | 6.26 | 3.18 | 4.68 | 3.30 | 3.37 | 3.66 | 4.90 | 6.26 | 3.18 | 1.92 |
| 7159 OSTEOARTHRITIS | 13.23 | 1.48 | 19.14 | 4.33 | 2.02 | 2.46 | 5.39 | 14.89 | 19.14 | 4.33 | 12.25 |
| 7178 OIM SPEC INT DERANGEMENT KNEE | 4.44 | 11.48 | 11.42 | 12.06 | 4.85 | 4.92 | 1.80 | 3.30 | 11.48 | 1.80 | 6.10 |
| 7221 DISPLACEMENT INVERTEBRAL DISC | 22.53 | 28.83 | 12.67 | 21.79 | 9.03 | 5.69 | 4.11 | 23.30 | 28.83 | 4.11 | 7.02 |
| 7242 LUMBAGO | 5.72 | 11.15 | 14.16 | 15.88 | 4.10 | 2.11 | 3.84 | 12.38 | 14.16 | 2.11 | 6.71 |
| 7274 SYNOVITIS/TENOSYNOVITIS | 4.67 | 5.54 | 5.03 | 9.16 | 4.00 | 4.87 | 1.94 | 4.12 | 5.54 | 1.94 | 2.86 |
| 7350 GONORRHOEA | 3.69 | 1.55 | 6.55 | 4.36 | 2.12 | 3.71 | 2.32 | 3.53 | 6.55 | 1.55 | 4.22 |
| 7802 MYLIUM VAGINIS | 2.51 | 2.19 | 8.96 | 8.59 | 5.68 | 1.89 | 1.82 | 2.76 | 8.96 | 1.82 | 4.92 |
| 7803 SYNGOPE AND COLIC | 9.32 | 5.72 | 5.98 | 7.66 | 3.58 | 1.37 | 3.63 | 4.52 | 9.32 | 1.37 | 6.82 |
| 7805 CONVULSIONS | 1.87 | 10.54 | 6.69 | 13.03 | 5.36 | 5.05 | 4.52 | 23.60 | 10.54 | 1.87 | 12.61 |
| 7895 CHEST PAIN | 38.84 | 39.86 | 34.48 | 14.36 | 8.39 | 1.80 | 10.41 | 20.84 | 39.86 | 1.80 | 72.13 |
| 7899 BRONCHITIS | 12.19 | 19.57 | 10.30 | 14.03 | 12.69 | 6.79 | 5.72 | 13.21 | 19.57 | 5.72 | 3.42 |
| 8540 INTRADURAL HERNIA IN DISC, NECK/MID | 13.91 | 6.40 | 7.38 | 11.50 | 1.06 | 4.00 | 0.00 | 5.77 | 13.91 | 0.00 | 4.22 |

MAX ADJ RATE
MIN ADJ RATE
MAX/MIN RATIO

SECTION 0: FACILITY DATA
TABLE 3. MEDICINE DISPOSITIONS PER IOK
DIRECT CARE AND CAMPUS DATA

[illegible]

SECTION A: FACILITY DATA

SECTION 3: FACILITY DATA

| TABLE 3. DIRECT CARE AND CLINICAL DATA | | CRUDE RATES | | CRD HSC | | CRD FANC | | CRD LANC | | CRD MHC | | CRD TANC | | CRD WANC | | CRD WPHSC | | MAX CRD | | MIN CRD | | MAX/MIN | |
|--|-----------------------------------|-------------|-------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|---------|------|---------|------|---------|------|
| | | | | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | WEEK | WEEK | WEEK | WEEK | WEEK | WEEK |
| 680 | DELIVERY IN NORMAL CASE | 24.06 | 11.43 | 25.92 | 1.83 | 3.19 | 2.07 | 1.39 | 5.55 | 23.84 | 16.22 | 7.55 | 24.17 | 77.00 | 77.00 | 5.55 | 13.90 | | | | | | |
| 682 | PREVIO PRESENT W/O VERSION | 9.37 | 1.83 | 3.19 | 1.83 | 3.19 | 2.07 | 1.39 | 5.55 | 23.84 | 16.22 | 7.55 | 24.17 | 77.00 | 77.00 | 5.55 | 13.90 | | | | | | |
| 684 | PREVIOUS CESARIAN SECTION | 6.91 | 1.11 | 7.51 | 1.11 | 7.51 | 6.07 | 3.61 | 3.96 | 4.66 | 7.55 | 5.37 | 5.01 | 1.39 | 7.55 | 1.39 | 5.45 | | | | | | |
| 685 | FETAL DISTRESS | 12.54 | 4.11 | 8.45 | 4.11 | 8.45 | 8.74 | 2.50 | 14.04 | 19.65 | 19.04 | 10.32 | 39.65 | 10.03 | 39.65 | 2.50 | 3.73 | | | | | | |
| 686 | PROM FETAL GROWTH | 6.85 | 0.69 | 6.01 | 0.69 | 6.01 | 2.22 | 0.00 | 5.08 | 5.08 | 28.08 | 0.18 | 28.08 | 0.00 | 28.08 | 0.00 | 15.68 | | | | | | |
| 686a | EXCESSIVE FETAL GROWTH | 4.36 | 2.51 | 0.75 | 2.38 | 0.75 | 2.38 | 0.00 | 4.87 | 4.87 | 3.02 | 93.87 | 0.18 | 93.87 | 0.00 | 93.87 | 0.00 | | | | | | |
| 686b | OTM/UMSPEC UTERINE INERTIA | 3.33 | 0.46 | 7.51 | 5.72 | 0.00 | 5.72 | 0.00 | 0.21 | 1.66 | 21.61 | 0.90 | 21.61 | 0.00 | 6.57 | 0.00 | 6.04 | | | | | | |
| 6431 | UNILATERAL CORD AROUND NECK | 6.82 | 3.66 | 3.76 | 3.66 | 3.76 | 1.59 | 2.77 | 8.54 | 9.59 | 5.37 | 5.19 | 5.37 | 5.19 | 5.37 | 1.59 | 6.04 | | | | | | |
| 6433 | UNILATERAL CORD AROUND NECK | 3.96 | 6.29 | 3.76 | 3.96 | 3.76 | 1.59 | 2.77 | 8.54 | 9.59 | 5.37 | 5.19 | 5.37 | 5.19 | 5.37 | 1.59 | 6.04 | | | | | | |
| 6440 | 1ST DEGREE LACERATION PERINEUM | 6.26 | 3.09 | 7.19 | 2.22 | 2.77 | 6.77 | 17.75 | 6.77 | 17.75 | 0.85 | 4.83 | 0.85 | 4.83 | 0.85 | 4.83 | 0.29 | 42.75 | | | | | |
| 6441 | 2ND DEGREE LACERATION PERINEUM | 6.66 | 1.03 | 10.31 | 1.59 | 0.28 | 7.39 | 3.70 | 3.39 | 3.70 | 3.66 | 5.73 | 3.66 | 5.73 | 3.66 | 5.73 | 1.06 | 3.34 | | | | | |
| 6442 | 3RD DEGREE LACERATION PERINEUM | 6.64 | 1.03 | 10.31 | 1.59 | 0.28 | 7.39 | 3.70 | 3.39 | 3.70 | 3.66 | 5.73 | 3.66 | 5.73 | 3.66 | 5.73 | 1.06 | 3.34 | | | | | |
| 6426 | OTHER CELLULITIS/ABSC/CELL LEG | 3.97 | 4.69 | 6.01 | 3.34 | 4.72 | 3.39 | 4.72 | 3.39 | 4.72 | 3.39 | 4.72 | 3.39 | 4.72 | 3.39 | 4.72 | 3.39 | 4.72 | | | | | |
| 7159 | OSTEOARTHRITIS | 4.03 | 16.68 | 1.88 | 24.95 | 6.93 | 2.93 | 6.93 | 2.93 | 2.19 | 5.74 | 20.06 | 5.74 | 20.06 | 5.74 | 20.06 | 1.88 | 13.28 | | | | | |
| 7179 | OTM SPEC INT DRIFT/MENT KNEE | 4.79 | 2.29 | 10.14 | 6.93 | 4.44 | 3.95 | 4.44 | 3.95 | 4.44 | 3.95 | 4.44 | 3.95 | 4.44 | 3.95 | 4.44 | 1.88 | 13.28 | | | | | |
| 7221 | DISPLACEMENT INVENT/PHI DISC | 5.70 | 16.68 | 27.42 | 14.62 | 15.81 | 9.45 | 7.33 | 3.94 | 7.33 | 3.94 | 1.15 | 28.83 | 1.15 | 28.83 | 1.15 | 6.95 | 5.18 | | | | | |
| 7242 | LUMBAGO | 4.51 | 4.11 | 10.71 | 11.12 | 10.82 | 3.74 | 2.79 | 3.91 | 15.04 | 2.79 | 15.04 | 2.79 | 15.04 | 2.79 | 15.04 | 1.95 | 4.40 | | | | | |
| 7270 | SYNOVITIS/TENDOSYNOVITIS | 3.88 | 4.23 | 5.45 | 4.77 | 8.60 | 3.95 | 5.74 | 1.95 | 4.68 | 2.32 | 4.66 | 1.95 | 4.68 | 2.32 | 4.66 | 1.95 | 4.40 | | | | | |
| 7274 | GANGLION CYST | 3.80 | 2.96 | 1.50 | 5.24 | 3.05 | 1.90 | 5.74 | 2.32 | 4.68 | 2.32 | 4.66 | 1.95 | 4.68 | 2.32 | 4.66 | 1.50 | 3.49 | | | | | |
| 7374 | HALLUX VALGUS | 3.65 | 2.17 | 2.25 | 7.94 | 7.21 | 5.22 | 2.42 | 1.89 | 4.48 | 1.89 | 4.48 | 1.89 | 4.48 | 1.89 | 4.48 | 1.89 | 4.48 | | | | | |
| 7350 | SYNOCOPE AND COLLAPSE | 3.55 | 10.17 | 6.01 | 7.79 | 10.26 | 4.16 | 1.59 | 6.47 | 1.59 | 10.26 | 3.91 | 6.47 | 1.59 | 10.26 | 3.91 | 6.47 | 1.59 | 6.47 | | | | |
| 7003 | CONVULSION | 5.48 | 2.29 | 10.52 | 6.51 | 11.40 | 5.29 | 5.29 | 5.29 | 5.29 | 5.29 | 5.29 | 5.29 | 5.29 | 5.29 | 5.29 | 5.29 | 9.09 | | | | | |
| 7065 | CHEST PAIN | 13.67 | 51.54 | 42.26 | 49.89 | 24.41 | 15.24 | 2.27 | 13.18 | 2.27 | 13.18 | 2.27 | 13.18 | 2.27 | 13.18 | 2.27 | 13.18 | 2.27 | 2.74 | | | | |
| 7090 | ADROMINAL PAIN | 8.48 | 12.23 | 20.10 | 10.17 | 13.04 | 12.84 | 7.71 | 6.35 | 7.71 | 6.35 | 7.71 | 6.35 | 7.71 | 6.35 | 7.71 | 6.35 | 7.71 | | | | | |
| 8540 | ADROMINAL PAIN IN BODY, NECK/NOSE | 5.62 | 0.71 | 6.01 | 4.73 | 6.73 | 2.75 | 4.73 | 6.73 | 2.75 | 4.73 | 6.73 | 2.75 | 4.73 | 6.73 | 2.75 | 4.73 | 2.75 | 1.47 | | | | |

SECTION II: FACILITY DATA

WINDY ALL NIGHT

[illegible]

SECTION B: FACILITY DATA
TABLE 1. MEDICINE DISPOSITIONS PER 10K
DIRECT CARE AND CHAMPUS DATA

| | | ADJ BANC RATE/10K | ADJ EMMC RATE/10K | ADJ FANC RATE/10K | ADJ LANC RATE/10K | ADJ MACC RATE/10K | ADJ TACC RATE/10K | ADJ MBHC RATE/10K | ADJ WRMHC RATE/10K | MAX ADJ RATE | MIN RATE | ADJ RATE | MAX/MIN RATIO |
|------|--------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------|-------------|-------------|------------------|
| 6800 | DELIVERY IN NORMAL CASE | 12.41 | 24.34 | 12.21 | 7.52 | 24.77 | 41.35 | 23.66 | 85.01 | 85.01 | 7.52 | 11.31 | 1.51 |
| 6822 | BREECH PRESENT W/O VERSION | 1.95 | 3.00 | 2.44 | 1.84 | 6.14 | 6.86 | 5.23 | 5.67 | 6.86 | 1.84 | 3.73 | 2.02 |
| 6842 | PREVIOUS CESARIAN SECTION | 4.43 | 7.13 | 8.25 | 4.88 | 4.76 | 7.00 | 2.64 | 12.07 | 12.07 | 2.64 | 4.57 | 1.73 |
| 6863 | FETAL DISTRESS | 4.50 | 7.92 | 10.65 | 3.48 | 14.65 | 35.15 | 18.59 | 12.12 | 35.15 | 3.48 | 10.11 | 2.93 |
| 6865 | POOR FETAL GROWTH | 0.70 | 5.62 | 2.45 | 0.00 | 5.10 | 5.45 | 27.34 | 0.19 | 27.34 | 0.00 | 0.00 | 0.00 |
| 6866 | EXCESSIVE FETAL GROWTH | 2.70 | 0.71 | 2.86 | 0.00 | 4.99 | 2.77 | 91.56 | 0.21 | 91.56 | 0.00 | 0.00 | 0.00 |
| 6812 | OTM/UNSPEC UTERINE INFERTIA | 0.49 | 0.88 | 2.44 | 0.00 | 0.22 | 3.88 | 36.35 | 0.40 | 36.35 | 0.00 | 0.00 | 0.00 |
| 6831 | UMBILICAL CORD ENTANGLEMENT | 3.97 | 7.07 | 6.93 | 4.43 | 0.79 | 0.98 | 2.25 | 0.00 | 6.71 | 0.00 | 0.00 | 0.00 |
| 6833 | 1ST DEGREE LACERATION PERINEUM | 3.33 | 3.56 | 1.92 | 3.77 | 8.74 | 8.87 | 5.25 | 6.23 | 16.36 | 0.84 | 1.92 | 1.92 |
| 6840 | 2ND DEGREE LACERATION PERINEUM | 2.47 | 3.03 | 2.69 | 3.78 | 6.95 | 16.36 | 0.84 | 5.77 | 16.36 | 0.84 | 0.84 | 1.00 |
| 6842 | 3RD DEGREE LACERATION PERINEUM | 1.10 | 9.77 | 1.90 | 0.37 | 8.10 | 10.91 | 5.13 | 3.15 | 10.91 | 0.37 | 3.15 | 2.93 |
| 6826 | OTHER CELLULITIS/ABSCESS LEG | 5.02 | 6.22 | 3.34 | 4.71 | 3.43 | 3.39 | 3.65 | 4.97 | 6.22 | 3.34 | 4.97 | 1.49 |
| 7159 | OSTEOARTHRITIS | 13.47 | 1.84 | 10.97 | 4.54 | 2.09 | 2.51 | 5.61 | 15.97 | 10.97 | 1.84 | 10.97 | 6.00 |
| 7170 | OTM SPEC INT DERANGEMENT KNEE | 4.35 | 11.43 | 11.53 | 11.77 | 4.90 | 5.00 | 1.87 | 3.47 | 11.77 | 1.87 | 6.20 | 3.31 |
| 7221 | DISPLACEMENT INTERPHALANX DIT | 22.25 | 29.87 | 14.90 | 21.35 | 4.90 | 5.96 | 4.26 | 25.40 | 29.87 | 4.26 | 7.40 | 1.73 |
| 7242 | LUMBAGO | 5.66 | 11.29 | 14.06 | 15.75 | 4.24 | 7.12 | 3.95 | 12.42 | 15.75 | 3.95 | 12.42 | 3.14 |
| 7270 | SYNOVITIS/TENDINITIS | 4.62 | 5.50 | 4.99 | 9.12 | 4.11 | 4.93 | 1.92 | 2.27 | 9.12 | 1.92 | 4.93 | 2.57 |
| 7274 | GANGLION CYST | 3.64 | 1.54 | 6.46 | 4.30 | 2.10 | 3.70 | 2.30 | 4.10 | 6.46 | 1.54 | 4.20 | 2.85 |
| 7350 | MALUM VALGUS | 2.47 | 2.18 | 6.46 | 8.51 | 5.69 | 1.89 | 1.81 | 3.54 | 8.51 | 1.81 | 4.91 | 2.71 |
| 7802 | SYNOVITIS AND TENDINITIS | 9.49 | 5.91 | 6.81 | 8.34 | 4.04 | 1.54 | 3.06 | 2.95 | 9.49 | 1.54 | 6.17 | 4.19 |
| 7803 | CONVULSIONS | 2.50 | 10.77 | 7.52 | 14.43 | 5.89 | 5.21 | 4.91 | 25.39 | 25.39 | 2.50 | 10.14 | 4.06 |
| 7865 | CHEST PAIN | 40.94 | 11.98 | 36.94 | 15.42 | 13.22 | 2.76 | 13.14 | 22.40 | 41.98 | 2.76 | 15.21 | 5.44 |
| 7890 | ABDOMINAL PAIN | 12.91 | 19.75 | 10.83 | 14.41 | 13.24 | 6.95 | 6.19 | 13.40 | 19.75 | 6.19 | 3.20 | 5.14 |
| 8540 | UNKNOWN ROUTINE IN HAV. M/ANUS | 12.70 | 6.54 | 7.36 | 14.03 | 7.73 | 4.73 | 1.51 | 6.45 | 14.03 | 1.51 | 4.11 | 2.99 |

SECTION 11: FACILITY DATA

DIRECT CARE DATA: CRUDE RATES

1

ML0HC DB/CM

SECTION II: FACILITY DATA

DIRECT CARE DATA: ADJUSTED RATES

[illegible]

SECTION B: FACILITY DATA
TABLE 6. MEDICIN AVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE DATA: ADJUSTED RATES

| | ADJ BMMC DAYS | ADJ ENMC DAYS | ADJ FPMC DAYS | ADJ LPMC DAYS | ADJ MPMC DAYS | ADJ TPMC DAYS | ADJ WPMC DAYS | ADJ MRMC DAYS | MAX RATE | MIN RATE | MAX/MIN RATIO |
|---|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|----------|----------|------------------|
| 480 DELIVERY IN NORMAL CASE | 2.77 | 2.58 | 1.09 | 0.00 | 2.48 | 2.12 | 2.75 | 3.21 | 4.09 | 2.12 | 1.93 |
| 4822 BREACH PRESENT W/O VERSION | 3.58 | 3.54 | 6.37 | 0.00 | 3.95 | 3.28 | 3.44 | 4.22 | 6.37 | 3.28 | 1.94 |
| 4842 PREVIOUS CESARIAN SECTION | 4.10 | 4.63 | 5.63 | 0.00 | 4.34 | 4.25 | 4.49 | 7.59 | 7.59 | 4.10 | 1.85 |
| 4883 FETAL DISTRESS | 7.88 | 3.37 | 4.86 | 0.00 | 4.07 | 4.60 | 3.81 | 5.28 | 7.88 | 2.60 | 3.03 |
| 4888 POOR FETAL GROWTH | 0.68 | 1.12 | 10.04 | 0.00 | 3.71 | 4.62 | 1.11 | 7.07 | 10.04 | 1.11 | 9.02 |
| 4888 EXCESSIVE FETAL GROWTH | 4.07 | 5.62 | 5.43 | 0.00 | 2.47 | 4.62 | 1.08 | 27.60 | 27.60 | 1.08 | 25.66 |
| 4812 DTM/UMSPEC UTERINE INERTIA | 3.32 | 4.12 | 4.22 | 0.00 | 2.10 | 2.66 | 3.39 | 5.50 | 5.50 | 2.10 | 2.61 |
| 4831 UNBILICAL CORD AROUND NECK | 2.87 | 2.67 | 4.35 | 0.00 | 2.43 | 2.10 | 2.98 | 2.89 | 4.35 | 2.10 | 2.04 |
| 4833 UNBILICAL CORD ENTANGLEMENT | 2.99 | 2.73 | 3.35 | 0.00 | 2.18 | 2.18 | 2.78 | 0.00 | 3.35 | 0.00 | 1.37 |
| 4840 1ST DEGREE LACERATION PERINEUM | 2.42 | 2.51 | 2.98 | 0.00 | 2.31 | 2.19 | 3.23 | 3.12 | 3.23 | 2.19 | 1.47 |
| 4841 2ND DEGREE LACERATION PERINEUM | 2.82 | 2.50 | 2.92 | 0.00 | 2.90 | 2.39 | 3.20 | 3.55 | 4.96 | 2.39 | 2.07 |
| 4842 3RD DEGREE LACERATION PERINEUM | 3.34 | 3.19 | 4.96 | 0.00 | 2.90 | 2.39 | 3.20 | 3.55 | 4.96 | 2.39 | 2.07 |
| 4826 OTHER CELLULITIS/ABSCESS LEG | 5.60 | 5.05 | 7.43 | 4.73 | 6.78 | 5.92 | 6.41 | 6.75 | 7.43 | 4.73 | 1.57 |
| 7159 OSTEOARTHRITIS | 8.91 | 15.05 | 9.73 | 6.17 | 9.60 | 7.25 | 9.45 | 10.30 | 15.05 | 6.17 | 2.44 |
| 7178 OTH SPEC IMI DERANGEMENT KNEE | 12.05 | 12.56 | 23.06 | 42.93 | 29.75 | 3.38 | 7.51 | 8.45 | 42.93 | 3.38 | 12.69 |
| 7221 DISPLACEMENT INVOLUNTARY DISC | 18.32 | 11.51 | 21.12 | 21.93 | 72.28 | 15.17 | 9.52 | 13.93 | 72.28 | 9.52 | 7.59 |
| 7242 LUMBAGO | 11.20 | 7.39 | 10.99 | 24.96 | 19.72 | 6.57 | 8.72 | 10.19 | 24.96 | 6.57 | 3.80 |
| 7270 SYNOVITIS/TENDONITIS | 4.39 | 3.35 | 2.38 | 2.75 | 2.53 | 3.21 | 5.47 | 16.81 | 16.81 | 2.38 | 7.06 |
| 7274 GANGLION CYST | 5.85 | 1.58 | 3.29 | 3.89 | 2.40 | 1.66 | 2.50 | 3.09 | 5.85 | 1.58 | 3.70 |
| 7380 HALLUX VALGUS | 3.69 | 4.14 | 4.42 | 7.17 | 2.30 | 1.72 | 4.06 | 2.17 | 7.17 | 1.72 | 4.18 |
| 7802 SYNOVITIS AND PHLEBITIS | 4.91 | 5.08 | 6.30 | 5.94 | 3.32 | 3.61 | 8.65 | 6.15 | 9.65 | 3.61 | 2.40 |
| 7803 CONJUGATIONS | 7.35 | 5.19 | 4.69 | 11.22 | 3.46 | 2.79 | 3.49 | 11.74 | 11.74 | 2.79 | 4.20 |
| 7865 CHEST PAIN | 3.13 | 3.76 | 2.42 | 2.47 | 3.77 | 3.52 | 3.40 | 4.50 | 5.60 | 2.40 | 1.57 |
| 7890 ARTERIOVENOUS FISTULA | 3.55 | 3.51 | 5.60 | 4.88 | 2.17 | 4.02 | 3.70 | 4.55 | 5.60 | 2.17 | 2.58 |
| 8540 INTERMITTENT TENDONITIS, NECK/NECK | 6.65 | 0.43 | 19.30 | 6.18 | 6.01 | 1.56 | 4.10 | 12.17 | 61.00 | 1.56 | 39.66 |

WLCMC DR/CMV
PERIOD: 1/1/1991-12/31/1991

SECTION B: FACILITY DATA

TABLE 7. MEDIAN AVERAGE I

[illegible]

SECTION 31 FACILITY DATA

DIRECT CARE AND CAMPUS DATA COMBINED

| ALSO | DIRECT CARE AND CHAMPUS DATA COMBINED: | CRD LOS FOR HSC | CRUDE RATES | | | | CRD FANC AVE | CRD LANC AVE | CRD NMHC AVE | CRD TANC AVE | CRD UBOHC AVE | CRD MROHC AVE | MON FID RATE | MIN FID RATE | MAX/AMIN RATE |
|--------------------------------------|--|-----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|---------------|--------------|--------------|---------------|
| | | | CRD BANC AVE | CRD DANC AVE | CRD EANC AVE | CRD FANC AVE | | | | | | | | | |
| DELIVERY IN NORMAL CASE | | 1.58 | 2.48 | 3.30 | 3.30 | 1.90 | 2.77 | 3.30 | 1.90 | 2.77 | 3.30 | 1.90 | 2.77 | 3.30 | 1.74 |
| 64402 BREACH PRESENT W/O VERSION | | 1.96 | 3.25 | 3.05 | 5.00 | 2.80 | 3.42 | 3.05 | 2.80 | 3.42 | 3.05 | 2.80 | 3.42 | 3.05 | 1.79 |
| 64403 PREVIOUS CESARIAN SECTION | | 1.73 | 3.78 | 2.77 | 4.63 | 3.38 | 4.05 | 2.77 | 4.63 | 4.05 | 2.77 | 4.63 | 4.05 | 2.77 | 2.27 |
| 64404 FETAL DISTRESS | | 2.26 | 7.06 | 1.45 | 3.89 | 3.00 | 4.18 | 1.45 | 3.89 | 4.18 | 1.45 | 3.89 | 4.18 | 1.45 | 4.86 |
| 64405 POOR FETAL GROWTH | | 6.88 | 7.67 | 1.22 | 8.00 | 0.00 | 5.26 | 1.22 | 8.00 | 5.26 | 1.22 | 8.00 | 5.26 | 1.22 | 1.00 |
| 64406 EXCESSIVE FETAL GROWTH | | 3.68 | 3.68 | 6.00 | 4.40 | 0.00 | 3.01 | 6.00 | 4.40 | 3.01 | 6.00 | 4.40 | 3.01 | 6.00 | 1.00 |
| 64407 OTH/UNSPEC UTERINE INERTIA | | 1.62 | 3.08 | 1.08 | 3.38 | 0.00 | 2.00 | 1.08 | 3.38 | 2.00 | 1.08 | 3.38 | 2.00 | 1.08 | 1.00 |
| 64431 UNBILICAL CORD AROUND NECK | | 2.24 | 2.59 | 2.02 | 2.56 | 0.00 | 1.75 | 2.02 | 2.56 | 1.75 | 2.02 | 2.56 | 1.75 | 2.02 | 1.00 |
| 64433 UNBILICAL CORD EMPANGLEMENT | | 1.46 | 2.76 | 1.67 | 2.68 | 1.83 | 2.00 | 1.67 | 2.68 | 2.00 | 1.67 | 2.68 | 2.00 | 1.67 | 1.00 |
| 64440 1ST DEGREE LACERATION PERINEUM | | 1.71 | 2.22 | 2.04 | 2.50 | 1.70 | 2.34 | 2.04 | 2.50 | 2.34 | 2.04 | 2.50 | 2.34 | 2.04 | 1.00 |
| 64441 2ND DEGREE LACERATION PERINEUM | | 2.01 | 2.55 | 1.70 | 2.29 | 1.80 | 2.56 | 1.70 | 2.29 | 2.56 | 1.70 | 2.29 | 2.56 | 1.70 | 1.59 |
| 64442 3RD DEGREE LACERATION PERINEUM | | 2.50 | 2.89 | 2.00 | 4.00 | 2.29 | 3.08 | 2.00 | 4.00 | 3.08 | 2.00 | 4.00 | 3.08 | 2.00 | 2.00 |
| 64466 OTHER CELLULITIS/HABCESS LEG | | 4.43 | 5.78 | 4.00 | 8.10 | 5.71 | 6.40 | 4.00 | 8.10 | 6.40 | 4.00 | 8.10 | 6.40 | 4.00 | 1.70 |
| 64475 OSTEOARTHRITIS | | 4.95 | 12.13 | 14.80 | 14.12 | 10.92 | 9.67 | 14.80 | 14.12 | 9.67 | 14.80 | 14.12 | 9.67 | 14.80 | 1.94 |
| 64476 OTH SPEC INJ DERANGEMENT KNEE | | 7.70 | 5.75 | 5.91 | 12.58 | 14.13 | 7.13 | 5.91 | 12.58 | 7.13 | 5.91 | 12.58 | 7.13 | 5.91 | 2.06 |
| 64477 DISPLACENT INJ TRAIL DISE | | 5.24 | 12.55 | 7.24 | 16.08 | 14.84 | 16.70 | 7.24 | 16.08 | 16.70 | 7.24 | 16.08 | 16.70 | 7.24 | 2.83 |
| 64478 LUMBAGO | | 6.05 | 7.64 | 5.41 | 15.77 | 15.90 | 6.47 | 5.41 | 15.77 | 6.47 | 5.41 | 15.90 | 5.41 | 15.90 | 2.72 |
| 64479 SYNOVITIS/TECHNOVITIS | | 3.26 | 3.22 | 3.17 | 1.87 | 1.87 | 1.91 | 3.17 | 1.87 | 1.91 | 3.17 | 1.87 | 1.91 | 3.17 | 2.91 |
| 64480 SYNOVIAL CYST | | 2.04 | 4.16 | 1.50 | 2.48 | 2.45 | 1.33 | 1.50 | 2.48 | 1.33 | 1.50 | 2.48 | 1.33 | 1.50 | 10.54 |
| 64481 MALLORY WALKER | | 2.99 | 3.11 | 1.52 | 3.84 | 5.81 | 1.66 | 1.52 | 3.84 | 1.66 | 1.52 | 3.84 | 1.66 | 1.52 | 3.12 |
| 64482 SYNOVIAL AND CHL INJCT | | 2.97 | 4.97 | 4.22 | 6.39 | 6.70 | 3.32 | 4.22 | 6.39 | 3.32 | 4.22 | 6.39 | 3.32 | 4.22 | 3.82 |
| 64483 CONJUNCTIONS | | 2.28 | 6.70 | 4.48 | 4.17 | 9.25 | 4.05 | 4.48 | 4.17 | 4.05 | 4.48 | 4.17 | 4.05 | 4.48 | 2.48 |
| 64484 PEST | | 1.94 | 3.99 | 3.81 | 3.33 | 4.07 | 2.72 | 3.81 | 3.33 | 2.72 | 3.81 | 3.33 | 2.72 | 3.81 | 3.91 |
| 64485 PROTEIN | | 2.59 | 3.39 | 2.79 | 5.25 | 4.62 | 2.63 | 2.79 | 5.25 | 2.63 | 2.79 | 5.25 | 2.63 | 2.79 | 1.99 |
| 64486 INTRACRANIAL INJURY, MTC/NOS | | 1.75 | 3.91 | 6.05 | 12.55 | 26.12 | 4.41 | 6.05 | 12.55 | 4.41 | 6.05 | 12.55 | 4.41 | 6.05 | 10.77 |

SECTION 8: FACILITY DATA

TABLE 8. MEDICEN AVERAGE LENGTH OF STAY (DAYS)

[illegible]

SECTION D: FACILITY DATA
TABLE 9. MEDICEN AVERAGE LENGTH OF STAY (DAYS)

| ICD-9-CM CODE | DIRECT CODE AND CLINICAL DATA | ADJUSTED RATES | | | | | | | | | | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATE |
|------------------|--------------------------------|----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------------|--------------|--------------|
| | | MSC | ADJTHSC | ADJTHSC | ADJTHSC | ADJTHSC | ADJTHSC | ADJTHSC | ADJTHSC | ADJTHSC | ADJTHSC | | | |
| 6800 | DELIVERY IN NORMAL CASE | 2.73 | 1.86 | 4.05 | 2.67 | 2.70 | 2.16 | 2.72 | 3.32 | 4.05 | 1.86 | 4.05 | 1.86 | 2.18 |
| 6802 | BREECH PRESENT W/O VERSION | 3.57 | 2.88 | 6.14 | 3.92 | 4.24 | 3.39 | 3.71 | 4.29 | 6.14 | 2.88 | 6.14 | 2.88 | 2.13 |
| 6804 | PREVIOUS CESARIAN SECTION | 4.09 | 2.65 | 5.62 | 4.59 | 4.15 | 4.11 | 4.49 | 7.65 | 7.65 | 2.65 | 7.65 | 2.65 | 2.89 |
| 6805 | FETAL DISTRESS | 7.85 | 1.36 | 4.83 | 4.38 | 4.42 | 2.64 | 3.81 | 5.33 | 7.85 | 1.36 | 7.85 | 1.36 | 4.78 |
| 6806 | POOR FETAL GROWTH | 8.66 | 1.12 | 10.02 | 0.00 | 5.67 | 4.64 | 1.11 | 7.12 | 10.02 | 0.00 | 10.02 | 0.00 | 4.78 |
| 6808 | EXCESSIVE FETAL GROWTH | 4.07 | 5.63 | 5.43 | 0.00 | 3.17 | 4.53 | 1.08 | 7.70 | 5.43 | 0.00 | 5.43 | 0.00 | 4.78 |
| 6812 | OTH/UNSPEC UTERINE INERTIA | 3.31 | 1.01 | 4.17 | 0.00 | 2.10 | 2.83 | 3.39 | 5.57 | 4.17 | 0.00 | 4.17 | 0.00 | 4.78 |
| 6813 | UMBILICAL CORD AROUND NECK | 2.87 | 1.89 | 4.39 | 0.00 | 1.84 | 2.12 | 2.98 | 2.89 | 4.39 | 0.00 | 4.39 | 0.00 | 4.78 |
| 6833 | UMBILICAL CORD ENTANGLEMENT | 3.01 | 1.59 | 3.27 | 2.53 | 2.06 | 2.30 | 2.78 | 0.00 | 3.27 | 0.00 | 3.27 | 0.00 | 4.78 |
| 6840 | 1ST DEGREE LACERATION PERINEUM | 2.41 | 1.94 | 3.04 | 2.33 | 2.41 | 2.19 | 2.66 | 2.94 | 3.04 | 1.94 | 3.04 | 1.94 | 1.57 |
| 6841 | 2ND DEGREE LACERATION PERINEUM | 2.79 | 1.61 | 2.79 | 2.49 | 2.65 | 2.21 | 3.23 | 3.14 | 2.79 | 1.61 | 2.79 | 1.61 | 2.01 |
| 6842 | 3RD DEGREE LACERATION PERINEUM | 3.21 | 1.87 | 4.96 | 2.67 | 3.25 | 2.40 | 3.20 | 3.49 | 4.96 | 1.87 | 4.96 | 1.87 | 2.65 |
| 6826 | OTHER CELLULITIS/ABSCESS LEG | 5.54 | 4.09 | 7.18 | 4.71 | 6.19 | 5.94 | 6.40 | 6.75 | 7.18 | 4.09 | 7.18 | 4.09 | 1.76 |
| 7159 | OSTEOARTHRITIS | 8.09 | 14.36 | 9.65 | 6.16 | 8.32 | 7.55 | 9.63 | 10.22 | 14.36 | 6.16 | 14.36 | 6.16 | 2.13 |
| 7170 | OTH SPEC INT DEFORMITY KNEE | 12.01 | 6.81 | 20.69 | 42.73 | 9.05 | 3.37 | 7.51 | 8.50 | 20.69 | 6.81 | 20.69 | 6.81 | 12.01 |
| 7221 | DISPLACEMENT INVERTEBRAL DISC | 17.78 | 7.94 | 20.36 | 21.26 | 18.80 | 15.17 | 9.53 | 13.81 | 20.36 | 7.94 | 20.36 | 7.94 | 12.01 |
| 7242 | LUMBAGO | 11.11 | 5.84 | 10.86 | 24.66 | 9.75 | 6.59 | 8.47 | 10.19 | 11.11 | 5.84 | 11.11 | 5.84 | 4.22 |
| 7274 | SYNOVITIS/TENDINITIS | 4.39 | 3.35 | 2.38 | 2.75 | 2.16 | 3.21 | 5.47 | 16.84 | 4.39 | 3.35 | 4.39 | 3.35 | 7.79 |
| 7350 | GONORRHOEA | 5.04 | 1.58 | 3.33 | 3.88 | 1.53 | 1.66 | 2.50 | 3.10 | 5.04 | 1.58 | 5.04 | 1.58 | 3.83 |
| 7351 | MILLER VULGUS | 3.66 | 1.48 | 4.40 | 7.11 | 1.85 | 1.72 | 4.05 | 2.17 | 3.66 | 1.48 | 3.66 | 1.48 | 4.00 |
| 7802 | SYNDROME AND COLLAPSE | 4.77 | 4.19 | 5.67 | 5.55 | 3.27 | 3.80 | 8.22 | 5.91 | 4.77 | 4.19 | 4.77 | 4.19 | 2.72 |
| 7803 | CONVULSIONS | 7.25 | 4.57 | 4.46 | 10.45 | 4.16 | 2.84 | 3.34 | 11.64 | 7.25 | 4.57 | 7.25 | 4.57 | 4.10 |
| 7865 | CHEST PAIN | 3.02 | 3.69 | 2.36 | 2.43 | 2.38 | 5.16 | 3.16 | 2.36 | 3.02 | 3.69 | 3.02 | 3.69 | 2.19 |
| 7890 | ABDOMINAL PAIN | 3.66 | 2.77 | 5.50 | 5.06 | 2.74 | 4.03 | 1.65 | 4.52 | 3.66 | 2.77 | 3.66 | 2.77 | 2.04 |
| 8540 | ENTRAPHYRIN THERAPY, NECROSIS | 1.53 | 7.64 | 11.10 | 50.41 | 5.10 | 1.40 | 1.40 | 14.52 | 1.53 | 7.64 | 1.53 | 7.64 | 11.10 |

SECTION 10: FACILITY UNIT
TABLE 9. LARGE MEDDAR DISPOSITIONS, PER 10K
DIRECT CARE UNTIL: CRUDE RATES

| | MSC RATE PER 10K | CRD BENNING RATE/10K | CRD BRAGG RATE/10K | CRD HORD RATE/10K | CRD KNOX RATE/10K | CRD LAMON RATE/10K | CRD PANAMA RATE/10K | MAX (CRD) RATE | MIN (CRD) RATE | MAX/MIN RATIO |
|-------|---------------------|-------------------------|-----------------------|----------------------|----------------------|-----------------------|------------------------|-------------------|-------------------|------------------|
| U232 | 20.82 | 7.79 | 5.74 | 33.34 | 14.42 | 36.21 | 21.17 | 36.21 | 5.74 | 6.11 |
| U238 | 15.52 | 134.94 | 0.07 | 107.59 | 0.00 | 29.27 | 0.44 | 134.94 | 0.00 | 1.74 |
| U260 | 126.37 | 137.49 | 141.59 | 192.85 | 145.46 | 175.19 | 215.54 | 235.54 | 175.19 | 1.74 |
| U301 | 4.07 | 0.51 | 0.55 | 0.00 | 0.00 | 3.32 | 0.00 | 3.32 | 0.00 | 2.04 |
| U340 | 5.36 | 4.34 | 10.92 | 13.12 | 3.71 | 9.96 | 3.97 | 10.92 | 3.71 | 2.94 |
| U361 | 8.22 | 0.77 | 1.04 | 13.12 | 0.29 | 1.81 | 0.00 | 13.12 | 0.00 | 17.06 |
| U370 | 10.79 | 2.17 | 17.63 | 1.87 | 5.57 | 31.68 | 1.76 | 31.68 | 1.76 | 17.06 |
| U470 | 3.83 | 0.38 | 4.01 | 1.80 | 0.71 | 2.11 | 0.00 | 4.01 | 0.00 | 9.75 |
| U717 | 3.73 | 0.13 | 1.80 | 0.16 | 0.00 | 13.59 | 0.00 | 13.59 | 0.00 | 4.12 |
| U718 | 10.13 | 1.40 | 4.63 | 5.14 | 5.42 | 13.67 | 11.03 | 13.67 | 11.03 | 1.01 |
| U808 | 8.05 | 8.29 | 5.74 | 4.24 | 3.14 | 17.34 | 6.18 | 17.34 | 6.18 | 1.01 |
| U830 | 11.06 | 76.15 | 2.28 | 1.06 | 20.84 | 17.34 | 6.18 | 17.34 | 6.18 | 1.01 |
| U840 | 3.62 | 0.13 | 2.42 | 0.65 | 1.86 | 44.96 | 0.44 | 44.96 | 0.44 | 1.01 |
| U853 | 3.74 | 6.63 | 3.32 | 1.96 | 0.00 | 6.50 | 13.08 | 6.50 | 13.08 | 1.01 |
| U859 | 11.83 | 19.03 | 10.37 | 6.60 | 17.54 | 3.02 | 0.88 | 17.54 | 3.02 | 1.01 |
| U879 | 3.48 | 3.12 | 2.35 | 0.24 | 1.14 | 3.32 | 0.44 | 3.32 | 0.44 | 1.01 |
| U899 | 3.50 | 2.17 | 3.19 | 0.71 | 1.43 | 3.62 | 2.65 | 3.62 | 2.65 | 1.01 |
| U909 | 3.19 | 2.15 | 3.66 | 2.04 | 3.14 | 3.32 | 0.88 | 3.66 | 0.88 | 1.01 |
| U919 | 8.99 | 1.15 | 3.66 | 2.04 | 3.14 | 3.32 | 0.88 | 3.66 | 0.88 | 1.01 |
| U929 | 3.79 | 3.19 | 2.30 | 3.34 | 1.14 | 5.43 | 1.76 | 5.43 | 1.76 | 1.01 |
| U939 | 6.24 | 3.19 | 4.19 | 4.81 | 3.00 | 3.62 | 41.02 | 41.02 | 3.62 | 1.01 |
| U949 | 9.65 | 6.12 | 6.91 | 4.81 | 1.28 | 8.45 | 27.79 | 27.79 | 8.45 | 1.01 |
| U959 | 4.37 | 8.03 | 2.97 | 4.16 | 2.13 | 6.34 | 26.02 | 26.02 | 6.34 | 1.01 |
| U969 | 6.21 | 1.02 | 1.24 | 6.11 | 1.13 | 8.75 | 19.41 | 19.41 | 8.75 | 1.01 |
| U979 | 4.67 | 0.01 | 12.44 | 0.82 | 5.00 | 12.25 | 16.32 | 16.32 | 5.00 | 1.01 |
| U989 | 4.47 | 2.04 | 2.35 | 6.91 | 2.71 | 8.75 | 1.76 | 8.75 | 1.76 | 1.01 |
| U999 | 10.22 | 10.84 | 12.17 | 4.40 | 6.00 | 3.02 | 6.18 | 12.17 | 3.02 | 1.01 |
| U1009 | 7.51 | 11.61 | 4.36 | 13.04 | 6.14 | 17.80 | 10.15 | 17.80 | 6.14 | 1.01 |
| U1111 | 4.58 | 4.46 | 4.01 | 5.79 | 1.14 | 10.56 | 0.00 | 10.56 | 0.00 | 1.01 |
| U1121 | 3.59 | 7.52 | 4.29 | 2.20 | 1.57 | 8.45 | 1.76 | 8.45 | 1.76 | 1.01 |
| U1131 | 11.01 | 1.40 | 2.42 | 0.41 | 1.00 | 14.48 | 0.00 | 14.48 | 0.00 | 1.01 |
| U1141 | 4.92 | 2.68 | 3.46 | 0.41 | 1.00 | 2.72 | 5.29 | 5.29 | 2.72 | 1.01 |
| U1151 | 5.12 | 3.19 | 3.11 | 2.85 | 0.86 | 5.75 | 0.68 | 5.75 | 0.68 | 1.01 |
| U1161 | 5.52 | 8.00 | 3.11 | 3.02 | 0.86 | 5.75 | 2.31 | 5.75 | 2.31 | 1.01 |
| U1171 | 7.54 | 19.30 | 2.42 | 0.90 | 13.13 | 80.52 | 5.43 | 80.52 | 5.43 | 1.01 |
| U1181 | 4.40 | 5.10 | 1.24 | 0.82 | 2.28 | 27.76 | 15.43 | 27.76 | 15.43 | 1.01 |
| U1191 | 21.28 | 48.21 | 3.60 | 2.36 | 4.00 | 21.56 | 22.94 | 48.21 | 21.56 | 1.01 |
| U1201 | 4.95 | 1.40 | 2.90 | 7.50 | 6.00 | 11.71 | 18.32 | 11.71 | 18.32 | 1.01 |
| U1211 | 3.45 | 1.90 | 3.04 | 1.30 | 3.14 | 2.41 | 19.59 | 2.41 | 19.59 | 1.01 |
| U1221 | 14.70 | 30.94 | 9.94 | 9.94 | 12.42 | 108.19 | 30.57 | 108.19 | 30.57 | 1.01 |
| U1231 | 4.55 | 10.36 | 1.94 | 2.52 | 8.28 | 19.61 | 13.67 | 19.61 | 13.67 | 1.01 |
| U1241 | 12.52 | 5.10 | 11.20 | 25.92 | 8.42 | 35.00 | 15.43 | 35.00 | 15.43 | 1.01 |
| U1251 | 5.39 | 1.20 | 3.66 | 14.67 | 2.14 | 12.37 | 0.44 | 12.37 | 0.44 | 1.01 |
| U1261 | 14.13 | 1.20 | 13.97 | 14.67 | 1.28 | 74.53 | 6.18 | 74.53 | 6.18 | 1.01 |
| U1271 | 3.36 | 1.92 | 3.25 | 0.08 | 0.93 | 3.62 | 5.23 | 3.62 | 5.23 | 1.01 |
| U1281 | 5.49 | 1.02 | 4.36 | 5.22 | 3.71 | 10.25 | 11.47 | 10.25 | 11.47 | 1.01 |
| U1291 | 4.56 | 0.64 | 4.22 | 6.19 | 5.00 | 33.88 | 6.18 | 33.88 | 6.18 | 1.01 |
| U1301 | 4.27 | 12.07 | 17.70 | 15.08 | 21.98 | 65.40 | 47.02 | 65.40 | 47.02 | 1.01 |
| U1311 | 16.22 | 11.86 | 6.78 | 14.10 | 29.41 | 65.40 | 2.51 | 65.40 | 2.51 | 1.01 |
| U1321 | 5.28 | 2.17 | 3.25 | 3.42 | 2.85 | 12.90 | 5.43 | 12.90 | 5.43 | 1.01 |
| U1331 | 3.67 | 5.61 | 5.74 | 3.83 | 2.57 | 5.73 | 3.58 | 5.74 | 3.58 | 1.01 |
| U1341 | 3.67 | 2.70 | 2.70 | 7.01 | 2.43 | 3.62 | 3.58 | 3.62 | 3.58 | 1.01 |
| U1351 | 3.06 | 1.66 | 2.00 | 0.98 | 0.29 | 3.92 | 12.53 | 3.92 | 12.53 | 1.01 |
| U1361 | 3.21 | 2.99 | 2.97 | 1.96 | 3.43 | 5.13 | 12.53 | 5.13 | 12.53 | 1.01 |
| U1371 | 4.46 | 1.95 | 2.63 | 2.85 | 4.71 | 7.54 | 12.53 | 7.54 | 12.53 | 1.01 |
| U1381 | 5.54 | 4.05 | 2.63 | 2.85 | 4.71 | 6.04 | 1.03 | 6.04 | 1.03 | 1.01 |
| U1391 | 4.07 | 2.42 | 3.39 | 5.46 | 5.28 | 6.94 | 5.46 | 6.94 | 5.46 | 1.01 |
| U1401 | 4.16 | 2.17 | 1.87 | 6.52 | 5.14 | 3.92 | 2.41 | 6.52 | 3.92 | 1.01 |
| U1411 | 4.07 | 3.44 | 2.90 | 8.25 | 5.14 | 1.22 | 0.38 | 8.25 | 1.22 | 1.01 |
| U1421 | 3.55 | 2.91 | 3.80 | 6.14 | 3.28 | 8.45 | 3.09 | 8.45 | 3.09 | 1.01 |
| U1431 | 3.22 | 2.91 | 3.80 | 6.14 | 3.28 | 8.45 | 3.09 | 8.45 | 3.09 | 1.01 |
| U1441 | 10.97 | 10.97 | 12.93 | 17.20 | 5.14 | 13.56 | 21.93 | 13.56 | 21.93 | 1.01 |
| U1451 | 9.55 | 1.20 | 2.97 | 5.95 | 0.71 | 2.41 | 13.56 | 5.95 | 2.41 | 1.01 |
| U1461 | 3.23 | 1.20 | 2.97 | 5.95 | 0.71 | 2.41 | 13.56 | 5.95 | 2.41 | 1.01 |
| U1471 | 22.54 | 13.50 | 15.25 | 38.72 | 15.56 | 15.09 | 22.94 | 38.72 | 15.09 | 1.01 |
| U1481 | 3.95 | 2.60 | 1.38 | 3.18 | 1.14 | 4.22 | 5.29 | 4.22 | 5.29 | 1.01 |
| U1491 | 3.95 | 4.34 | 3.18 | 24.21 | 2.85 | 4.22 | 5.29 | 24.21 | 2.85 | 1.01 |
| U1501 | 5.99 | 4.97 | 11.75 | 10.92 | 1.14 | 5.73 | 5.29 | 11.75 | 1.14 | 1.01 |
| U1511 | 5.68 | 2.81 | 2.70 | 6.03 | 2.29 | 7.24 | 5.29 | 7.24 | 5.29 | 1.01 |
| U1521 | 3.31 | 3.11 | 2.70 | 15.71 | 0.14 | 11.17 | 11.03 | 3.11 | 0.14 | 1.01 |
| U1531 | 5.06 | 3.11 | 2.70 | 15.71 | 0.14 | 11.17 | 11.03 | 5.06 | 0.14 | 1.01 |

SECTION II: FACILITY DATA

TABLE 4. LARGE MEDICAL DISPOSITIONS PER IOK
DIRECT CARE UNIT: CRUDE RATES

| | MSC RATE PER IOK | CRD BEHIND RATE/IOK | CRD BRGG RATE/IOK | CRD HOOD RATE/IOK | CRD KNOX RATE/IOK | CRD LMOO RATE/IOK | CRD PANAMA RATE/IOK | MAX CRD RATE | MIN CRD RATE | MAX/MIN RATIO |
|-------------------------------------|---------------------|------------------------|----------------------|----------------------|----------------------|----------------------|------------------------|-----------------|-----------------|------------------|
| 600 DELIVERY IN NORMAL CASE | 23.22 | 23.34 | 28.83 | 38.39 | 27.27 | 33.19 | 100.13 | 100.13 | 23.34 | 4.29 |
| 602 PRECON PRESENT IN VERSION | 3.26 | 3.44 | 3.04 | 3.75 | 3.85 | 4.53 | 6.18 | 6.18 | 3.04 | 2.03 |
| 604 PREVIOUS CESARIAN SECTION | 6.90 | 11.22 | 5.39 | 9.54 | 12.13 | 9.66 | 24.26 | 24.26 | 5.39 | 4.50 |
| 606 FETAL DISTRESS | 12.35 | 16.43 | 9.54 | 18.10 | 7.42 | 10.66 | 7.06 | 18.10 | 7.06 | 2.56 |
| 608 POOR FETAL GROWTH | 4.33 | 0.83 | 0.21 | 10.51 | 0.71 | 5.13 | 0.00 | 10.51 | 0.00 | 10.51 |
| 610 EXCESSIVE FETAL GROWTH | 3.33 | 9.00 | 0.07 | 2.43 | 0.14 | 0.91 | 0.00 | 2.43 | 0.00 | 2.43 |
| 612 DYSMISPEC UTERINE INERTIA | 3.22 | 3.22 | 3.60 | 1.39 | 2.14 | 1.51 | 4.41 | 4.41 | 1.39 | 3.18 |
| 614 UNILATERAL FORD ENTANGLEMENT | 6.77 | 4.33 | 6.36 | 10.51 | 3.28 | 22.03 | 21.61 | 22.03 | 3.28 | 6.71 |
| 616 UNILATERAL FORD ENTANGLEMENT | 3.75 | 10.46 | 11.75 | 0.49 | 11.90 | 3.02 | 0.88 | 11.90 | 0.49 | 24.52 |
| 618 1ST DEGREE LACERATION PERINEUM | 6.15 | 12.12 | 3.66 | 10.60 | 17.84 | 6.94 | 7.94 | 17.84 | 3.66 | 4.97 |
| 620 2ND DEGREE LACERATION PERINEUM | 6.41 | 6.38 | 6.64 | 8.48 | 11.56 | 3.32 | 1.76 | 12.88 | 1.76 | 7.30 |
| 622 3RD DEGREE LACERATION PERINEUM | 5.22 | 6.30 | 9.61 | 3.26 | 10.28 | 0.60 | 3.09 | 10.28 | 0.60 | 17.03 |
| 624 OTHER CELLULITIS/ABSCESS LEG | 3.81 | 6.50 | 2.28 | 3.18 | 6.28 | 11.47 | 16.32 | 16.32 | 2.28 | 7.15 |
| 7159 OSTEOARTHRITIS | 3.59 | 1.06 | 2.70 | 0.65 | 2.43 | 0.60 | 2.21 | 2.70 | 0.65 | 10.57 |
| 7170 DTH SPEC INT DERANGEMENT KNEE | 4.21 | 1.75 | 8.57 | 4.07 | 3.20 | 6.14 | 3.97 | 8.57 | 1.28 | 10.61 |
| 7221 DISPLACEMENT INTRACRANIAL DISC | 5.19 | 1.64 | 3.87 | 1.30 | 1.71 | 8.45 | 13.67 | 13.67 | 1.28 | 10.27 |
| 7242 LUMBAGO | 4.44 | 2.53 | 2.21 | 0.49 | 10.85 | 5.41 | 10.59 | 10.85 | 0.49 | 22.18 |
| 7270 SYNOVITIS/TENDONITIS | 3.81 | 1.91 | 4.91 | 4.65 | 1.86 | 7.24 | 2.21 | 7.24 | 1.86 | 3.90 |
| 7274 GONGLION CYST | 3.76 | 3.06 | 2.56 | 5.54 | 2.71 | 9.05 | 5.29 | 9.05 | 2.56 | 3.54 |
| 7280 HALLUX VALGUS | 3.37 | 2.00 | 4.36 | 6.60 | 1.57 | 0.45 | 4.85 | 8.45 | 1.57 | 5.38 |
| 7802 SYNOVIAL AND TENDINIT | 3.32 | 2.81 | 3.11 | 3.34 | 4.28 | 4.83 | 9.26 | 9.26 | 2.81 | 3.30 |
| 7803 CORNU STONS | 4.60 | 4.21 | 4.84 | 11.57 | 3.00 | 7.85 | 7.06 | 11.57 | 3.00 | 3.86 |
| 7865 CHEST PAIN | 13.25 | 13.39 | 13.14 | 15.32 | 14.13 | 1.21 | 31.32 | 31.32 | 1.21 | 25.95 |
| 8240 BRONCHIAL PAIN | 8.29 | 5.23 | 6.57 | 10.84 | 9.85 | 6.94 | 22.94 | 22.94 | 5.23 | 4.39 |
| 8340 INTERCRANIAL INJURY, NECK/NOSE | 5.32 | 10.71 | 11.00 | 6.60 | 4.85 | 11.47 | 33.20 | 33.20 | 4.85 | 6.81 |

SECTION 8: FACILITY DATA
TABLE 10. LARGE MEDICAL DISPOSITIONS PER IOK
DIRECT CARE DATA; ADJUSTED RATES

| | ADJ BENING | ADJ BRAGG | ADJ HOOD | ADJ KNOX | ADJ LAMON | ADJ PANAMA | MAX ADJ | MIN | ADJ | MAX/MIN |
|-------------------------------------|------------|-----------|----------|----------|-----------|------------|---------|-------|--------|---------|
| | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | PALE | RATE | RATE | RATIO |
| 6800 DELIVERY IN NORMAL CASE | 24.49 | 26.18 | 33.42 | 26.07 | 30.40 | 116.51 | 116.51 | 24.49 | 116.51 | 4.76 |
| 6822 BREECH PRESENT W/O VERSION | 3.58 | 2.75 | 3.25 | 3.65 | 5.22 | 7.54 | 7.54 | 2.75 | 7.54 | 2.74 |
| 6842 PREVIOUS CESARIAN SECTION | 11.54 | 4.86 | 8.22 | 11.31 | 11.05 | 31.67 | 31.67 | 4.86 | 31.67 | 6.52 |
| 6843 FETAL DISTRESS | 17.28 | 8.67 | 13.76 | 17.11 | 12.59 | 8.19 | 17.28 | 7.11 | 8.19 | 2.43 |
| 6845 POOR FETAL GROWTH | 0.93 | 0.19 | 3.15 | 0.68 | 5.93 | 0.00 | 9.15 | 0.00 | 9.15 | 0.00 |
| 6846 EXCESSIVE FETAL GROWTH | 0.00 | 0.06 | 2.12 | 0.13 | 1.04 | 0.00 | 2.12 | 0.00 | 2.12 | 0.00 |
| 6848 OMA/UNSPEC UTERINE INERTIA | 3.46 | 3.26 | 1.20 | 2.03 | 1.74 | 5.28 | 5.28 | 1.20 | 5.28 | 4.39 |
| 6851 UNILATERAL CORD ENTANGLEMENT | 4.78 | 5.76 | 9.12 | 3.11 | 25.19 | 26.26 | 26.26 | 3.11 | 26.26 | 8.45 |
| 6853 1ST DEGREE LACERATION PERINEUM | 10.80 | 10.62 | 0.42 | 11.26 | 3.45 | 1.12 | 11.26 | 0.42 | 11.26 | 26.63 |
| 6840 2ND DEGREE LACERATION PERINEUM | 6.31 | 3.30 | 9.15 | 16.69 | 7.95 | 10.26 | 16.69 | 3.30 | 10.26 | 3.05 |
| 6841 3RD DEGREE LACERATION PERINEUM | 13.30 | 5.99 | 7.33 | 10.84 | 3.40 | 2.25 | 13.30 | 2.25 | 2.25 | 5.91 |
| 6826 OTHER CELLULITIS/ABSCESS LEG | 6.67 | 8.72 | 2.93 | 9.80 | 0.70 | 3.64 | 9.80 | 0.70 | 3.64 | 14.04 |
| 7159 OSTEOARTHRITIS | 6.10 | 2.23 | 3.28 | 6.49 | 10.45 | 12.47 | 12.47 | 2.23 | 12.47 | 5.59 |
| 7170 OIM SPEC INT DERANGEMENT KNEE | 0.26 | 0.87 | 0.87 | 2.69 | 0.68 | 2.79 | 3.10 | 0.26 | 3.10 | 12.42 |
| 7221 DISPLACED INT INVERTED III | 3.25 | 3.18 | 4.20 | 3.24 | 4.41 | 1.87 | 6.09 | 1.87 | 6.09 | 3.27 |
| 7242 LUMBAGO | 1.10 | 3.40 | 1.23 | 1.73 | 6.65 | 9.02 | 9.02 | 1.10 | 9.02 | 8.19 |
| 7270 SYNOVITIS/TEMPOROMYELITIS | 2.60 | 1.95 | 0.46 | 1.17 | 4.39 | 6.04 | 11.17 | 0.46 | 11.17 | 24.40 |
| 7274 GANGLION CYST | 1.81 | 4.74 | 4.70 | 1.91 | 6.70 | 1.63 | 6.70 | 1.63 | 6.70 | 4.12 |
| 7350 HALLUX VALGUS | 2.82 | 2.29 | 5.13 | 2.75 | 7.86 | 3.42 | 7.86 | 2.29 | 3.42 | 1.43 |
| 7802 SYPHILIS AND TREATMENT | 2.25 | 4.16 | 6.57 | 1.69 | 8.22 | 3.34 | 8.22 | 1.69 | 3.34 | 1.95 |
| 7803 CONVULSIONS | 2.82 | 3.31 | 3.84 | 4.69 | 5.07 | 8.33 | 8.33 | 2.82 | 8.33 | 2.95 |
| 7865 CHEST PAIN | 4.23 | 4.68 | 10.69 | 2.91 | 7.69 | 7.12 | 10.69 | 2.91 | 7.12 | 3.68 |
| 7890 ABDOMINAL PAIN | 13.71 | 15.61 | 20.33 | 15.59 | 1.41 | 40.24 | 40.24 | 1.41 | 40.24 | 28.46 |
| 8540 INTRACRANIAL INJURY, MILD/MOD | 5.23 | 6.40 | 10.63 | 10.05 | 7.12 | 20.01 | 20.01 | 5.23 | 20.01 | 3.82 |
| | 9.11 | 10.41 | 5.69 | 3.71 | 11.17 | 10.75 | 10.75 | 3.71 | 10.75 | 2.91 |

SECTION B: FACILITY DATA

TABLE 11. LARGE MEDAC DISPOSITIONS PER 10K
DIRECT CARE AND CHAMPUS COMBINED: CRUDE RATES

| TABLE 11. LARGE MEDICARE DISPOSITIONS PER 10K | | | | | | | | | |
|---|----------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| DIRECT CARE AND CHAMPS COMBINED: CRUDE RATES | | | | | | | | | |
| | BENNING CRD RATE/10K | CRD RATE/10K | CRD RATE/10K | CRD RATE/10K | CRD RATE/10K | CRD RATE/10K | CRD RATE/10K | CRD RATE/10K | CRD RATE/10K |
| 4382 | STERILIZATION | 7.78 | 5.74 | 33.34 | 14.42 | 36.21 | 21.22 | 36.21 | 5.74 |
| 4383 | ANTENATAL SCREENING | 134.94 | 0.07 | 107.59 | 0.00 | 107.59 | 0.00 | 134.94 | 0.00 |
| 4384 | SINGL INFANT BORN IN HOSP | 149.35 | 234.93 | 256.11 | 163.59 | 140.02 | 216.11 | 256.11 | 140.02 |
| 4385 | OTH PLASTIC SURG, COSMETIC APP | 0.51 | 0.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.51 | 0.00 |
| 4386 | REPAIR/REPL Fx PLATE/FIXT/DEVICE | 4.59 | 10.92 | 7.91 | 3.71 | 9.96 | 3.98 | 9.96 | 3.71 |
| 4387 | ARTICULAR MAINT/CHEMOTHERAPY | 7.27 | 5.81 | 14.59 | 6.99 | 6.64 | 0.00 | 14.59 | 0.00 |
| 4388 | FOLLOW-UP EXAM, SURGERY | 2.55 | 17.63 | 2.04 | 5.57 | 31.68 | 1.77 | 31.68 | 1.77 |
| 4389 | F/U EXAM, OTHER TREATMENT | 0.38 | 4.01 | 1.96 | 0.71 | 2.11 | 0.00 | 4.01 | 0.00 |
| 4390 | OBSERVATION SUSP CARDIASC DLS | 0.38 | 1.94 | 0.33 | 0.14 | 13.58 | 0.00 | 13.58 | 0.00 |
| 4391 | OBSERVATION OTM SPECIFIED CONO | 1.53 | 4.63 | 5.71 | 5.71 | 5.13 | 13.71 | 13.71 | 1.53 |
| 4392 | STREPTOCOCCAL SORE THROAT | 8.55 | 6.15 | 4.65 | 4.57 | 137.34 | 11.05 | 137.34 | 4.57 |
| 4393 | STREPTOCOCCAL SORE THROAT | 26.15 | 2.49 | 1.06 | 2.13 | 12.50 | 6.19 | 12.50 | 2.13 |
| 4394 | HYLO-III/LAV NOS | 0.13 | 2.49 | 0.65 | 1.86 | 0.00 | 0.44 | 0.00 | 0.44 |
| 4395 | HYLO-III/LAV NOS | 6.63 | 3.39 | 2.04 | 0.14 | 45.26 | 0.00 | 45.26 | 0.00 |
| 4396 | VIRAL INFECT, NOS | 19.28 | 11.27 | 7.42 | 19.40 | 68.50 | 13.16 | 68.50 | 13.16 |
| 4397 | CANCER, BRONCHUS/LUNG, NOS | 4.72 | 2.63 | 0.41 | 1.28 | 3.62 | 0.88 | 4.72 | 0.41 |
| 4398 | CANCER, BREAST, FEM, NOS | 2.55 | 3.60 | 0.57 | 1.57 | 3.02 | 0.44 | 3.60 | 0.44 |
| 4399 | CANCER, PROSTATE, FEM, NOS | 2.93 | 2.07 | 0.82 | 0.86 | 3.62 | 0.88 | 3.62 | 0.88 |
| 4400 | BENIGN NEOPLASM, COLON | 1.28 | 3.66 | 2.28 | 3.14 | 3.32 | 0.88 | 3.66 | 0.88 |
| 4401 | LEIOMYOMA, UTERUS, NOS | 3.19 | 3.60 | 2.42 | 1.71 | 5.43 | 1.77 | 5.43 | 1.77 |
| 4402 | VOLUME DEPLETION | 4.08 | 4.98 | 7.42 | 4.57 | 10.56 | 41.12 | 10.56 | 4.57 |
| 4403 | ALCOHOL DEPENDENCE | 10.59 | 8.57 | 7.93 | 4.29 | 27.86 | 27.86 | 27.86 | 4.29 |
| 4404 | DRUG ABUSE, ALCOHOL | 8.93 | 4.22 | 4.48 | 2.85 | 7.24 | 26.09 | 7.24 | 2.85 |
| 4405 | ADJUST REACT, BRIEF DEPRESSIVE | 3.95 | 12.42 | 6.40 | 2.00 | 10.26 | 19.45 | 10.26 | 2.00 |
| 4406 | ADJUST REACT, MAJOR DEPRESSIVE | 2.04 | 12.42 | 6.40 | 2.00 | 10.26 | 19.45 | 10.26 | 2.00 |
| 4407 | CARPAL TUNNEL SYNDROME | 2.04 | 12.42 | 6.40 | 2.00 | 10.26 | 19.45 | 10.26 | 2.00 |
| 4408 | ENTRAPPED NOS | 10.84 | 12.17 | 4.40 | 2.71 | 9.35 | 16.36 | 9.35 | 1.77 |
| 4409 | OTITIS MEDIA NOS | 11.73 | 4.84 | 13.61 | 6.71 | 18.41 | 10.17 | 18.41 | 6.71 |
| 4410 | INTERMEDIATE CORONARY SYNDROME | 10.20 | 6.22 | 7.01 | 5.14 | 12.67 | 0.00 | 12.67 | 0.00 |
| 4411 | ANGINA, OTHER AND UNSPEC | 8.16 | 5.53 | 2.85 | 3.43 | 9.35 | 1.77 | 9.35 | 1.77 |
| 4412 | CORONARY ARTERIOSCLEROSIS | 7.52 | 4.56 | 2.28 | 0.85 | 15.39 | 0.00 | 15.39 | 0.00 |
| 4413 | CHRONIC ISCHEMIC HEART DISEASE | 2.68 | 3.53 | 0.49 | 1.28 | 2.72 | 5.31 | 2.72 | 5.31 |
| 4414 | MYOCARDIAL INFARCTION | 3.57 | 4.49 | 3.02 | 2.28 | 6.04 | 0.88 | 6.04 | 0.88 |
| 4415 | CONGESTIVE HEART FAILURE | 10.59 | 4.29 | 3.75 | 2.71 | 9.05 | 2.21 | 10.59 | 2.21 |
| 4416 | ACUTE PHARYNGITIS | 19.90 | 2.49 | 0.98 | 13.28 | 80.57 | 15.48 | 80.57 | 0.98 |
| 4417 | ACUTE TONSILLITIS | 5.23 | 1.31 | 0.98 | 42.95 | 27.76 | 27.76 | 27.76 | 0.98 |
| 4418 | ACUTE UPPER RESP INFECT | 48.21 | 3.80 | 2.63 | 2.57 | 23.56 | 22.99 | 23.56 | 2.57 |
| 4419 | DEVIATED NASAL SEPTUM | 4.34 | 5.32 | 2.36 | 4.14 | 8.45 | 16.36 | 8.45 | |

SECTION B: FACILITY DATA

TABLE 11: LARGE MEDICAL DISPOSITIONS PER IOK
DIRECT CARE NIN CHIMPUS COMBINED

| | | SEMIING CRD RATE/IOK | CRUDE RATES RATE/IOK | HHOD CRD RATE/IOK | KNOW CRD RATE/IOK | LWOOD CRD RATE/IOK | POMAHA CRD RATE/IOK | MIN CRD RATE | MAX CRD RATE | MIN CRD RATE/IOK | MAX/MIN RATIO |
|------|--------------------------------|-------------------------|-------------------------|----------------------|----------------------|-----------------------|------------------------|-----------------|-----------------|---------------------|------------------|
| 680 | DELIVERY IN NORMAL CASE | 25.38 | 53.24 | 46.54 | 30.59 | 34.10 | 100.37 | 100.37 | 100.37 | 25.38 | 3.95 |
| 6822 | BREECH PRESENT N/D VERSION | 3.95 | 2.43 | 4.89 | 4.14 | 4.53 | 6.19 | 6.43 | 6.43 | 3.95 | 1.63 |
| 6842 | PREVIOUS CESARIAN SECTION | 12.37 | 13.48 | 12.72 | 13.28 | 10.26 | 24.32 | 24.32 | 24.32 | 10.26 | 2.37 |
| 6863 | FETAL DISTRESS | 16.96 | 13.48 | 23.07 | 8.42 | 11.17 | 7.07 | 23.07 | 23.07 | 7.07 | 3.26 |
| 6885 | POOR FETAL GROWTH | 0.89 | 0.55 | 11.00 | 0.71 | 5.13 | 0.00 | 11.00 | 11.00 | 0.00 | 0.00 |
| 6886 | EXCESSIVE FETAL GROWTH | 0.00 | 0.07 | 3.02 | 0.14 | 0.91 | 0.00 | 3.02 | 3.02 | 0.00 | 0.00 |
| 6812 | HYMENSPEC UTERINE INERTIA | 3.57 | 4.49 | 3.02 | 2.57 | 1.51 | 4.42 | 4.45 | 4.45 | 1.51 | 2.98 |
| 6831 | UMBILICAL CORD AROUND NECK | 4.72 | 6.78 | 11.00 | 3.43 | 22.03 | 21.67 | 22.03 | 22.03 | 3.43 | 6.43 |
| 6833 | UMBILICAL CORD ENTANGLEMENT | 10.59 | 15.35 | 8.88 | 12.56 | 3.02 | 0.88 | 15.35 | 15.35 | 0.88 | 17.36 |
| 6840 | 1ST DEGREE LACERATION PERINEUM | 6.12 | 8.30 | 12.06 | 16.27 | 7.24 | 7.96 | 16.27 | 16.27 | 6.12 | 2.68 |
| 6841 | 2ND DEGREE LACERATION PERINEUM | 12.88 | 8.43 | 9.70 | 11.56 | 3.32 | 1.77 | 12.88 | 12.88 | 1.77 | 7.28 |
| 6842 | 3RD DEGREE LACERATION PERINEUM | 6.38 | 10.92 | 4.16 | 10.99 | 0.60 | 3.10 | 10.99 | 10.99 | 0.60 | 18.21 |
| 6826 | OTHER CELLULITIS/ABSCESS LEG | 7.14 | 2.35 | 3.18 | 6.71 | 11.77 | 16.36 | 16.36 | 16.36 | 2.35 | 6.96 |
| 7159 | OSTEOARTHRITIS | 0.64 | 2.97 | 1.22 | 3.43 | 0.60 | 2.21 | 3.43 | 3.43 | 0.60 | 5.68 |
| 7178 | OTH SPEC INT DERANGEMENT KNEE | 3.95 | 6.64 | 4.97 | 3.28 | 6.34 | 3.98 | 6.64 | 6.64 | 3.28 | 2.01 |
| 7231 | DISPLACEMENT INTUTRABIAL DISC | 3.10 | 6.58 | 1.87 | 5.00 | 9.05 | 13.71 | 13.71 | 13.71 | 1.87 | 7.31 |
| 7242 | LUMBARGIA | 4.34 | 4.25 | 0.98 | 11.13 | 7.24 | 10.61 | 11.13 | 11.13 | 0.98 | 11.27 |
| 7274 | SPONDYLITIS/TENOSYNOVITIS | 2.04 | 4.31 | 4.73 | 1.86 | 7.24 | 2.21 | 7.24 | 7.24 | 1.86 | 3.90 |
| 7276 | SPONDILION CYST | 3.06 | 2.63 | 5.73 | 2.93 | 9.05 | 5.31 | 9.05 | 9.05 | 2.63 | 3.45 |
| 7280 | HALLUX VALGUS | 3.44 | 4.42 | 5.60 | 1.71 | 8.45 | 4.86 | 8.45 | 8.45 | 1.71 | 4.93 |
| 7802 | SYNCOPE AND COLLAPSE | 3.14 | 3.32 | 3.99 | 6.00 | 5.13 | 9.29 | 9.29 | 9.29 | 3.32 | 2.80 |
| 7803 | CONVULSIONS | 5.10 | 5.25 | 13.37 | 4.85 | 9.05 | 7.07 | 13.37 | 13.37 | 4.85 | 2.75 |
| 7805 | CHEST PAIN | 17.35 | 15.35 | 18.26 | 24.98 | 3.62 | 31.39 | 31.39 | 31.39 | 3.62 | 8.67 |
| 7890 | ABDOMINAL PAIN | 6.25 | 7.05 | 11.17 | 11.99 | 6.94 | 22.99 | 22.99 | 22.99 | 6.25 | 3.68 |
| 8040 | INTRACRANIAL INJURY, NEC/MOS | 11.22 | 11.77 | 6.85 | 5.57 | 11.77 | 12.28 | 11.77 | 11.77 | 5.57 | 5.01 |

SECTION B: FACILITY DATA

TABLE 12. LARGE MEDICAL DISPOSITIONS PER 10K

DIRECT CARE AND CHARGES COMBINED, ADJUSTED RATES

| | | BEHNING ADJ RATE/10K | BRAGG ADJ RATE/10K | HOOD ADJ RATE/10K | KNOX ADJ RATE/10K | LUOOD ADJ RATE/10K | PANAMA ADJ RATE/10K | MAY ADJ RATE | JUN ADJ RATE | JUL ADJ RATE | MAX/10K |
|------|--------------------------------|----------------------|--------------------|-------------------|-------------------|--------------------|---------------------|--------------|--------------|--------------|---------|
| 680 | DELIVERY IN NORMAL CASE | 26.67 | 10.74 | 40.98 | 29.45 | 39.68 | 119.00 | 119.00 | 25.67 | 1.46 | |
| 6822 | BREECH PRESENT W/O VERSION | 4.10 | 5.84 | 4.26 | 3.91 | 5.21 | 7.50 | 7.50 | 3.91 | 1.92 | |
| 6842 | PREVIOUS CESARIAN SECTION | 12.68 | 12.11 | 10.93 | 12.34 | 11.71 | 31.30 | 31.30 | 10.93 | 2.87 | |
| 6863 | FETAL DISTRESS | 17.80 | 12.28 | 20.16 | 8.06 | 12.94 | 6.23 | 20.16 | 8.06 | 2.70 | |
| 6865 | POOR FETAL GROWTH | 0.94 | 0.52 | 10.00 | 0.69 | 6.05 | 0.00 | 10.00 | 0.00 | | |
| 6866 | EXCESSIVE FETAL GROWTH | 0.00 | 0.06 | 2.60 | 0.13 | 1.03 | 0.00 | 2.60 | 0.00 | | |
| 6866 | OTM/UNSPEC UTERINE INERTIA | 3.72 | 4.09 | 2.64 | 2.44 | 1.74 | 5.27 | 5.27 | 1.74 | 3.02 | |
| 6812 | UNILATERAL CORD AROUND NECK | 4.90 | 6.13 | 9.55 | 3.24 | 25.35 | 26.11 | 26.11 | 3.24 | 8.06 | |
| 6833 | UNILATERAL CORD AROUND NECK | 10.90 | 13.89 | 7.70 | 11.76 | 3.44 | 1.12 | 13.89 | 1.12 | 12.76 | |
| 6840 | 1ST DEGREE LACERATION PERINEUM | 6.28 | 7.47 | 10.38 | 12.02 | 8.25 | 10.17 | 17.02 | 6.20 | 2.71 | |
| 6841 | 2ND DEGREE LACERATION PERINEUM | 13.24 | 7.59 | 6.35 | 10.79 | 3.79 | 2.24 | 13.24 | 2.24 | 5.90 | |
| 6842 | 3RD DEGREE LACERATION PERINEUM | 6.58 | 9.89 | 3.60 | 10.31 | 0.61 | 3.50 | 10.31 | 0.61 | 14.91 | |
| 6826 | OTHER CELLULITIS/ABSCESS LEG | 6.71 | 2.29 | 3.25 | 6.88 | 10.00 | 12.63 | 12.63 | 2.29 | 5.52 | |
| 7159 | OSTEOARTHRITIS | 0.64 | 3.39 | 1.53 | 3.54 | 4.08 | 2.83 | 3.68 | 0.64 | 5.78 | |
| 7178 | OTH SPEC INI DEFRANGEMENT KNEE | 3.26 | 6.96 | 4.20 | 3.24 | 4.43 | 1.88 | 6.96 | 1.88 | 3.63 | |
| 7221 | DISPLACEMENT INVERTED IN | 4.52 | 6.06 | 1.78 | 5.07 | 7.40 | 8.56 | 9.56 | 1.78 | 4.81 | |
| 7242 | LUMBAGO | 3.85 | 2.87 | 0.76 | 11.42 | 4.40 | 6.06 | 11.42 | 0.46 | 5.01 | |
| 7270 | SYNOVITIS/TENDONOPATHY | 1.92 | 2.71 | 4.74 | 1.32 | 5.63 | 1.62 | 6.63 | 1.62 | 4.12 | |
| 7274 | GONITON CYST | 2.81 | 2.35 | 5.10 | 2.81 | 3.04 | 3.53 | 7.84 | 2.35 | 3.14 | |
| 7350 | MALLON VALGUS | 3.32 | 3.21 | 6.52 | 1.83 | 8.27 | 3.55 | 8.22 | 1.83 | 4.50 | |
| 7802 | SYNOVIAL AND TUBULAR | 3.49 | 3.51 | 4.59 | 6.52 | 5.47 | 6.57 | 8.57 | 3.49 | 2.46 | |
| 7803 | CONJUGATIONS | 5.17 | 5.10 | 12.27 | 4.69 | 8.96 | 7.52 | 12.27 | 4.69 | 2.62 | |
| 7865 | CHEST PAIN | 18.09 | 18.62 | 24.69 | 28.03 | 4.31 | 41.13 | 41.13 | 4.31 | 9.52 | |
| 7890 | ABDOMINAL PAIN | 6.76 | 6.47 | 10.92 | 12.21 | 7.11 | 20.13 | 20.13 | 6.76 | 3.21 | |
| 8540 | INTRACRANIAL INJURY, NEC/MIC | 4.11 | 11.10 | 4.96 | 5.40 | 4.11 | 13.11 | 13.11 | 4.11 | 1.55 | |

SECTION C: VARIABILITY RANKINGS BY PEER GROUP
TABLE 11. LARGE MEDOAC DISPOSITIONS PER 10K

SECTION C
TABLE 11.

| TABLE 11. | | DIRECT CARE PLUS CHAMPUS DATA | | COMBINED: CRUDE RATES | | S. D. COEFF | | VAR | |
|-----------|-------|---------------------------------|-------|-----------------------|------|-------------|------|---------------------------------|--------|
| | | | | | | | | | |
| | | | | | | | | | |
| 1 | 1717 | OBSERVATION SUSP. CARDIASC DLS | 0.23 | 1.30 | 1.72 | 77 | 6466 | INFECT GU TRACT IN PREGNANCY | 15.18 |
| 2 | 1750 | OTH PLASTIC SURG. COSMETIC IMP | 0.23 | 1.18 | 1.69 | 78 | 6349 | SPONTANEOUS ABORTION | 15.18 |
| 3 | 6566 | EXCESSIVE FETAL GROWTH | 0.69 | 1.09 | 1.58 | 79 | 6340 | REMOVAL FK PLANT/FKTN DEVICE | 6.46 |
| 4 | 6523 | VAGINELLA W/O COMPLICATIONS | 10.76 | 15.62 | 1.45 | 80 | 6146 | PELVIC/PARTIEN ADHESIONS, FEM | 6.85 |
| 5 | 6340 | STREPTOCOCCAL SORE THROAT | 30.73 | 44.21 | 1.37 | 81 | 6089 | INTESTINAL INFECT, OTH DRG NEC | 1.85 |
| 6 | 6206 | STREPTOCOCCAL SORE THROAT | 18.65 | 25.56 | 1.44 | 82 | 6640 | 1ST DEGREE LACERATION PERINEUM | 8.09 |
| 7 | 662 | ACUTE PHARYNGITIS | 20.42 | 27.68 | 1.36 | 83 | 3829 | OTITIS MEDIA NOS | 4.13 |
| 8 | 6565 | POOR FETAL GROWTH | 3.05 | 3.94 | 1.29 | 84 | 7803 | CONVULSIONS | 10.91 |
| 9 | 4659 | ACUTE UPPER RESP INFECT | 62.37 | 79.63 | 1.28 | 85 | 6563 | FETAL DISTRESS | 7.45 |
| 10 | 2765 | VOLUME DEPLETION | 11.01 | 13.51 | 1.23 | 86 | 6440 | THREATENED PREM LABOR | 13.36 |
| 11 | 6280 | ANTENATAL SCREENING | 45.39 | 55.20 | 1.22 | 87 | 7802 | SWOOP/AND COLLAPSE | 22.03 |
| 12 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 5.46 | 6.44 | 1.18 | 88 | 2189 | LEIOMYOMA, UTERUS, NOS | 3.19 |
| 13 | 6441 | THREATENED LABOR (37WKS) | 4.21 | 4.66 | 1.11 | 89 | 7178 | OTH SPEC INT DRAINAGE/MENT KNIF | 1.25 |
| 14 | 663 | ACUTE TONSILLITIS | 8.83 | 9.77 | 1.10 | 90 | 5301 | PYELONEPHRITIS/PYURHEMOSIS | 1.82 |
| 15 | 6032 | FOLLOW UP REACT W/OIST OTH PHOT | 10.21 | 11.06 | 1.08 | 91 | 6512 | OTH/UNSPEC UTERTIN INERTIN | 1.49 |
| 16 | 3032 | ADJUST REACT W/OIST OTH PHOT | 13.95 | 14.09 | 1.02 | 92 | 6512 | OTH/UNSPEC UTERTIN INERTIN | 1.63 |
| 17 | 10244 | ADJUST REACT W/OIST OTH PHOT | 0.93 | 0.92 | 0.99 | 93 | 6542 | PREVIOUS CESARIAN SECTION | 3.26 |
| 18 | 5243 | ANOMALIES TOOTH POSITION | 1.7 | 1.16 | 0.99 | 94 | 5509 | LINGUAL HERNIA | 14.40 |
| 19 | 486 | PNEUMONIA, ORGANISM UNSPEC | 32.71 | 31.63 | 0.97 | 95 | 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 21.83 |
| 20 | 4741 | HYPERTRICOPHY TONSILS/ADENOIDS | 4.62 | 4.17 | 0.90 | 96 | 5300 | SINGL INFANT BORN IN HOSP | 6.29 |
| 21 | 6442 | EARLY ONSET DELIVERY (37WKS) | 10.14 | 9.08 | 0.89 | 97 | 6101 | DIFFUSE CYSTIC MASTOITIS | 106.68 |
| 22 | 6675 | F/U EXAM, OTHER TREATMENT | 1.53 | 1.35 | 0.89 | 98 | 5621 | DIVERTICULA OF COLON | 1.24 |
| 23 | 3050 | DRUG ABUSE, ALCOHOL | 8.75 | 7.92 | 0.88 | 99 | 5409 | ACUTE APPENDICITIS W/O PERITON | 3.52 |
| 24 | 3030 | ADJUST REACT, BRIEF DEPRESSIVE | 7.75 | 6.05 | 0.78 | 100 | 6502 | ADULT PRESENT W/O UTERTIN | 5.17 |
| 25 | 4140 | CORONARY ARTERIOSCLEROSIS | 6.44 | 4.99 | 0.78 | | | | 0.16 |
| 26 | 5921 | CULCULUS OF UTER | 4.69 | 3.42 | 0.74 | | | | |
| 27 | 4740 | CHRONIC TONSILLITIS | 8.23 | 6.34 | 0.73 | | | | |
| 28 | 4740 | CHRONIC AIRWAY OBSTRUCTION | 5.17 | 3.67 | 0.71 | | | | |
| 29 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 5.66 | 4.00 | 0.71 | | | | |
| 30 | 1629 | CANCER, BRONCHUS/LUNG NOS | 2.26 | 1.54 | 0.68 | | | | |
| 31 | 5589 | GASTROENTERITIS | 10.55 | 20.89 | 0.68 | | | | |
| 32 | 6450 | PROLONGED PREGNANCY | 6.40 | 4.37 | 0.68 | | | | |
| 33 | 470 | DEVELOPED NASAL SEPTUM | 6.83 | 4.64 | 0.68 | | | | |
| 34 | 3540 | CORPAL TUNNEL SYNDROME | 4.09 | 2.72 | 0.66 | | | | |
| 35 | 6631 | UMBILICAL CORD AROUND NECK | 11.60 | 7.61 | 0.66 | | | | |
| 36 | 8540 | INTRACRANIAL INJURY, NEC NOS | 13.49 | 8.93 | 0.65 | | | | |
| 37 | 7242 | LUMBAGO | 5.88 | 3.84 | 0.65 | | | | |

SECTION 11: FACILITY UNIT

LARGE MEDICAL AND
 DIRECT CARE AND

[illegible]

SECTION B: FACILITY DATA

SECTION B: FACILITY DATA

DIRECT CARE AND CHAMPUS CO-

[illegible]

TABLE 1-1. LARGE MEDICINE AVERAGE LENGTH OF STAY (MAYS),
DIRECT CARE AND COMBIS COMBINED: ADJUSTED RATES

[illegible]

SECTION 8: FACILITY DATA

SECTION 8: FACILITY DATA

| DATE | TIME | TIME AND NAME OF CONSULTANT | ADJ BENDING AVG DAYS | ADJ BENDING AVG DAYS | ADJ HOOD AVG DAYS | ADJ KNOX AVG DAYS | ADJ LKHOOD AVG DAYS | ADJ POKAHU AVG DAYS | MAY IND RATE | MIN IND RATE | MAX/MIH RATE |
|-------|------|--------------------------------|-------------------------|-------------------------|----------------------|----------------------|------------------------|------------------------|-----------------|-----------------|-----------------|
| 1830 | | DELIVERY IN MORPHAL CASE | 2.52 | 2.40 | 2.28 | 2.93 | 3.18 | 3.70 | 3.70 | 2.28 | 1.62 |
| 1832 | | BREECH PRESENT W/O VERSION | 3.86 | 3.13 | 3.68 | 3.68 | 3.20 | 3.42 | 3.42 | 2.66 | 3.53 |
| 1834 | | PREVIOUS CESARIAN SECTION | 4.58 | 4.03 | 3.75 | 4.01 | 3.21 | 6.97 | 6.97 | 3.73 | 1.86 |
| 1835 | | FETAL DISTRESS | 3.93 | 3.11 | 2.70 | 3.74 | 4.21 | 6.03 | 6.03 | 2.70 | 2.23 |
| 1836 | | POOR FETAL GROWTH | 3.35 | 3.06 | 1.28 | 3.54 | 0.30 | 5.54 | 5.54 | 0.00 | |
| 1838 | | EXCESSIVE FETAL GROWTH | 0.00 | 1.82 | 2.50 | 3.07 | 3.07 | 0.00 | 3.07 | 0.00 | |
| 1840 | | OTI/UNSPEC UTERINE INERTIA | 3.24 | 3.64 | 2.77 | 4.04 | 3.76 | 5.79 | 5.79 | 2.77 | 2.09 |
| 1841 | | UNBILICAL CORD AROUND NECK | 2.37 | 2.61 | 2.36 | 2.88 | 3.60 | 3.84 | 3.84 | 2.36 | 1.63 |
| 1843 | | UNBILICAL CORD AROUND NECK | 2.16 | 2.55 | 2.60 | 3.06 | 3.33 | 3.62 | 3.62 | 2.16 | 1.68 |
| 1844 | | 1ST DEGREE LACERATION PERINEUM | 2.09 | 2.34 | 2.30 | 2.89 | 2.96 | 4.10 | 4.10 | 2.09 | 1.96 |
| 1846 | | 2ND DEGREE LACERATION PERINEUM | 2.34 | 2.39 | 2.25 | 2.99 | 2.93 | 4.29 | 4.29 | 2.25 | 1.91 |
| 1848 | | 3RD DEGREE LACERATION PERINEUM | 2.80 | 2.69 | 2.54 | 3.17 | 2.94 | 3.80 | 3.80 | 2.54 | 1.50 |
| 1849 | | OTHER CELLULITIS/AB-CESS LEG | 6.25 | 4.46 | 6.46 | 5.30 | 5.60 | 7.31 | 7.31 | 4.46 | 1.64 |
| 1852 | | OSTEOARTHRITIS | 2.57 | 5.05 | 3.77 | 5.02 | 4.85 | 5.05 | 5.05 | 2.57 | 1.96 |
| 17359 | | OTI SPEC INT DERANGEMENT KNEE | 14.08 | 3.97 | 3.94 | 5.72 | 13.29 | 11.16 | 14.08 | 2.94 | 4.78 |
| 17370 | | DISPLACEMENT INVERTEBRAL DISC | 8.19 | 6.79 | 5.24 | 5.39 | 4.92 | 3.85 | 8.19 | 2.92 | 2.81 |
| 17221 | | LUMBAGO | 7.93 | 5.74 | 3.70 | 5.78 | 4.93 | 4.21 | 7.93 | 3.70 | 2.15 |
| 17242 | | SYNOVITIS/STENOZYNOVITIS | 22.82 | 2.70 | 1.94 | 3.45 | 3.63 | 1.20 | 22.82 | 1.20 | 18.99 |
| 17270 | | GLANDLUM CYST | 1.87 | 2.19 | 1.15 | 2.19 | 1.84 | 0.89 | 2.19 | 0.89 | 2.45 |
| 17274 | | MALLUM VALGUS | 5.15 | 2.96 | 1.20 | 2.07 | 5.65 | 5.00 | 5.65 | 1.20 | 4.70 |
| 17350 | | SYNOPE AND UNLUMPE | 3.94 | 5.26 | 3.29 | 3.60 | 8.95 | 2.51 | 8.95 | 2.51 | 3.57 |
| 17603 | | CONVULSIONS | 3.60 | 2.86 | 1.61 | 4.45 | 1.83 | 3.16 | 4.03 | 1.61 | 2.99 |
| 17665 | | CHEST PAIN | 2.98 | 4.11 | 3.09 | 3.08 | 3.32 | 4.11 | 4.11 | 2.32 | 1.77 |
| 17690 | | ANTHRAXAL PHIM | 8.39 | 2.75 | 1.28 | 3.00 | 4.17 | 2.10 | 8.39 | 3.99 | 3.99 |
| 17690 | | INTRIN PHIM INJURY, MET/NOIS | 2.64 | 1.39 | 1.43 | 2.71 | 1.51 | 1.64 | 2.64 | 1.39 | 1.91 |

SECTION 8: FACILITY DATA

JANUARY 1987

DIRECT CARE NH

[illegible]

SECTION B: FACILITY DATA

TABLE 15. LARGE MEDICAL AVERAGE LENGTH OF STAY (DAYS)

| | BENIGNING CRD AUG DAYS | BRGG CRD AUG DAYS | CRUDE RATES AUG DAYS | MMD CRD AUG DAYS | KNOX CRD AUG DAYS | LHOND CRD AUG DAYS | PAINIMA CPD AUG DAYS | MAX CRD RATE | MIN CRD RATE | MAX/MIN RATIO |
|-------------------------------------|---------------------------|----------------------|-------------------------|---------------------|----------------------|-----------------------|-------------------------|-----------------|-----------------|------------------|
| | | | | | | | | | | |
| 6350 DELIVERY IN NORMAL CASE | 2.36 | 2.36 | 2.56 | 2.51 | 2.96 | 2.65 | 3.26 | 3.26 | 2.36 | 1.39 |
| 6322 BREACH PRESENT N/O VERSION | 3.74 | 3.74 | 3.72 | 3.27 | 4.07 | 3.72 | 8.00 | 8.00 | 3.20 | 2.50 |
| 6342 PREVIOUS CESARIAN SECTION | 4.43 | 4.43 | 4.04 | 4.18 | 4.23 | 3.32 | 5.44 | 5.44 | 3.32 | 1.64 |
| 6363 FETAL DISTRESS | 3.73 | 3.73 | 3.58 | 2.99 | 3.69 | 3.38 | 5.50 | 5.50 | 2.99 | 1.85 |
| 6365 POOR FETAL GROWTH | 3.29 | 3.29 | 2.75 | 1.47 | 5.60 | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6366 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 2.00 | 2.95 | 2.00 | 2.67 | 0.00 | 2.95 | 0.00 | 0.00 |
| 6412 OTH/UNSPEC UTERINE INERTIA | 3.75 | 3.75 | 3.74 | 3.22 | 4.00 | 3.20 | 5.10 | 5.10 | 3.20 | 1.59 |
| 6431 UNBILICAL CORD AROUND NECK | 2.49 | 2.49 | 2.90 | 2.69 | 2.96 | 3.05 | 3.35 | 3.35 | 2.49 | 1.35 |
| 6433 UNBILICAL CORD ENTANGLEMENT | 2.40 | 2.40 | 2.76 | 2.35 | 3.17 | 2.90 | 3.17 | 3.17 | 2.35 | 1.35 |
| 6440 1ST DEGREE LACERATION PERINEUM | 2.10 | 2.10 | 2.64 | 2.58 | 3.04 | 2.54 | 3.28 | 3.28 | 2.10 | 1.56 |
| 6441 2ND DEGREE LACERATION PERINEUM | 2.37 | 2.37 | 2.61 | 2.50 | 3.15 | 2.09 | 3.50 | 3.50 | 2.09 | 1.67 |
| 6442 3RD DEGREE LACERATION PERINEUM | 2.99 | 2.99 | 2.91 | 2.71 | 3.35 | 2.50 | 3.43 | 3.43 | 2.50 | 1.37 |
| 6426 OTHER CELLULITIS/ABSCESS LEG | 6.43 | 6.43 | 4.41 | 5.69 | 5.23 | 5.79 | 8.27 | 8.27 | 4.41 | 1.87 |
| 7159 OSTEOARTHRITIS | 7.20 | 7.20 | 4.74 | 4.33 | 5.83 | 4.00 | 2.00 | 7.20 | 2.00 | 3.60 |
| 7170 OTH SPEC INT DERANGEMENT KNEE | 17.13 | 5.00 | 5.00 | 3.52 | 5.83 | 19.52 | 4.33 | 24.33 | 3.52 | 6.90 |
| 7221 DISPLACEMENT INVERTIBRA DISC | 6.23 | 6.23 | 6.29 | 5.00 | 5.77 | 3.87 | 6.77 | 6.77 | 3.87 | 1.75 |
| 7242 LUMBAGO | 7.35 | 7.35 | 5.51 | 4.00 | 5.64 | 6.33 | 7.54 | 7.54 | 4.00 | 1.89 |
| 7270 SYNOVITIS/TENOSYNOVITIS | 24.00 | 24.00 | 3.15 | 2.12 | 3.39 | 4.31 | 2.00 | 24.00 | 2.00 | 12.00 |
| 7274 GANGLION CYST | 7.42 | 7.42 | 2.50 | 1.25 | 2.15 | 2.30 | 1.50 | 7.42 | 1.25 | 6.00 |
| 7350 HALLUX VALGUS | 7.00 | 7.00 | 3.17 | 1.20 | 2.00 | 5.93 | 7.55 | 7.55 | 1.20 | 6.30 |
| 7802 SYNCOPES AND FINTHUFF | 3.46 | 3.46 | 5.06 | 2.84 | 2.98 | 8.47 | 3.00 | 8.47 | 2.84 | 2.99 |
| 7803 CONVULSIONS | 3.60 | 3.60 | 3.54 | 1.92 | 4.56 | 4.37 | 3.98 | 4.56 | 1.92 | 2.37 |
| 7865 CHEST PAIN | 2.80 | 2.80 | 3.37 | 2.11 | 2.50 | 2.17 | 2.77 | 3.37 | 2.11 | 1.60 |
| 7890 BRUISING/BL. PAIN | 2.86 | 2.86 | 2.80 | 2.39 | 2.85 | 4.04 | 2.61 | 7.86 | 2.39 | 3.29 |
| 8540 INTERMITTENT IN HYP. HT/MIG | 1.00 | 1.00 | 1.00 | 1.75 | 2.10 | 2.15 | 1.15 | 1.15 | 1.15 | 1.00 |

SECTION B: FACILITY DATA

FACILITY DATA

[illegible]

SECTION B: FACILITY DATA
TABLE 16. LARGE MEDDAC AVERAGE LENGTH OF STAY (DAYS)

| | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|------|--------------|--------------|---------------|
| 6800 | 3.89 | 2.18 | 1.78 |
| 6802 | 9.64 | 2.83 | 3.40 |
| 6804 | 7.17 | 3.60 | 1.99 |
| 6805 | 6.14 | 2.61 | 2.36 |
| 6806 | 5.53 | 0.00 | |
| 6807 | 3.10 | 0.00 | |
| 6808 | 5.91 | 2.80 | 2.11 |
| 6809 | 3.86 | 2.34 | 1.65 |
| 6810 | 3.84 | 2.03 | 1.89 |
| 6811 | 4.24 | 2.17 | 1.95 |
| 6812 | 4.38 | 2.16 | 2.03 |
| 6813 | 3.85 | 2.36 | 1.63 |
| 6814 | 7.35 | 4.52 | 1.63 |
| 6815 | 12.09 | 3.51 | 3.45 |
| 6816 | 13.85 | 2.95 | 4.70 |
| 6817 | 5.83 | 2.99 | 1.95 |
| 6818 | 6.83 | 3.70 | 1.84 |
| 6819 | 73.25 | 1.21 | 19.29 |
| 6820 | 2.29 | 0.89 | 2.56 |
| 6821 | 8.26 | 1.21 | 6.85 |
| 6822 | 3.35 | 2.57 | 1.30 |
| 6823 | 4.58 | 1.88 | 2.43 |
| 6824 | 4.49 | 2.64 | 1.70 |
| 6825 | 8.80 | 2.14 | 4.11 |
| 6826 | 1.52 | 1.52 | 1.00 |
| 6827 | 2.93 | 2.93 | 1.00 |
| 6828 | 2.18 | 2.18 | 1.00 |
| 6829 | 3.86 | 3.86 | 1.00 |
| 6830 | 3.53 | 3.53 | 1.00 |
| 6831 | 3.53 | 3.53 | 1.00 |
| 6832 | 3.53 | 3.53 | 1.00 |
| 6833 | 3.53 | 3.53 | 1.00 |
| 6834 | 3.53 | 3.53 | 1.00 |
| 6835 | 3.53 | 3.53 | 1.00 |
| 6836 | 3.53 | 3.53 | 1.00 |
| 6837 | 3.53 | 3.53 | 1.00 |
| 6838 | 3.53 | 3.53 | 1.00 |
| 6839 | 3.53 | 3.53 | 1.00 |
| 6840 | 3.53 | 3.53 | 1.00 |
| 6841 | 3.53 | 3.53 | 1.00 |
| 6842 | 3.53 | 3.53 | 1.00 |
| 6843 | 3.53 | 3.53 | 1.00 |
| 6844 | 3.53 | 3.53 | 1.00 |
| 6845 | 3.53 | 3.53 | 1.00 |
| 6846 | 3.53 | 3.53 | 1.00 |
| 6847 | 3.53 | 3.53 | 1.00 |
| 6848 | 3.53 | 3.53 | 1.00 |
| 6849 | 3.53 | 3.53 | 1.00 |
| 6850 | 3.53 | 3.53 | 1.00 |

SECTION B: FACILITY DATA
TABLE 17. MEDIUM MEDIC DISPOSITIONS PER 10K
DIRECT CARE DATA: CRUDE RATES

| | | HSC RATE PER 10K | BELVOIR FPD RATE/10K | CAMPBELL CRD RATE/10K | CARSON CRD RATE/10K | DIX CRD RATE/10K | MURKIN CRD RATE/10K | JACKSON CRD RATE/10K | LEE CRD RATE/10K | MCLELLAN FPD RATE/10K | ORD CRD RATE/10K |
|------|---------------------------------|---------------------|-------------------------|--------------------------|------------------------|---------------------|------------------------|-------------------------|---------------------|--------------------------|---------------------|
| 6400 | ABNL GLUC TOL TEST IN PREGNANCY | 5.06 | 1.44 | 5.00 | 10.92 | 10.92 | 0.00 | 7.95 | 1.04 | 0.00 | 1.52 |
| 6401 | DELIVERY IN NORMAL CASE | 23.22 | 11.70 | 27.68 | 79.86 | 79.86 | 1.37 | 48.09 | 17.40 | 2.99 | 8.21 |
| 6402 | BREECH PRESENT W/O VERSION | 3.26 | 2.98 | 3.07 | 6.78 | 6.78 | 0.00 | 3.18 | 1.04 | 0.00 | 25.93 |
| 6403 | PREVIOUS CESARIAN SECTION | 6.00 | 6.26 | 2.29 | 16.32 | 16.32 | 0.17 | 14.70 | 1.86 | 0.27 | 5.57 |
| 6404 | FETAL DISTRESS | 12.35 | 5.04 | 12.91 | 21.35 | 21.35 | 0.00 | 10.73 | 1.66 | 0.00 | 12.31 |
| 6405 | POOR FETAL GROWTH | 3.20 | 0.25 | 1.43 | 6.91 | 6.91 | 0.00 | 8.35 | 0.62 | 0.00 | 19.49 |
| 6406 | EXCESSIVE FETAL GROWTH | 4.33 | 0.58 | 0.00 | 0.63 | 0.63 | 0.00 | 0.40 | 0.00 | 0.00 | 2.64 |
| 6407 | OTH/UNSPEC UTERINE INERTIA | 3.22 | 2.32 | 4.59 | 4.52 | 4.52 | 0.00 | 0.00 | 0.41 | 0.00 | 0.89 |
| 6408 | UNBILICAL CORD AROUND NECK | 6.77 | 8.41 | 20.51 | 17.20 | 17.20 | 0.00 | 22.65 | 0.00 | 0.00 | 1.61 |
| 6409 | UNBILICAL CORD ENTANGLEMENT | 3.75 | 0.46 | 3.59 | 1.00 | 1.00 | 0.00 | 0.79 | 0.00 | 0.00 | 12.89 |
| 6410 | 1ST DEGREE LACERATION PERINEUM | 6.15 | 12.89 | 11.47 | 8.66 | 8.66 | 0.17 | 12.32 | 2.69 | 0.27 | 1.76 |
| 6411 | 2ND DEGREE LACERATION PERINEUM | 6.41 | 15.62 | 5.88 | 5.78 | 5.78 | 0.00 | 7.95 | 1.66 | 0.00 | 14.36 |
| 6412 | 3RD DEGREE LACERATION PERINEUM | 5.22 | 5.92 | 2.73 | 3.09 | 3.09 | 0.00 | 8.35 | 1.66 | 0.00 | 21.98 |
| 6413 | OTHER CELLULITIS/ABSCESS LEG | 3.81 | 1.10 | 2.44 | 5.02 | 5.02 | 7.71 | 1.93 | 3.23 | 3.27 | 16.56 |
| 6414 | OSTEOARTHRITIS | 3.59 | 1.56 | 1.43 | 15.32 | 15.32 | 0.34 | 0.00 | 3.73 | 1.36 | 3.17 |
| 6415 | OTH SPEC INT DERANGEMENT KNEE | 4.71 | 2.76 | 5.74 | 7.03 | 7.03 | 3.09 | 3.58 | 2.43 | 1.36 | 10.76 |
| 6416 | DISPLACEMENT INVERTED INJ | 5.18 | 0.57 | 3.73 | 20.97 | 20.97 | 1.03 | 3.18 | 0.41 | 2.72 | 5.65 |
| 6417 | LUMBAGO | 4.44 | 0.79 | 10.33 | 15.32 | 15.32 | 1.03 | 2.38 | 3.31 | 16.87 | 1.51 |
| 6418 | SYNOVITIS/TENDINITIS | 3.81 | 0.78 | 1.15 | 3.52 | 3.52 | 4.46 | 8.35 | 7.66 | 3.54 | 1.03 |
| 6419 | GANGLION CYST | 3.78 | 2.61 | 4.16 | 7.28 | 7.28 | 3.43 | 3.32 | 1.06 | 2.99 | 4.63 |
| 6420 | HALLUX VALGUS | 3.52 | 1.16 | 6.60 | 3.39 | 3.39 | 0.34 | 3.10 | 3.32 | 5.17 | 4.63 |
| 6421 | SYNOVIAL AND TENDINITIS | 3.32 | 1.69 | 1.86 | 3.14 | 3.14 | 2.74 | 4.37 | 3.73 | 1.00 | 1.32 |
| 6422 | CONJUNCTIVITIS | 4.60 | 1.40 | 3.87 | 17.08 | 17.08 | 2.06 | 1.59 | 4.35 | 7.09 | 2.34 |
| 6423 | CHEST PAIN | 13.25 | 6.38 | 6.31 | 20.84 | 20.84 | 5.43 | 10.73 | 10.56 | 19.05 | 6.89 |
| 6424 | BRUISING | 8.23 | 5.11 | 7.32 | 16.95 | 16.95 | 2.31 | 7.55 | 14.71 | 13.88 | 8.15 |
| 6425 | INTRACRANIAL INJURY, HCT/MOS | 4.33 | 1.11 | 5.74 | 4.18 | 4.18 | 4.46 | 2.71 | 6.40 | 4.40 | 1.10 |

SECTION 8: FACILITY DATA

| AGE | SEX | STABILIZATION | POLK CRD RATE/10K | ALLEY CRD RATE/10K | SILL CRD RATE/10K | STEWART CRD RATE/10K | M POINT RATE/10K | CRD RATE | CRUDE/MIN RATE | MAX RATE | CRUDE/MIN RATE | MAX RATE |
|------|-----|---------------------------------|-------------------|--------------------|-------------------|----------------------|------------------|----------|----------------|----------|----------------|----------|
| 1000 | M | STABILIZATION | 39.16 | 14.51 | 31.85 | 18.98 | 13.46 | 51.90 | 3.52 | 51.90 | 3.52 | 17.58 |
| 1001 | M | INTERVIEW SCREENING | 1.73 | 278.23 | 0.00 | 0.32 | 0.00 | 282.87 | 0.00 | 282.87 | 0.00 | 6.43 |
| 1002 | M | STIMULANT ROOM IN HOSP | 286.25 | 0.00 | 126.00 | 206.32 | 53.96 | 294.44 | 0.00 | 294.44 | 0.00 | 6.43 |
| 1003 | M | OTM PLASTIC SURG COSMETIC APP | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 6.43 |
| 1004 | M | OTM PLASTIC SURG COSMETIC APP | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 6.43 |
| 1005 | M | ATTENDING RN PLANT CHEMOTHERAPY | 1.23 | 1.41 | 3.39 | 0.46 | 0.71 | 80.51 | 0.54 | 90.56 | 0.00 | 190.83 |
| 1006 | M | ATTENDING RN PLANT CHEMOTHERAPY | 1.23 | 1.41 | 3.39 | 0.46 | 0.71 | 80.51 | 0.54 | 90.56 | 0.00 | 190.83 |
| 1007 | M | FOLLOW-UP EXAM SURGERY | 2.22 | 4.43 | 5.42 | 0.64 | 0.91 | 16.70 | 0.00 | 16.70 | 0.00 | 214.49 |
| 1008 | M | P/U EXAM OTHER TREATMENT | 2.22 | 4.43 | 5.42 | 0.64 | 0.91 | 16.70 | 0.00 | 16.70 | 0.00 | 214.49 |
| 1009 | M | OBSERVATION SUP CAROTID DIS | 2.47 | 10.88 | 3.56 | 3.86 | 0.61 | 13.44 | 0.00 | 13.44 | 0.00 | 190.83 |
| 1010 | M | OBSERVATION OTH SPECIFIED COND | 4.44 | 5.64 | 5.42 | 3.86 | 0.61 | 13.44 | 0.00 | 13.44 | 0.00 | 190.83 |
| 1011 | M | INTESTINAL INFECT OTH DRG NEC | 12.35 | 5.04 | 16.26 | 6.91 | 5.15 | 41.36 | 0.52 | 41.36 | 0.52 | 214.49 |
| 1012 | M | STREPTOCOCCUS SORE THROAT | 0.25 | 2.42 | 51.65 | 0.32 | 1.43 | 52.97 | 0.25 | 52.97 | 0.25 | 214.49 |
| 1013 | M | UTERO-VAGINAL NOS | 2.72 | 5.04 | 0.34 | 0.00 | 0.00 | 11.31 | 0.00 | 11.31 | 0.00 | 11.73 |
| 1014 | M | VIRAL INFECT NOS | 2.72 | 5.04 | 0.34 | 0.00 | 0.00 | 11.31 | 0.00 | 11.31 | 0.00 | 11.73 |
| 1015 | M | CANCER, BROW-MUS/LUNG NOS | 11.95 | 9.27 | 28.45 | 6.59 | -0.62 | 103.47 | 6.59 | 103.47 | 6.59 | 46.10 |
| 1016 | M | CANCER, PROSTATE FEM NOS | 1.73 | 2.22 | 2.20 | 0.32 | 0.91 | 16.95 | 0.00 | 16.95 | 0.00 | 13.46 |
| 1017 | M | CANCER, PROSTATE FEM NOS | 1.73 | 2.22 | 2.20 | 0.32 | 0.91 | 16.95 | 0.00 | 16.95 | 0.00 | 13.46 |
| 1018 | M | BENIGN NEOPLASM COLON | 0.00 | 1.61 | 1.35 | 0.00 | 1.52 | 15.92 | 0.00 | 15.92 | 0.00 | 377.98 |
| 1019 | M | LEIOMYOMA UTERUS NOS | 4.22 | 1.21 | 1.19 | 2.11 | 0.31 | 54.73 | 0.17 | 54.73 | 0.17 | 323.33 |
| 1020 | M | WOLFE DEPLETION | 2.22 | 37.98 | 5.58 | 3.21 | 1.21 | 20.09 | 1.29 | 20.09 | 1.29 | 29.19 |
| 1021 | M | ALCOHOL DEPENDENCE | 10.12 | 24.59 | 3.77 | 1.45 | 0.91 | 25.19 | 0.61 | 25.19 | 0.61 | 27.69 |
| 1022 | M | DRUG ABUSE, ALCOHOL | 6.17 | 12.23 | 6.27 | 3.21 | 0.61 | 13.12 | 0.61 | 13.12 | 0.61 | 21.63 |
| 1023 | M | ADJUST REACT, BRIEF OTH PHOT | 13.33 | 12.63 | 0.68 | 8.04 | 0.91 | 21.72 | 0.57 | 21.72 | 0.57 | 37.89 |
| 1024 | M | ADJUST REACT, BRIEF OTH PHOT | 13.33 | 12.63 | 0.68 | 8.04 | 0.91 | 21.72 | 0.57 | 21.72 | 0.57 | 37.89 |
| 1025 | M | CARDIAC VASCULAR SYNDROME | 7.16 | 3.84 | 7.62 | 0.80 | 4.24 | 14.52 | 0.63 | 14.52 | 0.63 | 32.89 |
| 1026 | M | CARDIAC VASCULAR SYNDROME | 7.16 | 3.84 | 7.62 | 0.80 | 4.24 | 14.52 | 0.63 | 14.52 | 0.63 | 32.89 |
| 1027 | M | GRIPPE MED NOS | 6.42 | 2.82 | 3.22 | 6.11 | 0.30 | 38.05 | 0.00 | 38.05 | 0.00 | 4.40 |
| 1028 | M | INTERMEDIATE CORONARY SYNDROME | 6.42 | 2.82 | 3.22 | 6.11 | 0.30 | 38.05 | 0.00 | 38.05 | 0.00 | 4.40 |
| 1029 | M | ANGINA OTHER AND UNSPEC | 6.42 | 2.82 | 3.22 | 6.11 | 0.30 | 38.05 | 0.00 | 38.05 | 0.00 | 4.40 |
| 1030 | M | CORONARY ARTERIOSCLEROSIS | 2.22 | 3.22 | 2.58 | 0.46 | 2.12 | 10.33 | 0.48 | 10.33 | 0.48 | 19.54 |
| 1031 | M | CHRONIC ISCHEMIC HEART DISEASE | | | | | | | | | | |

SECTION 8: FACILITY DATA
TABLE 17. MEDIUM MEDDAC DISPOSITIONS PER 10K
DIRECT CARE DATA: CRUDE RATES

| | POLK CRD | RILEY CRD | SILL CRD | STEWART CRD | W POINT CRD | MAX CRUDE MIN | CRUDE MAX/MIN |
|------|----------|-----------|----------|-------------|-------------|---------------|---------------|
| | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE | RATIO |
| 6480 | 4.44 | 1.61 | 2.71 | 1.29 | 3.64 | 10.92 | 0.00 |
| 6480 | 48.40 | 33.25 | 12.19 | 34.39 | 7.58 | 79.86 | 1.37 |
| 6482 | 6.42 | 5.84 | 3.56 | 3.54 | 2.12 | 6.78 | 0.00 |
| 6492 | 17.29 | 15.11 | 9.48 | 23.14 | 5.15 | 23.14 | 0.17 |
| 6493 | 23.46 | 67.10 | 9.99 | 13.34 | 4.85 | 67.10 | 0.00 |
| 6495 | 1.48 | 0.81 | 0.68 | 0.80 | 0.00 | 8.35 | 0.00 |
| 6496 | 0.00 | 0.00 | 0.17 | 0.48 | 0.00 | 0.88 | 0.00 |
| 6496 | 4.69 | 2.42 | 9.15 | 4.34 | 1.21 | 9.15 | 0.00 |
| 6496 | 14.82 | 8.26 | 11.35 | 12.86 | 0.61 | 22.65 | 0.00 |
| 6496 | 17.04 | 11.89 | 1.69 | 13.18 | 3.33 | 17.04 | 0.00 |
| 6496 | 9.38 | 8.06 | 3.22 | 6.27 | 5.46 | 14.36 | 0.17 |
| 6496 | 4.94 | 18.74 | 4.57 | 7.88 | 2.43 | 21.98 | 0.00 |
| 6496 | 3.21 | 12.29 | 5.25 | 9.00 | 3.03 | 16.56 | 0.00 |
| 6496 | 4.94 | 3.02 | 2.71 | 2.09 | 3.94 | 13.94 | 1.10 |
| 6496 | 2.22 | 1.01 | 2.03 | 0.96 | 4.85 | 15.32 | 0.00 |
| 6496 | 8.15 | 5.64 | 4.06 | 1.61 | 16.07 | 16.07 | 1.36 |
| 6496 | 2.47 | 0.20 | 2.20 | 0.96 | 2.12 | 20.97 | 0.20 |
| 6496 | 8.15 | 2.01 | 1.69 | 0.96 | 5.46 | 16.87 | 0.96 |
| 6496 | 1.23 | 7.86 | 1.69 | 1.77 | 10.91 | 17.50 | 0.78 |
| 6496 | 6.42 | 7.46 | 2.37 | 1.45 | 2.12 | 12.32 | 1.45 |
| 6496 | 6.91 | 5.24 | 1.35 | 5.14 | 0.30 | 9.32 | 0.30 |
| 6496 | 3.70 | 1.01 | 3.39 | 0.48 | 1.52 | 9.04 | 0.48 |
| 6496 | 8.15 | 0.00 | 3.22 | 0.54 | 1.21 | 17.08 | 0.00 |
| 6496 | 15.56 | 1.61 | 12.02 | 3.05 | 4.55 | 20.84 | 1.61 |
| 6496 | 13.83 | 4.23 | 6.94 | 3.21 | 3.94 | 16.95 | 2.91 |
| 6496 | 4.20 | 4.63 | 1.54 | 1.71 | 9.40 | 9.40 | 0.38 |

ADOL GLUC TOL TEST IN PREGNANCY
DELIVERY IN NORMAL CASE
BREECH PRESENT W/O VERSION
PREVIOUS CESARIAN SECTION
FETAL DISTRESS
POOR FETAL GROWTH
EXCESSIVE FETAL GROWTH
OTITIS/UTERINE INFECTION
UMBILICAL CORD AROUND NECK
UMBILICAL CORD ENTANGLEMENT
1ST DEGREE LACERATION PERINEUM
2ND DEGREE LACERATION PERINEUM
3RD DEGREE LACERATION PERINEUM
OTHER CELLULITIS/ABSCESS LEG
OSTEOARTHRITIS
OTH SPEC INT DERANGEMENT KNEE
DISPLACEMENT INVERTEBRAL DISC
LUMBAGO
SYNOVITIS/TENDINITIS
GANGLION CYST
HALLUX VALGUS
SYNOVITIS AND FULMINANT
CONVULSIONS
CHEST PAIN
ABDOMINAL PAIN
INTERMITTENT INHIB. NIT/NOIS

SECTION B: FACILITY DATA
TABLE 1A. DIRECT CARE DATA; ADJUSTED RATES

| | BELVOIR (NO.) | CAMPBELL (NO.) | CARSON (NO.) | DIX (NO.) | MURCHUGA (NO.) | JACKSON (NO.) | LEE (NO.) | MCCLYLLAN (NO.) | ORD (NO.) |
|---------------------------------------|---------------|----------------|--------------|-----------|----------------|---------------|-----------|-----------------|-----------|
| | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K |
| 6400 ABML GLUC TOL TEST IN PREGNANCY | 1.26 | 1.86 | 9.28 | 0.00 | 7.59 | 1.20 | 0.00 | 1.69 | 20.43 |
| 6800 DELIVERY IN MORRAL CASE | 10.77 | 23.19 | 70.03 | 3.95 | 45.08 | 18.14 | 3.24 | 23.64 | 53.92 |
| 6822 BREACH PRESENT W/O VERSION | 2.60 | 3.23 | 15.88 | 0.00 | 3.00 | 1.13 | 0.00 | 2.98 | 12.32 |
| 6842 PREVIOUS CESARIAN SECTION | 5.52 | 1.50 | 13.93 | 0.74 | 14.01 | 2.13 | 0.30 | 11.19 | 30.41 |
| 6963 FETAL DISTRESS | 4.64 | 10.83 | 18.74 | 0.00 | 19.05 | 1.75 | 0.00 | 14.89 | 39.65 |
| 6965 POOR FETAL GROWTH | 0.23 | 1.20 | 6.03 | 0.00 | 7.84 | 0.67 | 0.00 | 0.00 | 5.47 |
| 6966 EXCESSIVE FETAL GROWTH | 0.52 | 0.00 | 3.54 | 0.00 | 0.38 | 0.00 | 0.00 | 0.00 | 1.99 |
| 6968 OTH/UNSPEC UTERINE INERTIA | 2.11 | 3.83 | 3.94 | 0.00 | 21.36 | 0.45 | 0.00 | 0.00 | 3.48 |
| 6612 UMBILICAL CORD AROUND NECK | 7.60 | 12.10 | 14.92 | 0.00 | 0.75 | 0.00 | 0.00 | 1.35 | 28.18 |
| 6631 UMBILICAL CORD ENTANGLEMENT | 0.41 | 2.98 | 1.62 | 0.00 | 0.75 | 0.00 | 0.00 | 4.20 | 3.95 |
| 6640 1ST DEGREE LACERATION PERINEUM | 11.40 | 9.51 | 7.41 | 0.68 | 11.72 | 3.05 | 0.30 | 4.22 | 34.09 |
| 6641 2ND DEGREE LACERATION PERINEUM | 13.87 | 4.88 | 4.95 | 0.64 | 7.55 | 1.86 | 0.00 | 1.91 | 51.01 |
| 6642 3RD DEGREE LACERATION PERINEUM | 5.32 | 2.28 | 3.46 | 0.77 | 2.00 | 1.77 | 0.00 | 7.93 | 14.86 |
| 6826 OTHER CELLULITIS/HARNESS LEG | 1.40 | 2.47 | 5.52 | 7.27 | 2.00 | 9.88 | 3.20 | 11.35 | 3.30 |
| 7159 OSTEOARTHRITIS | 1.77 | 1.92 | 18.10 | 0.50 | 0.00 | 3.01 | 1.14 | 0.35 | 1.04 |
| 7170 OTH SPEC INF DERANGEMENT KNEE | 5.51 | 4.59 | 7.75 | 2.70 | 3.61 | 2.41 | 1.67 | 1.28 | 7.75 |
| 7221 DISPLACEMENT INVERTEBRAL DISC | 0.92 | 3.35 | 21.30 | 0.36 | 2.47 | 0.39 | 2.95 | 1.43 | 0.84 |
| 7242 LUMBAGO | 1.64 | 3.27 | 17.20 | 0.92 | 8.51 | 6.72 | 18.04 | 5.42 | 2.50 |
| 7270 SYNOVITIS/TENDINITIS | 1.02 | 3.74 | 3.84 | 4.18 | 12.27 | 1.73 | 3.51 | 7.22 | 4.11 |
| 7274 GALLBLADDER CYST | 3.57 | 3.77 | 9.21 | 3.55 | 3.10 | 7.53 | 5.03 | 9.35 | 4.12 |
| 7350 HALLUX VALGUS | 1.61 | 6.40 | 3.62 | 0.31 | 4.57 | 3.05 | 7.01 | 1.56 | 1.19 |
| 7602 SYNCHONE AND COLICIT | 2.11 | 2.12 | 15.93 | 2.39 | 3.10 | 1.78 | 4.64 | 0.03 | 2.07 |
| 7603 CONVULSIONS | 1.31 | 3.63 | 24.32 | 2.42 | 11.92 | 8.62 | 15.81 | 16.27 | 7.02 |
| 7665 CHEST PAIN | 7.03 | 0.47 | 17.14 | 8.54 | 11.92 | 13.50 | 13.82 | 7.01 | 10.51 |
| 7890 ABDOMINAL PAIN | 5.62 | 7.07 | 5.95 | 4.17 | 2.40 | 6.50 | 5.81 | 0.17 | 4.10 |
| 8540 INTRAUTERINE INFECTION, NECROSIS | 1.55 | 4.74 | 5.95 | 4.17 | 2.40 | 6.50 | 5.81 | 0.17 | 4.10 |

SECTION 8: FACILITY DATA
TABLE 1A. MEDIUM MEDICINE DISPOSITIONS PER IOK
DIRECT CARE DATA; ADJUSTED RATES

| | | POLK ADJ RATE/IOK | RILEY ADJ RATE/IOK | STILL ADJ RATE/IOK | STEWART ADJ RATE/IOK | W POINT ADJ RATE/IOK | MIN ADJ RATE | MAX ADJ RATE | MAX/MIN RATIO |
|------|----------------------------------|----------------------|-----------------------|-----------------------|-------------------------|-------------------------|-----------------|-----------------|------------------|
| 0002 | STERILIZATION | 31.49 | 12.50 | 28.50 | 14.20 | 20.05 | 60.73 | 3.55 | 17.12 |
| 0008 | ANTENATAL SCREENING | 1.57 | 0.00 | 0.85 | 0.27 | 0.00 | 65.89 | 0.00 | |
| 0009 | SINGL INFANT BORN IN HOSP | 243.61 | 174.54 | 116.24 | 172.84 | 65.69 | 243.61 | 0.00 | |
| 0010 | OTH PLASTIC SURG, COSMETIC APP | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 26.77 | 0.00 | |
| 0011 | REMOVAL FX PLATE/FIXT/DEVICE | 4.96 | 3.35 | 2.98 | 4.21 | 9.48 | 10.45 | 1.54 | 6.77 |
| 0012 | AFTERCARE MAINT CHEMOTHERAPY | 1.96 | 2.19 | 2.75 | 0.23 | 0.47 | 88.01 | 0.00 | |
| 0013 | FOLLOW-UP EXAM, SURGERY | 3.20 | 6.71 | 6.44 | 0.92 | 3.41 | 104.36 | 0.00 | |
| 0014 | F/U EXAM, OTHER TREATMENT | 3.45 | 3.28 | 1.24 | 2.43 | 3.77 | 18.55 | 0.00 | |
| 0015 | OBSERVATION SUSP CARDIOVASC DIS | 3.27 | 15.61 | 4.03 | 5.31 | 0.46 | 15.64 | 0.00 | |
| 0016 | OBSERVATION OTH SPECIFIED COND | 5.06 | 6.52 | 5.86 | 5.99 | 9.01 | 78.79 | 0.41 | 192.96 |
| 0017 | INTESTINAL INFECT, OTH ORG NEC | 10.13 | 4.43 | 15.10 | 6.13 | 5.82 | 45.08 | 4.43 | 10.18 |
| 0018 | STREPTOCOCCAL SORE THROAT | 0.17 | 1.93 | 0.32 | 0.27 | 16.65 | 47.24 | 0.17 | 278.19 |
| 0019 | MTLV-III/LAV NOS | 0.21 | 0.00 | 0.00 | 0.00 | 0.00 | 45.34 | 0.00 | |
| 0020 | VARICELLA W/O COMPLICATIONS | 1.88 | 4.05 | 4.15 | 0.94 | 5.53 | 12.41 | 0.94 | 13.19 |
| 0021 | VIRAL INFECT, NOS | 9.02 | 7.96 | 5.34 | 5.72 | 45.67 | 274.59 | 5.72 | 40.61 |
| 0022 | CANCER, BRONCHUS/LUNG NOS | 4.17 | 5.87 | 3.13 | 0.66 | 0.56 | 21.32 | 0.00 | |
| 0023 | CANCER, BREAST, FEM, NOS | 3.66 | 4.06 | 3.51 | 1.29 | 1.29 | 10.95 | 0.68 | 16.10 |
| 0024 | CANCER, PROSTATE | 0.00 | 4.17 | 1.97 | 0.00 | 0.52 | 20.76 | 0.00 | |
| 0025 | BENIGN NEOPLASM, COLON | 4.89 | 2.70 | 2.10 | 4.67 | 3.71 | 80.00 | 0.15 | 544.45 |
| 0026 | LEIOMYOMA, UTERUS, NOS | 5.23 | 2.99 | 1.32 | 3.27 | 1.43 | 19.35 | 0.55 | 34.95 |
| 0027 | VOLUME DEPLETION | 2.02 | 36.08 | 5.45 | 3.24 | 10.36 | 36.08 | 1.22 | 29.51 |
| 0028 | ALCOHOL DEPENDENCE | 7.68 | 22.26 | 3.33 | 1.32 | 0.92 | 22.89 | 0.92 | 24.82 |
| 0029 | DRUG ABUSE, ALCOHOL | 4.57 | 3.62 | 5.27 | 2.85 | 0.64 | 13.45 | 0.64 | 20.97 |
| 0030 | ADJUST REACT, BRIEF DEPRESSIVE | 9.82 | 11.04 | 0.59 | 6.97 | 1.02 | 24.39 | 0.59 | 41.27 |
| 0031 | ADJUST REACT W/DIST OTH EMOT | 2.96 | 11.04 | 0.57 | 6.97 | 1.02 | 13.36 | 0.57 | 23.63 |
| 0032 | CARPAL TUNNEL SYNDROME | 9.30 | 7.90 | 8.70 | 1.01 | 3.78 | 9.30 | 1.01 | 9.30 |
| 0033 | CATARACT NOS | 15.38 | 6.82 | 4.54 | 12.55 | 0.20 | 46.81 | 0.00 | |
| 0034 | OTITIS MEDIA NOS | 7.32 | 2.71 | 15.04 | 4.25 | 4.68 | 20.87 | 0.00 | |
| 0035 | INTERMEDIATE CORONARY SYNDROME | 10.21 | 5.61 | 8.30 | 0.97 | 0.39 | 10.21 | 0.39 | 26.35 |
| 0036 | ANGINA, OTHER AND UNSPEC | 4.70 | 3.94 | 9.93 | 0.92 | 1.38 | 11.99 | 0.92 | 11.99 |
| 0037 | CORONARY ARTERIOSCLEROSIS | 0.49 | 6.69 | 2.93 | 1.19 | 0.97 | 103.75 | 0.00 | |
| 0038 | CHRONIC ISCHEMIC HEART DISEASE | 0.91 | 4.69 | 1.98 | 0.00 | 0.98 | 83.31 | 0.00 | |
| 0039 | ATRIAL FIBRILLATION/FLUTTER | 1.98 | 3.77 | 3.62 | 0.00 | 0.30 | 16.78 | 0.30 | 56.62 |
| 0040 | CONGESTIVE HEART FAILURE | 10.82 | 8.77 | 11.55 | 2.31 | 1.01 | 13.91 | 1.76 | 7.90 |
| 0041 | ACUTE PHARYNGITIS | 2.43 | 2.30 | 15.90 | 0.41 | 13.79 | 40.80 | 0.41 | 100.32 |
| 0042 | ACUTE TONSILLITIS | 5.12 | 1.19 | 2.67 | 0.55 | 0.55 | 82.15 | 0.55 | 150.05 |
| 0043 | ACUTE UPPER RESP INFECT | 2.68 | 3.04 | 13.51 | 2.61 | 17.45 | 140.93 | 0.77 | 183.51 |
| 0044 | DEVIATED NASAL SEPTUM | 11.31 | 8.49 | 5.08 | 0.00 | 2.55 | 11.31 | 0.00 | |
| 0045 | CHRONIC TONSILLITIS | 8.06 | 10.26 | 8.02 | 0.00 | 10.23 | 10.26 | 0.00 | |
| 0046 | HYPERTROPHY TONSILS/ADENOIDS | 2.50 | 4.90 | 4.66 | 0.00 | 28.71 | 28.71 | 0.00 | |
| 0047 | PNEUMONIA, ORGANISM UNK/ID | 16.17 | 9.13 | 21.45 | 9.27 | 8.71 | 33.46 | 4.99 | 6.71 |
| 0048 | BRONCHITIS | 2.67 | 1.89 | 8.66 | 0.75 | 9.70 | 23.70 | 0.75 | 31.41 |
| 0049 | ASTHMA NOS | 11.02 | 17.03 | 25.84 | 9.72 | 1.66 | 25.84 | 1.66 | 15.58 |
| 0050 | CHRONIC AIRWAY OBSTRUCTION | 17.61 | 10.46 | 14.70 | 6.38 | 0.97 | 17.61 | 0.97 | 18.17 |
| 0051 | DISTURB TOOTH ERUPTION | 4.50 | 6.18 | 11.35 | 0.00 | 0.00 | 57.87 | 0.00 | |
| 0052 | ANOMALIES TOOTH POSITION | 0.00 | 1.01 | 2.87 | 0.00 | 151.81 | 151.81 | 0.00 | |
| 0053 | ESOPHAGITIS | 6.36 | 7.55 | 12.75 | 3.19 | 1.77 | 33.08 | 0.00 | 193.56 |
| 0054 | GASTRITIS/GASTROENTERITIS NOS | 4.43 | 4.88 | 3.83 | 1.68 | 1.60 | 44.62 | 0.50 | 89.52 |
| 0055 | ACUTE APPENDICITIS W/O PERITON | 4.69 | 6.12 | 6.46 | 2.87 | 1.82 | 12.36 | 1.82 | 12.36 |
| 0056 | INGUINAL HERNIA | 20.47 | 27.56 | 16.99 | 21.81 | 16.19 | 57.94 | 14.31 | 4.03 |
| 0057 | GASTROENTERITIS | 12.16 | 5.90 | 15.04 | 2.20 | 176.35 | 126.35 | 2.20 | 57.44 |
| 0058 | DIVERTICULA OF COLON | 5.22 | 5.19 | 3.68 | 6.93 | 2.46 | 26.23 | 0.45 | 62.66 |
| 0059 | CALCULUS GALLBLADDER W/OTH CHOL | 12.81 | 8.97 | 7.68 | 6.97 | 4.04 | 15.60 | 2.01 | 7.76 |
| 0060 | HEMORRHOID, GI TRACT NOS | 6.07 | 4.84 | 4.66 | 4.05 | 3.24 | 15.42 | 0.00 | |
| 0061 | PELONEPHRITIS/Pyelonephritis | 6.93 | 4.45 | 4.94 | 1.41 | 0.00 | 9.33 | 0.00 | |
| 0062 | CALCULUS OF KIDNEY | 1.52 | 1.40 | 2.80 | 0.18 | 1.58 | 33.13 | 0.18 | 181.21 |
| 0063 | CALCULUS OF URETER | 1.93 | 1.51 | 1.84 | 0.89 | 1.66 | 18.65 | 0.55 | 34.15 |
| 0064 | PRIMARY TRACT INFECTION | 5.99 | 3.45 | 6.21 | 1.69 | 3.25 | 15.08 | 1.69 | 91.97 |
| 0065 | HYPERPLASIA OF PROSTATE | 0.00 | 1.52 | 2.71 | 0.00 | 2.61 | 32.14 | 0.00 | |
| 0066 | REDUNDANT PREPUCE/PHIMOSIS | 13.10 | 0.48 | 2.96 | 6.18 | 1.39 | 35.10 | 0.48 | 27.24 |
| 0067 | DIFFUSE CYSTIC MASTOPATHY | 1.51 | 4.95 | 3.08 | 3.48 | 0.95 | 13.36 | 0.72 | 48.13 |
| 0068 | PELVIC/PERITON ADHESIONS, FEM | 4.40 | 3.83 | 3.63 | 1.97 | 0.85 | 13.31 | 0.53 | 42.10 |
| 0069 | DYSPLASIA OF CERVIX | 5.91 | 2.95 | 1.84 | 3.27 | 1.98 | 8.71 | 0.55 | 14.73 |
| 0070 | SYMPTOMS/PRIM FEM GENITAL | 6.30 | 3.33 | 2.99 | 2.57 | 3.25 | 7.21 | 0.00 | |
| 0071 | EXCESSIVE/FREED MENSTRUATION | 1.80 | 2.27 | 1.76 | 0.76 | 0.40 | 6.34 | 0.40 | 15.85 |
| 0072 | MISSED ABORTION | 5.40 | 3.37 | 3.45 | 3.12 | 1.38 | 9.00 | 0.00 | |
| 0073 | SPONTANEOUS ABORTION | 13.74 | 11.66 | 11.92 | 11.68 | 5.47 | 32.57 | 4.14 | 7.88 |
| 0074 | MILD/UNSPEC ABORTION | 3.82 | 3.74 | 1.21 | 1.49 | 1.81 | 6.20 | 0.00 | |
| 0075 | MILD/HYPERTENSIS GRAVIDARUM | 8.62 | 0.79 | 3.72 | 3.44 | 0.00 | 14.33 | 0.00 | |
| 0076 | THREATENED PREM LABOR | 45.65 | 14.49 | 26.93 | 17.34 | 2.50 | 67.25 | 0.00 | |
| 0077 | THREATENED LABOR (3 TRIM) | 4.71 | 0.92 | 3.07 | 2.83 | 1.86 | 6.45 | 0.00 | |
| 0078 | EARLY ONSET DELIVERY (3 TRIM) | 15.63 | 2.02 | 4.09 | 6.34 | 4.18 | 15.63 | 0.00 | |
| 0079 | PROLONGED PREGNANCY | 8.47 | 1.79 | 1.51 | 9.62 | 3.36 | 20.99 | 0.00 | |
| 0080 | INFECT UNIDENTIFIED IN PERINATAL | 4.40 | 6.55 | 6.79 | 4.21 | 0.45 | 11.61 | 0.45 | |

SECTION 8: FACILITY DATA
TABLE 19. DIRECT CARE AND CAMPUS DATA COMBINED: CRUDE RATES

| | | HSC RATE PER 10K | BELVOIR CRD RATE/10K | CAMPBELL CRD RATE/10K | CARSON CRD RATE/10K | OIK CRD RATE/10K | WACHUCA CRD RATE/10K | JACKSON CRD RATE/10K | LEE CRD RATE/10K | MCLELLAN CRD RATE/10K | OPD CRD RATE/10K |
|------|--------------------------------|---------------------|-------------------------|--------------------------|------------------------|---------------------|-------------------------|-------------------------|---------------------|--------------------------|---------------------|
| 6400 | ABNL GLUC TOL TEST IN PREGN | 5.06 | 1.19 | 6.17 | 11.43 | 1.71 | 7.95 | 1.66 | 0.00 | 4.52 | 8.21 |
| 6401 | DELIVERY IN NORMAL CASE | 23.22 | 14.47 | 51.06 | 115.14 | 24.68 | 50.87 | 31.07 | 24.22 | 27.89 | 28.87 |
| 6402 | BRECH PRESENT W/O VERSION | 3.26 | 3.02 | 6.60 | 7.66 | 0.51 | 3.18 | 2.28 | 2.18 | 3.39 | 6.30 |
| 6403 | PREVIOUS CESARIAN SECTION | 6.80 | 6.76 | 10.47 | 22.73 | 7.20 | 14.70 | 5.18 | 4.35 | 13.19 | 18.32 |
| 6404 | FETAL DISTRESS | 12.35 | 4.29 | 15.63 | 25.49 | 7.37 | 11.53 | 3.52 | 2.45 | 16.58 | 20.95 |
| 6405 | POOR FETAL GROWTH | 3.20 | 0.24 | 1.43 | 7.16 | 0.34 | 8.35 | 1.24 | 0.00 | 0.00 | 2.64 |
| 6406 | EXCESSIVE FETAL GROWTH | 4.33 | 0.32 | 0.00 | 0.88 | 0.00 | 0.40 | 0.00 | 0.00 | 0.00 | 1.32 |
| 6407 | UTERINE INFARTIA | 3.22 | 2.31 | 5.08 | 5.78 | 1.89 | 0.00 | 0.62 | 0.00 | 0.00 | 2.78 |
| 6408 | UNILATERAL CORD AROUND NECK | 6.77 | 8.27 | 20.65 | 17.83 | 1.03 | 22.65 | 0.00 | 0.27 | 3.39 | 12.89 |
| 6409 | 1ST DEGREE LACERATION PERINEUM | 3.75 | 1.27 | 3.73 | 6.65 | 9.08 | 1.19 | 4.14 | 2.72 | 4.15 | 2.93 |
| 6410 | 2ND DEGREE LACERATION PERINEUM | 6.15 | 13.99 | 13.05 | 13.31 | 4.11 | 12.32 | 3.94 | 2.72 | 4.52 | 14.80 |
| 6411 | 3RD DEGREE LACERATION PERINEUM | 6.41 | 15.98 | 6.45 | 8.04 | 2.57 | 7.95 | 2.28 | 1.63 | 1.88 | 22.56 |
| 6412 | OTHER CELLULITIS/ABSCESS LEG | 5.22 | 5.64 | 3.16 | 5.02 | 1.03 | 8.74 | 1.06 | 0.54 | 3.01 | 17.14 |
| 6413 | OSTEOARTHRITIS | 3.81 | 1.03 | 2.87 | 16.45 | 8.06 | 1.99 | 9.94 | 3.54 | 14.32 | 3.81 |
| 7199 | OSTEOPOROSIS | 3.59 | 1.91 | 2.29 | 16.45 | 0.69 | 1.59 | 4.76 | 2.18 | 1.51 | 1.32 |
| 7200 | OSTEOPOROSIS | 4.71 | 2.62 | 6.02 | 22.22 | 3.09 | 3.58 | 2.90 | 1.90 | 6.03 | 10.26 |
| 7201 | DISPLACEMENT OF ANKLE | 5.18 | 1.03 | 6.45 | 22.22 | 1.89 | 4.77 | 4.76 | 4.08 | 5.28 | 2.70 |
| 7202 | LUMBAGO | 4.44 | 0.95 | 10.33 | 15.70 | 1.03 | 2.78 | 3.73 | 17.42 | 7.16 | 3.08 |
| 7203 | SYNOVITIS/TENDONITIS | 3.81 | 1.11 | 1.15 | 3.64 | 4.46 | 8.74 | 7.66 | 3.54 | 2.91 | 4.69 |
| 7204 | GANGLION CYST | 3.78 | 2.31 | 4.16 | 7.78 | 0.51 | 12.32 | 1.86 | 3.27 | 10.17 | 4.69 |
| 7350 | HALLUX VALGUS | 3.57 | 1.11 | 6.74 | 3.39 | 0.51 | 1.58 | 9.53 | 5.71 | 1.00 | 1.32 |
| 7800 | SYNOVITIS AND TENDONITIS | 3.32 | 2.86 | 2.87 | 3.39 | 3.43 | 4.37 | 4.35 | 8.25 | 2.00 | 2.33 |
| 7801 | CUNVULSIONS | 4.60 | 2.70 | 5.16 | 18.21 | 3.77 | 1.99 | 2.28 | 8.09 | 4.52 | 10.26 |
| 7802 | CHEST PAIN | 13.25 | 12.88 | 10.47 | 23.61 | 13.88 | 13.51 | 17.61 | 23.67 | 26.00 | 10.40 |
| 7803 | ABDOMINAL PAIN | 8.29 | 6.12 | 9.04 | 18.46 | 3.60 | 7.35 | 15.74 | 15.24 | 3.04 | 10.40 |
| 7804 | EMPHYSEMA | 5.12 | 0.95 | 6.31 | 6.70 | 4.46 | 3.10 | 7.04 | 6.71 | 0.10 | 6.10 |

SECTION B: FACILITY DATA
TABLE 19. DIRECT CARE AND CAMPUS DATA COMBINED: CRUDE RATES

| | | POLK CRD RATE/10K | RILEY CRD RATE/10K | SILL CRD RATE/10K | STEWART CRD RATE/10K | W POINT CRD RATE/10K | MAX CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|------|----------------------------------|----------------------|-----------------------|----------------------|-------------------------|-------------------------|-------------------|-------------------|------------------|
| 6400 | ANAL BLUC TOL TEST IN PREGNANCY | 4.44 | 1.81 | 3.22 | 1.29 | 3.94 | 11.43 | 0.00 | |
| 6401 | DELIVERY IN NORMAL CASE | 50.13 | 35.87 | 22.02 | 40.34 | 15.16 | 115.14 | 14.47 | 7.96 |
| 6402 | BREACH PRESENT W/O VERSION | 6.42 | 6.25 | 4.06 | 5.30 | 3.64 | 7.66 | 0.51 | 14.89 |
| 6403 | PREVIOUS CESARIAN SECTION | 18.27 | 16.32 | 12.21 | 25.88 | 9.10 | 25.88 | 4.35 | 5.94 |
| 6404 | FETAL DISTRESS | 23.71 | 68.71 | 12.53 | 16.39 | 6.37 | 68.71 | 2.45 | 28.05 |
| 6405 | POOR FETAL GROWTH | 1.48 | 0.81 | 0.68 | 1.13 | 0.30 | 8.35 | 0.00 | |
| 6406 | EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 0.17 | 0.48 | 0.00 | 1.32 | 0.00 | |
| 6407 | OTH/UNSPEC UTERINE INERTIA | 4.69 | 3.02 | 9.99 | 4.34 | 1.82 | 9.99 | 0.00 | |
| 6408 | UMBILICAL CORD AROUND NECK | 14.82 | 8.26 | 11.35 | 13.18 | 1.52 | 22.65 | 0.00 | |
| 6409 | 1ST DEGREE LACERATION PERINEUM | 17.53 | 11.89 | 4.23 | 16.88 | 4.85 | 17.53 | 1.19 | |
| 6410 | 2ND DEGREE LACERATION PERINEUM | 9.38 | 8.46 | 4.06 | 7.71 | 8.49 | 14.80 | 2.72 | 5.44 |
| 6411 | 3RD DEGREE LACERATION PERINEUM | 5.19 | 18.94 | 7.28 | 8.36 | 3.03 | 22.56 | 1.63 | 13.82 |
| 6412 | OTHER CELLULITIS/ABSCESS LEG | 3.46 | 12.29 | 6.77 | 9.64 | 3.03 | 17.14 | 0.54 | 31.50 |
| 6413 | OSTEOMYELITIS | 4.94 | 3.02 | 2.71 | 2.41 | 3.94 | 14.32 | 1.03 | 13.86 |
| 6414 | OTH SPEC INT DERANGEMENT KNEE | 2.47 | 1.21 | 2.03 | 0.96 | 5.15 | 16.45 | 0.69 | 23.99 |
| 6415 | DISPLACEMENT INT/INTRADURAL DISC | 8.40 | 5.84 | 4.06 | 1.77 | 16.07 | 16.07 | 1.77 | 9.09 |
| 6416 | LUMBAGO | 3.21 | 0.20 | 2.88 | 2.89 | 2.43 | 22.22 | 0.20 | 110.30 |
| 6417 | SYNOVITIS/TENDONITIS | 8.15 | 2.22 | 2.03 | 1.29 | 5.46 | 17.42 | 0.95 | 18.26 |
| 6418 | GANGLION CYST | 1.23 | 8.06 | 1.69 | 1.93 | 10.91 | 10.91 | 1.11 | 9.81 |
| 6419 | HALLUX VALGUS | 6.42 | 7.46 | 2.37 | 1.45 | 2.12 | 12.32 | 1.45 | 8.52 |
| 6420 | SYNOVIOPE AND COLLEGE | 6.91 | 5.24 | 1.52 | 5.63 | 0.30 | 9.53 | 0.30 | 31.43 |
| 6421 | CONVULSIONS | 4.44 | 1.21 | 3.39 | 1.29 | 1.52 | 9.80 | 1.21 | 8.10 |
| 6422 | CHEST PAIN | 8.89 | 0.60 | 4.06 | 2.73 | 3.94 | 18.21 | 0.60 | 30.12 |
| 6423 | PRONOMINAL PHIM | 18.03 | 2.22 | 15.07 | 6.91 | 6.06 | 26.00 | 2.22 | 11.73 |
| 6424 | INTRACRANIAL IN INJURY, MFC/MYS | 14.08 | 5.41 | 7.28 | 4.02 | 3.94 | 18.46 | 3.60 | 5.13 |
| 6425 | | 4.44 | 5.04 | 2.71 | 2.41 | 10.31 | 10.31 | 0.18 | 27.15 |

SECTION 8: FACILITY DATA
TABLE 20. DIRECT CARE AND CAMPUS DATA COMBINED: ADJUSTED RATES

| | BELVOIR ADJ RATE/10K | CAMPBELL ADJ RATE/10K | CARSON ADJ RATE/10K | DIX ADJ RATE/10K | HUNCHUCA ADJ RATE/10K | JACKSON ADJ RATE/10K | LEE ADJ RATE/10K | MCCLELLAN ADJ RATE/10K | ORD ADJ RATE/10K |
|--------------------------------------|-------------------------|--------------------------|------------------------|---------------------|--------------------------|-------------------------|---------------------|---------------------------|---------------------|
| 1000 APAL BLUC TOL TEST IN PREGNANCY | 1.04 | 5.15 | 9.75 | 1.76 | 7.59 | 1.08 | 0.00 | 4.65 | 19.58 |
| 1001 DELIVERY IN NORMAL CASE | 13.29 | 43.31 | 101.55 | 23.83 | 47.87 | 32.70 | 25.86 | 26.93 | 57.55 |
| 1002 BREACH PRESENT W/O VERSION | 2.70 | 5.54 | 6.64 | 0.51 | 2.99 | 2.45 | 2.33 | 3.33 | 13.25 |
| 1003 PREVIOUS CESARIAN SECTION | 5.93 | 8.64 | 19.33 | 7.35 | 13.95 | 5.88 | 4.81 | 13.45 | 44.86 |
| 1004 FETAL DISTRESS | 3.94 | 13.16 | 22.39 | 7.11 | 10.79 | 3.71 | 2.63 | 15.96 | 41.78 |
| 1005 FOUR FETAL GROWTH | 0.22 | 1.26 | 6.41 | 0.33 | 7.93 | 1.28 | 0.28 | 0.00 | 4.93 |
| 1006 EXCESSIVE FETAL GROWTH | 0.28 | 0.00 | 0.75 | 0.00 | 0.37 | 0.00 | 0.00 | 0.00 | 2.94 |
| 1007 OPA/UNSPEC UTERINE INERTIA | 2.08 | 4.96 | 5.04 | 1.83 | 0.00 | 0.66 | 1.74 | 0.00 | 5.71 |
| 1008 UNBILICAL CORD ENTANGLEMENT | 7.44 | 17.24 | 15.45 | 1.01 | 21.30 | 0.00 | 0.29 | 3.34 | 27.76 |
| 1009 1ST DEGREE LACERATION PERINEUM | 1.12 | 3.11 | 5.71 | 9.17 | 1.13 | 4.59 | 2.96 | 4.17 | 6.29 |
| 1010 2ND DEGREE LACERATION PERINEUM | 12.29 | 10.79 | 11.34 | 4.19 | 11.67 | 4.44 | 3.00 | 4.60 | 34.51 |
| 1011 3RD DEGREE LACERATION PERINEUM | 14.08 | 5.34 | 6.86 | 2.61 | 7.52 | 2.56 | 1.80 | 1.91 | 52.02 |
| 1012 OTHER CELLULITIS/ABSCESS LEG | 5.00 | 2.63 | 4.32 | 1.03 | 8.27 | 2.07 | 0.59 | 3.03 | 38.27 |
| 1013 OSTEOMYELITIS | 1.28 | 2.88 | 5.44 | 7.33 | 2.07 | 9.16 | 3.48 | 13.77 | 3.99 |
| 1014 OPA SPEC INT DERANGEMENT KNEE | 2.09 | 2.88 | 18.51 | 0.60 | 1.75 | 3.99 | 1.86 | 1.73 | 1.27 |
| 1015 DISPLACEMENT INVERTEBRAL DISC | 5.08 | 4.83 | 7.37 | 2.72 | 3.53 | 2.81 | 2.32 | 5.63 | 7.80 |
| 1016 LUMBAGO | 1.56 | 5.86 | 24.39 | 1.71 | 5.00 | 4.58 | 4.47 | 5.12 | 1.92 |
| 1017 SYNOVITIS/TENOSYNOVITIS | 1.54 | 9.25 | 17.49 | 0.87 | 2.81 | 3.32 | 18.54 | 6.13 | 4.12 |
| 1018 GANGLION CYST | 1.43 | 1.13 | 3.93 | 3.87 | 8.84 | 6.72 | 3.49 | 7.20 | 4.31 |
| 1019 HALLUX VALGUS | 3.11 | 3.70 | 8.15 | 3.16 | 12.18 | 7.72 | 3.46 | 9.30 | 1.20 |
| 1020 SYNOVIO AND COLIC | 1.53 | 6.50 | 3.72 | 0.41 | 3.47 | 7.72 | 5.53 | 1.56 | 2.67 |
| 1021 CONVULSIONS | 3.46 | 3.26 | 3.87 | 2.90 | 4.57 | 3.61 | 8.23 | 8.80 | 7.06 |
| 1022 CHEST PAIN | 2.48 | 4.82 | 16.76 | 4.13 | 1.91 | 2.52 | 9.70 | 4.80 | 9.78 |
| 1023 ABDOMINAL PAIN | 14.39 | 14.33 | 28.02 | 12.22 | 15.25 | 14.61 | 19.93 | 14.61 | 10.95 |
| 1024 INTRACRANIAL INJURY, NEC/NOS | 6.67 | 8.72 | 18.59 | 3.29 | 7.83 | 15.19 | 7.79 | 0.44 | 5.11 |
| 1025 | 1.11 | 5.14 | 6.47 | 4.28 | 3.17 | 7.25 | 7.79 | 0.37 | 5.11 |

SECTION D: FACILITY DATA
TABLE 20. DIRECT CARE AND CAMPUS DRAIN COMBINED: ADJUSTED PRICES

| | POLK ADJ RATE/10K | RILEY ADJ RATE/10K | SILL ADJ RATE/10K | STEWART ADJ RATE/10K | W POINT ADJ RATE/10K | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|--------------------------------------|----------------------|-----------------------|----------------------|-------------------------|-------------------------|-----------------|-----------------|------------------|
| 0332 STERILIZATION | 31.47 | 12.57 | 20.71 | 14.27 | 20.40 | 60.67 | 3.54 | 17.13 |
| 0333 ANTENATAL SCREENING | 1.57 | 0.00 | 0.85 | 0.27 | 0.00 | 65.74 | 0.00 | |
| 0334 SINGLE INFANT BORN IN HOSP | 254.82 | 189.36 | 162.85 | 215.84 | 115.68 | 293.08 | 76.90 | 3.81 |
| 0335 ORAL PLASTIC SURG, COSMETIC APP | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 26.61 | 0.00 | |
| 0336 REMOVAL FX PLATE/FIXTR DEVICE | 4.46 | 3.51 | 3.28 | 3.28 | 9.46 | 10.39 | 1.43 | 7.25 |
| 0337 AFTERCARE MAINT CHEMOTHERAPY | 3.02 | 2.68 | 3.33 | 4.71 | 0.72 | 91.54 | 0.72 | 127.58 |
| 0338 FOLLOW-UP EXAM, SURGERY | 3.52 | 6.63 | 6.41 | 0.91 | 3.43 | 103.74 | 0.00 | |
| 0339 F/U EXAM, OTHER TREATMENT | 3.43 | 3.26 | 4.17 | 2.41 | 0.77 | 18.36 | 0.00 | |
| 0340 OBSERVATION SUSP CHRONOSC DIS | 3.19 | 15.26 | 4.17 | 5.10 | 0.47 | 15.26 | 0.00 | |
| 0341 OBSERVATION OTM SPECIFIED COND | 5.30 | 6.44 | 5.83 | 6.46 | 9.09 | 78.05 | 1.22 | 63.97 |
| 0342 OBSERVATION OTM SPECIFIED COND | 10.54 | 4.40 | 15.54 | 6.53 | 16.66 | 45.56 | 4.40 | 10.35 |
| 0343 STREPTOCOCCAL SORE THROAT | 0.17 | 1.93 | 14.91 | 0.27 | 16.66 | 46.71 | 0.17 | 274.53 |
| 0344 HIV-1/2/4 NOS | 0.21 | 0.19 | 0.33 | 0.00 | 0.00 | 12.25 | 0.00 | 12.00 |
| 0345 VARIICELLA W/O COMPLICATION | 2.08 | 4.10 | 4.18 | 0.00 | 5.47 | 12.25 | 0.00 | |
| 0346 VITAL INFECT, NOS | 9.42 | 8.11 | 75.50 | 5.99 | 45.67 | 76.20 | 5.99 | 46.10 |
| 0347 CANCER, BRONCHUS/LUNG NOS | 4.72 | 6.30 | 3.35 | 5.99 | 0.75 | 21.51 | 0.29 | 75.29 |
| 0348 CANCER, BREAST, FEM, NOS | 4.04 | 3.98 | 3.47 | 1.27 | 1.29 | 10.97 | 1.27 | 8.66 |
| 0349 CANCER, PROSTATE | 0.63 | 4.12 | 1.95 | 0.00 | 0.52 | 20.60 | 0.00 | |
| 0350 CANCER, UTERUS, NOS | 5.38 | 2.68 | 2.09 | 4.94 | 3.71 | 79.65 | 0.14 | 551.46 |
| 0351 BENIGN NEOPLASM, COLON | 5.20 | 3.20 | 4.40 | 4.40 | 11.14 | 19.68 | 1.77 | 11.09 |
| 0352 LEIOMYOMA, UTERUS, NOS | 3.35 | 35.60 | 6.41 | 3.50 | 3.50 | 35.60 | 1.67 | 21.32 |
| 0353 VOLUME DEPLETION | 10.54 | 6.95 | 5.28 | 5.94 | 4.26 | 30.01 | 4.26 | 7.05 |
| 0354 ALCOHOL DEPENDENCE | 11.28 | 4.01 | 6.43 | 3.90 | 0.66 | 14.79 | 0.66 | 22.35 |
| 0355 DRUG ABUSE, ALCOHOL | 11.28 | 12.04 | 2.42 | 8.79 | 2.38 | 28.10 | 0.56 | 50.20 |
| 0356 ADJUST REACT, BRIEF DEPRESSIVE | 3.72 | 5.17 | 2.28 | 1.37 | 2.06 | 15.64 | 0.59 | 26.47 |
| 0357 ADJUST REACT W/OIST OFH EMOT | 9.19 | 7.80 | 8.63 | 1.20 | 3.78 | 9.19 | 0.93 | 9.14 |
| 0358 CARPAL TUNNEL SYNDROME | 15.31 | 6.78 | 4.53 | 12.50 | 0.20 | 46.66 | 0.00 | |
| 0359 CATARACT NOS | 7.32 | 2.71 | 15.03 | 5.90 | 5.01 | 22.01 | 0.00 | |
| 0360 OTITIS MEDIA NOS | 12.60 | 6.63 | 10.81 | 1.37 | 1.37 | 12.60 | 1.37 | 9.17 |
| 0361 INTERMEDIATE CORONARY SYNDROME | 6.27 | 5.70 | 11.60 | 1.84 | 1.59 | 19.40 | 1.59 | 12.23 |
| 0362 ANGINA, OTHER AND UNSPEC | 0.49 | 7.13 | 8.39 | 4.48 | 2.13 | 109.43 | 0.49 | 212.21 |
| 0363 CORONARY ARTERIOSCLEROSIS | 0.90 | 5.44 | 1.97 | 0.00 | 0.98 | 82.79 | 0.00 | |
| 0364 CHRONIC ISCHEMIC HEART DISEASE | 3.29 | 3.55 | 3.99 | 0.00 | 0.84 | 16.69 | 0.84 | 19.78 |
| 0365 ATRIAL FIBRILLATION/FLUTTER | 11.36 | 8.70 | 12.30 | 4.73 | 3.38 | 14.14 | 3.38 | 4.19 |
| 0366 CONGESTIVE HEART FAILURE | 2.42 | 2.47 | 16.07 | 0.54 | 13.74 | 40.82 | 0.54 | 75.24 |
| 0367 ACUTE PHARYNGITIS | 5.45 | 1.19 | 3.00 | 0.29 | 1.80 | 85.57 | 0.68 | 125.55 |
| 0368 ACUTE UPPER RESPI INFECT | 2.63 | 3.03 | 13.52 | 2.60 | 2.55 | 141.31 | 1.06 | 133.44 |
| 0369 DEVIATED NASAL SEPTUM | 11.33 | 8.47 | 5.08 | 0.29 | 2.55 | 11.33 | 0.00 | |
| 0370 CHRONIC TONSILLITIS | 8.24 | 10.34 | 8.25 | 0.14 | 11.36 | 11.36 | 0.14 | 82.72 |
| 0371 HYPERTROPHY TONSILS/ADENOIDS | 2.51 | 5.06 | 4.66 | 0.68 | 28.75 | 28.75 | 0.41 | 70.14 |
| 0372 PNEUMONIA, URINARY UNK | 18.28 | 9.39 | 23.27 | 12.89 | 11.46 | 35.86 | 7.62 | 4.71 |
| 0373 BRONCHITIS | 2.67 | 1.87 | 8.80 | 1.05 | 9.99 | 23.12 | 1.05 | 21.97 |
| 0374 ASTHMA NOS | 11.44 | 16.82 | 26.77 | 6.85 | 4.04 | 26.65 | 4.04 | 7.10 |
| 0375 CHRONIC AIRWAY OBSTRUCTION | 17.06 | 10.11 | 14.55 | 1.17 | 1.17 | 17.06 | 1.17 | 14.56 |
| 0376 DISTURB TOOTH ERUPTION | 4.50 | 6.18 | 11.35 | 6.85 | 0.00 | 57.92 | 0.00 | |
| 0377 ANOMALIES TOOTH POSITION | 0.00 | 1.03 | 2.95 | 0.00 | 0.00 | 154.82 | 0.00 | |
| 0378 ESOPHAGITIS | 6.11 | 7.11 | 13.11 | 3.17 | 2.32 | 30.77 | 0.16 | 187.20 |
| 0379 GASTRITIS/GASTROENTERITIS NOS | 4.38 | 4.75 | 4.15 | 1.82 | 2.18 | 43.46 | 0.61 | 71.34 |
| 0380 ACUTE APPENDICITIS W/O PERITON | 4.95 | 6.47 | 6.83 | 3.02 | 3.82 | 13.34 | 2.75 | 4.85 |
| 0381 INGUINAL HERNIA | 20.49 | 17.72 | 17.17 | 2.65 | 16.26 | 128.41 | 4.02 | 31.75 |
| 0382 GASTROENTERITIS | 18.43 | 6.04 | 15.67 | 4.82 | 1.84 | 128.41 | 4.02 | 31.75 |
| 0383 DIVERTICULA OF COLON | 6.20 | 5.15 | 3.66 | 7.48 | 2.65 | 29.90 | 1.07 | 29.35 |
| 0384 CALCULUS GALLBLDOR W/OIT CHOL | 13.07 | 9.66 | 9.53 | 8.02 | 4.31 | 15.93 | 3.01 | 5.29 |
| 0385 HEMORRAGE GI TRACT NOS | 5.80 | 4.58 | 4.99 | 4.10 | 3.55 | 15.93 | 3.01 | 5.29 |
| 0386 PYELOPHRITIS/PHOSPHOSIS | 6.91 | 4.43 | 5.09 | 1.40 | 0.00 | 6.91 | 0.00 | |
| 0387 CALCULUS OF KIDNEY | 2.09 | 1.40 | 3.15 | 0.73 | 1.58 | 32.98 | 0.73 | 45.23 |
| 0388 URINARY TRACT INFECTION | 3.64 | 2.13 | 2.53 | 1.51 | 2.06 | 18.87 | 1.15 | 16.45 |
| 0389 HYPERPLASIA OF PROSTATE | 5.97 | 3.42 | 6.77 | 2.58 | 3.51 | 12.29 | 1.41 | 8.74 |
| 0390 REDUNDANT PREPUCE/PHIMOSIS | 13.06 | 0.40 | 3.18 | 1.39 | 2.94 | 32.46 | 0.63 | 51.28 |
| 0391 DIFFUSE CYSTIC MASTOPATHY | 1.50 | 0.40 | 2.95 | 6.16 | 1.60 | 13.06 | 0.48 | 27.24 |
| 0392 PELVIC/PERITON ADHESIONS, FEM | 4.41 | 4.23 | 8.88 | 3.69 | 3.63 | 14.05 | 0.58 | 24.19 |
| 0393 DYSPLASIA OF CERVIX | 4.41 | 3.18 | 4.20 | 3.10 | 0.83 | 13.98 | 0.08 | 168.49 |
| 0394 SYMPTOMS/PAIN FEM GENITAL | 6.33 | 3.55 | 4.30 | 3.58 | 3.16 | 8.07 | 0.74 | 10.72 |
| 0395 EXCESSIVE/FRED HEMISTATION | 1.80 | 2.27 | 2.11 | 1.52 | 0.39 | 7.69 | 0.00 | |
| 0396 MISSED ABORTION | 5.43 | 3.58 | 3.82 | 1.76 | 0.39 | 6.29 | 0.39 | 16.07 |
| 0397 SPONTANEOUS ABORTION | 13.94 | 12.39 | 12.34 | 13.08 | 9.17 | 9.33 | 0.16 | 59.36 |
| 0398 MILD/UNSPEC PRECLAMPSIA | 3.83 | 3.74 | 1.72 | 1.77 | 2.64 | 32.29 | 4.86 | 6.64 |
| 0399 MILD HYPERTENSIS GRAVIDIUM | 9.30 | 1.35 | 3.70 | 1.77 | 0.86 | 8.19 | 0.28 | 28.82 |
| 0400 THREATENED PREM LABOR | 46.55 | 16.13 | 29.78 | 20.57 | 11.17 | 14.11 | 0.74 | 19.07 |
| 0401 EARLY ONSET DELIVERY (< 37WKS) | 4.73 | 0.93 | 3.57 | 3.57 | 3.57 | 4.73 | 0.05 | 9.52 |
| 0402 PROLONGED PREGNANCY | 12.21 | 8.64 | 7.47 | 8.61 | 5.96 | 17.21 | 0.98 | 17.56 |
| 0403 INFECT IN TRIM IN PREGNANCY | 0.86 | 2.00 | 11.01 | 11.01 | 3.80 | 20.30 | 0.22 | 92.25 |
| 0404 | 4.93 | 6.00 | 7.55 | 5.00 | 11.44 | 1.14 | 0.44 | 20.00 |

SECTION B: FACILITY DATA
TABLE 20. MEDIUM MEDICARE DISPOSITIONS PER 10K
DIRECT CARE AND CAMPUS DATA COMBINED: ADJUSTED RATES

| | | POLK ADJ RATE/10K | RILEY ADJ RATE/10K | SILL ADJ RATE/10K | STEWART ADJ RATE/10K | W POINT ADJ RATE/10K | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|-------|--------------------------------|----------------------|-----------------------|----------------------|-------------------------|-------------------------|-----------------|-----------------|------------------|
| 8408 | ABNL GLUC TOL TEST IN PREGNACY | 4.05 | 1.63 | 3.15 | 1.07 | 6.10 | 19.58 | 0.00 | |
| 8500 | DELIVERY IN NORMAL CASE | 46.05 | 33.08 | 22.13 | 34.17 | 22.57 | 101.55 | 13.29 | 7.64 |
| 8522 | BREECH PRESENT W/O VERSION | 5.85 | 5.68 | 4.03 | 4.45 | 5.45 | 13.25 | 0.51 | 26.22 |
| 8542 | PREVIOUS CESARIAN SECTION | 16.41 | 14.50 | 12.88 | 21.33 | 14.69 | 44.86 | 4.81 | 9.32 |
| 8563 | FETAL DISTRESS | 21.58 | 62.81 | 12.55 | 13.77 | 9.64 | 62.81 | 2.63 | 23.90 |
| 8565 | POOR FETAL GROWTH | 1.42 | 0.77 | 0.69 | 0.99 | 0.40 | 7.93 | 0.00 | |
| 8566 | EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 0.17 | 0.40 | 0.00 | 2.94 | 0.00 | |
| 8612 | DTN/UNSPEC UTERINE INFARCTA | 4.29 | 2.76 | 9.95 | 3.65 | 2.70 | 9.95 | 0.00 | |
| 8631 | UMBILICAL CORD AROUND NECK | 13.41 | 7.46 | 11.23 | 10.98 | 2.35 | 27.76 | 0.00 | |
| 8633 | UMBILICAL CORD ENTANGLEMENT | 15.88 | 10.64 | 4.16 | 14.06 | 7.40 | 15.88 | 1.12 | 14.18 |
| 8640 | 1ST DEGREE LACERATION PERINEUM | 8.43 | 7.52 | 3.97 | 6.37 | 13.55 | 34.51 | 3.00 | 11.50 |
| 8641 | 2ND DEGREE LACERATION PERINEUM | 4.66 | 16.85 | 7.12 | 6.90 | 7.40 | 52.02 | 1.00 | 20.93 |
| 8642 | 3RD DEGREE LACERATION PERINEUM | 3.13 | 11.04 | 6.67 | 8.03 | 4.83 | 38.27 | 0.53 | 64.46 |
| 8626 | OTHER CELLULITIS/ABSCESS LEG | 4.72 | 3.15 | 2.64 | 2.53 | 3.61 | 13.77 | 1.28 | 10.74 |
| 7159 | OSTEOARTHRITIS | 3.22 | 1.69 | 2.29 | 1.78 | 4.12 | 19.51 | 0.60 | 30.80 |
| 7221 | DISPLACEMENT IN/OUTER KNEE | 5.90 | 4.77 | 3.34 | 1.50 | 17.94 | 17.94 | 1.50 | 11.93 |
| 7242 | LUMBAGO | 2.68 | 0.19 | 2.61 | 2.78 | 2.47 | 24.39 | 0.19 | 127.91 |
| 7274 | SYNOVITIS/TENDONITIS | 6.67 | 2.10 | 1.85 | 1.22 | 5.52 | 10.54 | 0.87 | 21.26 |
| 7274 | GANGLION CYST | 1.16 | 8.35 | 1.66 | 1.97 | 10.54 | 10.54 | 1.17 | 9.34 |
| 7350 | HALLUX VALGUS | 5.39 | 6.98 | 2.20 | 1.34 | 12.18 | 12.18 | 0.31 | 24.75 |
| 7802 | SYNOVIO AND COLITIS | 6.44 | 5.58 | 1.55 | 5.60 | 0.31 | 7.72 | 0.31 | 24.75 |
| 7803 | CONVULSIONS | 5.05 | 1.52 | 3.70 | 1.53 | 1.28 | 16.76 | 0.52 | 11.92 |
| 7865 | CHEST PAIN | 0.07 | 0.52 | 3.90 | 2.49 | 4.40 | 20.02 | 3.44 | 9.15 |
| 87890 | ABDOMINAL PAIN | 25.89 | 3.44 | 17.98 | 10.01 | 4.66 | 10.50 | 3.29 | 5.66 |
| 8540 | INTRACRANIAL INTRAV. HCT/HMG | 13.55 | 5.51 | 7.37 | 3.94 | 4.19 | 11.74 | 0.17 | 11.74 |

SECTION D: FACILITY DATA
TABLE 21. MEDIUM MEDIAN OVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE DATA: CRIME RATIOS

| | | BELOVIR (RD AVG DAYS) | CAMPBELL AVG DAYS | CROCKERSON (RD AVG DAYS) | DIX (RD AVG DAYS) | HARRIS (RD AVG DAYS) | JACKSON (RD AVG DAYS) | LEE (RD AVG DAYS) | MICHELLE (RD AVG DAYS) | URD (RD AVG DAYS) | CRI (RD AVG DAYS) |
|------|--------------------------------|--------------------------|----------------------|-----------------------------|----------------------|-------------------------|--------------------------|----------------------|---------------------------|----------------------|----------------------|
| 6400 | ADML BLUC TOL TEST IN PREGN | 3.54 | 2.34 | 2.20 | 0.00 | 0.00 | 1.85 | 5.00 | 0.00 | 5.33 | 1.68 |
| 6800 | DELIVERY IN MODRAL CASE | 2.57 | 1.85 | 2.87 | 0.00 | 0.00 | 2.75 | 3.15 | 0.00 | 3.05 | 2.63 |
| 6822 | BRECH PRESENT W/D VERSION | 3.91 | 3.93 | 3.70 | 0.00 | 0.00 | 4.00 | 3.60 | 0.00 | 5.13 | 6.74 |
| 6842 | PREVIOUS CESARIAN SECTION | 4.93 | 3.69 | 4.93 | 0.00 | 0.00 | 4.00 | 3.78 | 0.00 | 3.97 | 5.37 |
| 6863 | FETAL DISTRESS | 3.18 | 2.96 | 4.01 | 0.00 | 0.00 | 3.22 | 5.50 | 0.00 | 4.12 | 3.95 |
| 6865 | POOR FETAL GROWTH | 0.00 | 3.60 | 1.49 | 0.00 | 0.00 | 1.10 | 5.33 | 0.00 | 0.00 | 0.94 |
| 6866 | EXCESSIVE FETAL GROWTH | 3.33 | 0.00 | 6.40 | 0.00 | 0.00 | 1.00 | 0.00 | 0.00 | 0.00 | 4.18 |
| 6812 | OTM/UNSPEC UTERINE INERTIA | 5.19 | 3.72 | 4.06 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 4.75 |
| 6831 | UMBILICAL CORD AROUND NECK | 2.54 | 2.09 | 3.01 | 0.00 | 0.00 | 3.07 | 0.00 | 0.00 | 3.22 | 4.75 |
| 6833 | UMBILICAL CORD ENTANGLEMENT | 5.50 | 1.96 | 2.93 | 0.00 | 0.00 | 1.50 | 0.00 | 0.00 | 3.36 | 3.03 |
| 6840 | 1ST DEGREE LACERATION PERINEUM | 2.77 | 1.80 | 2.72 | 0.00 | 0.00 | 2.55 | 3.62 | 0.00 | 3.09 | 3.03 |
| 6841 | 2ND DEGREE LACERATION PERINEUM | 2.61 | 1.35 | 2.70 | 0.00 | 0.00 | 2.90 | 3.00 | 0.00 | 3.00 | 3.19 |
| 6842 | 3RD DEGREE LACERATION PERINEUM | 3.97 | 2.42 | 3.23 | 0.00 | 0.00 | 2.43 | 3.18 | 0.00 | 3.84 | 3.19 |
| 6826 | OTHER CELLULITIS/ABSCESS LEG | 3.00 | 8.35 | 7.40 | 5.13 | 5.13 | 6.80 | 4.47 | 6.67 | 3.41 | 5.00 |
| 7159 | OSTEOPORITIS | 2.21 | 10.10 | 12.83 | 8.50 | 8.50 | 0.00 | 0.00 | 2.40 | 1.00 | 1.75 |
| 7170 | OTM SPEC INT DERANGEMENT KNEE | 1.74 | 10.25 | 9.46 | 10.31 | 10.31 | 7.00 | 8.17 | 8.20 | 7.20 | 1.16 |
| 7221 | DISPLACEMENT INTERFEMAL DIT | 3.00 | 12.19 | 15.71 | 15.17 | 15.17 | 5.25 | 10.00 | 12.00 | 12.00 | 3.29 |
| 7242 | LUMBAGO | 2.60 | 7.82 | 9.19 | 10.00 | 10.00 | 3.50 | 3.25 | 6.11 | 4.64 | 4.62 |
| 7274 | SYMPTOMS/TENDONPHITIS | 1.23 | 2.25 | 11.43 | 3.31 | 3.31 | 3.33 | 4.41 | 1.46 | 2.07 | 1.53 |
| 7350 | GALLBLADDER | 0.90 | 2.38 | 3.29 | 3.15 | 3.15 | 2.10 | 1.67 | 1.57 | 1.54 | 1.03 |
| 7302 | SYNCOPE AND FALLOUT | 2.25 | 1.89 | 2.96 | 5.00 | 5.00 | 3.13 | 3.16 | 1.00 | 3.00 | 3.33 |
| 7803 | CUNAVULSIONS | 3.00 | 2.62 | 7.08 | 7.38 | 7.38 | 4.27 | 2.50 | 2.76 | 3.27 | 2.06 |
| 7853 | CHEST PAIN | 2.07 | 3.19 | 10.38 | 5.25 | 5.25 | 2.75 | 9.88 | 6.81 | 2.50 | 2.53 |
| 7890 | ABDOMINAL PAIN | 2.70 | 1.98 | 3.11 | 2.22 | 2.22 | 2.00 | 2.14 | 1.87 | 1.91 | 2.96 |
| 8540 | UNSPECIFIED IN HYPV. M/L/HVC | 2.64 | 3.76 | 3.93 | 2.76 | 2.76 | 3.42 | 3.53 | 2.67 | 3.50 | 1.04 |
| | | 1.00 | 2.09 | 11.07 | 2.07 | 2.07 | 1.57 | 2.21 | 1.11 | 1.00 | 1.00 |

SECTION B: FACILITY DATA
TABLE 21. MEDIAN MEDICAL AVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE DATA: CRUDE RATES

| | | POLK CRD AVG DAYS | RILEY CRD AVG DAYS | STILL CRD AVG DAYS | STEWART CRD AVG DAYS | MAX CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|------|--------------------------------|----------------------|-----------------------|-----------------------|-------------------------|-------------------|-------------------|------------------|
| 4882 | STERILIZATION | 1.01 | 2.42 | 1.59 | 1.30 | 2.42 | 0.99 | 2.43 |
| 4888 | PRENATAL SCREENING | 1.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4890 | SINGLE INFANT BORN IN HOSP | 2.82 | 3.04 | 2.89 | 3.14 | 3.14 | 0.00 | 0.00 |
| 4901 | OTH PLASTIC SURG COSMETIC APP | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 4904 | REMOVAL FX PLATE/FIXT DEVICE | 3.43 | 5.11 | 2.45 | 3.79 | 6.27 | 1.05 | 7.91 |
| 4908 | PERICARE MANT CHEMOTHERAPY | 1.00 | 1.00 | 3.85 | 2.00 | 5.50 | 0.00 | 0.00 |
| 4910 | FOLLOW-UP EXAM SURGERY | 2.00 | 1.23 | 2.31 | 2.00 | 4.50 | 0.00 | 0.00 |
| 4912 | P/W EXAM OTHER TREATMENT | 2.31 | 1.00 | 2.14 | 1.69 | 11.67 | 0.00 | 0.00 |
| 4913 | OBSERVATION SUSP CARDIASC DIS | 1.70 | 1.85 | 4.19 | 2.31 | 4.19 | 0.00 | 0.00 |
| 4917 | OBSERVATION OTH SPECIFIED COND | 2.39 | 1.57 | 2.47 | 2.21 | 2.68 | 1.00 | 2.68 |
| 4918 | STREPTOCOCCAL SORE THROAT | 2.42 | 2.31 | 2.31 | 2.53 | 3.10 | 1.74 | 1.78 |
| 4920 | MYXOMA/CLAV NOS | 3.00 | 2.67 | 2.69 | 2.50 | 3.54 | 2.29 | 1.55 |
| 4922 | VARICELLA W/O COMPLICATIONS | 0.00 | 0.00 | 9.00 | 0.00 | 12.00 | 0.00 | 0.00 |
| 4923 | VIRAL INFECT NOS | 2.98 | 2.72 | 7.15 | 4.86 | 4.17 | 2.05 | 2.41 |
| 4924 | CANCER, BREAST, FEM, NOS | 11.71 | 9.67 | 7.72 | 8.70 | 13.91 | 0.00 | 2.01 |
| 4925 | CANCER, PROSTATE | 10.50 | 6.00 | 6.19 | 7.00 | 12.08 | 2.50 | 4.03 |
| 4926 | LEIOMYOMA, UTERUS, NOS | 1.56 | 5.69 | 1.44 | 2.33 | 13.81 | 0.00 | 4.03 |
| 4927 | VOLUME DEPLETION | 6.37 | 5.69 | 4.00 | 3.63 | 6.00 | 1.00 | 6.00 |
| 4928 | ALCOHOL DEPENDENCE | 9.61 | 5.99 | 3.79 | 2.48 | 6.86 | 3.00 | 2.29 |
| 4929 | ADJUST REACT W/DIST OTH ENOT | 10.05 | 5.90 | 1.50 | 6.92 | 17.84 | 1.78 | 10.03 |
| 4930 | CARPAL TUNNEL SYNDROME | 2.34 | 2.86 | 2.50 | 3.00 | 20.15 | 3.33 | 6.05 |
| 4931 | CATARACT NOS | 1.92 | 2.79 | 2.21 | 3.00 | 8.91 | 1.46 | 6.04 |
| 4932 | OTITIS MEDIA NOS | 2.40 | 1.47 | 1.34 | 2.35 | 15.37 | 0.00 | 4.10 |
| 4933 | INTERMEDIATE CORONARY SYNDROME | 3.22 | 3.33 | 5.06 | 4.00 | 3.50 | 0.00 | 0.00 |
| 4934 | ANGINA, OTHER AND UNSPEC | 2.56 | 2.33 | 4.44 | 3.75 | 5.06 | 1.50 | 3.37 |
| 4935 | CORONARY ARTERIOSCLEROSIS | 3.00 | 8.06 | 3.85 | 1.33 | 5.46 | 1.33 | 1.11 |
| 4936 | CHRONIC ISCHEMIC HEART DISEASE | 1.00 | 2.08 | 2.78 | 1.50 | 19.30 | 0.00 | 0.00 |
| 4937 | ATRIAL FIBRILLATION/FLUTTER | 3.50 | 4.11 | 2.00 | 1.00 | 7.24 | 1.00 | 7.24 |
| 4938 | CONGESTIVE HEART FAILURE | 4.39 | 11.06 | 9.21 | 3.43 | 20.80 | 3.08 | 6.75 |
| 4939 | ACUTE PHARYNGITIS | 2.73 | 3.29 | 2.69 | 1.67 | 3.79 | 1.67 | 2.27 |
| 4940 | ACUTE TONSILLITIS | 2.11 | 3.29 | 3.00 | 4.00 | 4.00 | 2.11 | 1.90 |
| 4941 | ACUTE UPPER RESP INFECT | 2.24 | 1.56 | 2.34 | 2.21 | 4.44 | 1.56 | 2.90 |
| 4942 | DEVIATED NASAL SEPTUM | 2.24 | 3.47 | 3.35 | 0.00 | 4.89 | 0.00 | 0.00 |
| 4943 | CHRONIC TONSILLITIS | 2.53 | 2.73 | 1.97 | 0.00 | 3.33 | 0.00 | 0.00 |
| 4944 | HYPERTROPHY TONSILLOIDENOTIS | 1.50 | 2.48 | 1.97 | 0.00 | 2.91 | 0.00 | 0.00 |
| 4945 | PNEUMONIA, ORGANISM UNK/CFD | 3.83 | 5.28 | 4.46 | 2.82 | 6.33 | 1.80 | 2.24 |
| 4946 | BRONCHITIS | 3.00 | 5.00 | 2.95 | 1.80 | 5.25 | 2.62 | 1.46 |
| 4947 | ASTHMA NOS | 2.70 | 3.02 | 3.59 | 2.75 | 9.83 | 2.20 | 4.47 |
| 4948 | CHRONIC AIRWAY OBSTRUCTION | 6.97 | 3.86 | 6.38 | 3.89 | 9.83 | 2.20 | 4.47 |
| 4949 | DISTURB TOOTH ERUPTION | 1.88 | 1.94 | 1.72 | 0.00 | 2.13 | 0.00 | 0.00 |
| 4950 | ANOMALIES TOOTH POSITION | 0.00 | 3.17 | 1.70 | 0.00 | 3.17 | 0.00 | 0.00 |
| 4951 | ESOPHAGITIS | 2.38 | 2.93 | 3.21 | 1.71 | 13.00 | 1.38 | 9.45 |
| 4952 | GASTRITIS/GASTROENTERITIS NOS | 2.44 | 2.05 | 3.57 | 1.89 | 3.57 | 1.29 | 2.76 |
| 4953 | ACUTE APPENDICITIS W/O PERITON | 4.26 | 4.09 | 4.79 | 5.13 | 6.00 | 2.64 | 2.11 |
| 4954 | INGUINAL HERNIA | 3.39 | 3.72 | 4.49 | 2.18 | 5.53 | 2.00 | 2.76 |
| 4955 | GASTROENTERITIS | 2.39 | 2.00 | 2.61 | 1.73 | 3.39 | 1.73 | 1.95 |
| 4956 | DIVERTICULA OF COLON | 9.45 | 4.00 | 7.44 | 4.96 | 10.00 | 1.23 | 8.16 |
| 4957 | CALCULUS GALLBLDOR W/OTH CHIL | 5.98 | 5.51 | 7.27 | 6.56 | 9.04 | 5.05 | 1.71 |
| 4958 | HEMORRHOGE GI TRACT NOS | 5.40 | 4.57 | 6.59 | 4.31 | 9.20 | 0.00 | 0.00 |
| 4959 | PELOPHORITIS/PYOPHIMOSIS | 4.15 | 3.90 | 4.37 | 5.89 | 7.50 | 0.00 | 0.00 |
| 4960 | CALCULUS OF KIDNEY | 12.38 | 2.67 | 2.44 | 2.00 | 5.74 | 2.00 | 2.87 |
| 4961 | CALCULUS OF URETER | 3.40 | 3.57 | 2.45 | 5.20 | 5.74 | 1.50 | 6.25 |
| 4962 | URINARY TRACT INFECTION | 0.00 | 2.50 | 5.16 | 3.44 | 6.10 | 1.50 | 2.44 |
| 4963 | HYPERPLASIA OF PROSTATE | 0.00 | 3.33 | 6.91 | 4.20 | 12.00 | 0.00 | 0.00 |
| 4964 | REDUNDANT PREPUCE/PHIMOSIS | 1.74 | 1.67 | 1.00 | 1.75 | 3.08 | 0.00 | 0.00 |
| 4965 | DIFFUSE CYSTIC MASTOPATHY | 2.25 | 2.19 | 2.10 | 1.94 | 3.00 | 1.00 | 3.00 |
| 4966 | PELVIC/PERITON ADHESIONS, FEM | 2.89 | 3.95 | 4.30 | 3.36 | 5.06 | 1.00 | 5.06 |
| 4967 | DYSPLASIA OF CERVIX | 2.83 | 3.00 | 4.10 | 2.75 | 5.25 | 1.50 | 3.50 |
| 4968 | SYMPTOMS/PAIN FEM GENITAL | 1.96 | 1.88 | 3.00 | 3.11 | 6.50 | 0.00 | 0.00 |
| 4969 | EXCESSIVE/FREQ MENSTRUATION | 2.00 | 3.27 | 5.90 | 4.60 | 7.00 | 1.00 | 7.00 |
| 4970 | MISSED ABORTION | 1.38 | 1.72 | 2.20 | 3.33 | 4.09 | 0.00 | 0.00 |
| 4971 | SPONTANEOUS ABORTION | 1.31 | 1.29 | 2.01 | 1.58 | 2.76 | 1.22 | 2.26 |
| 4972 | MILD/UNSPEC PREECLAMPSIA | 4.59 | 4.80 | 7.14 | 9.55 | 9.55 | 0.00 | 0.00 |
| 4973 | MILD HYPERTENSIS GRAVIDARUM | 2.97 | 5.00 | 3.38 | 3.04 | 5.00 | 0.00 | 0.00 |
| 4974 | THREATENED PREM LABOR | 1.80 | 2.38 | 2.05 | 2.46 | 3.52 | 0.00 | 0.00 |
| 4975 | THREATENED LABOR (37WKS) | 1.38 | 2.00 | 1.78 | 2.86 | 2.86 | 0.00 | 0.00 |
| 4976 | EARLY ONSET DELIVERY (37WKS) | 3.27 | 5.31 | 4.88 | 4.26 | 6.77 | 0.00 | 0.00 |
| 4977 | PROLONGED PREGNANCY | 3.00 | 3.56 | 4.29 | 4.54 | 6.18 | 0.00 | 0.00 |
| 4978 | INFECT GU TRACT IN PREGNANCY | 1.11 | 1.11 | 2.62 | 4.11 | 7.00 | 0.00 | 0.00 |

SECTION B: FACILITY DATA
TABLE 21. MEDIUM MEDIAN AVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE DATA: CRUDE RATES

| | | POLK CRD AVG DAYS | RILEY CRD AVG DAYS | SILL CRD AVG DAYS | STEWART CRD AVG DAYS | W POINT CRD AVG DAYS | MAX CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|------|---------------------------------|----------------------|-----------------------|----------------------|-------------------------|-------------------------|-------------------|-------------------|------------------|
| 6400 | ANAL GLUC TOL TEST IN PREGNANCY | 2.09 | 3.38 | 2.63 | 3.38 | 1.00 | 5.33 | 0.00 | 0.00 |
| 6401 | DELIVERY IN NORMAL CASE | 2.58 | 3.53 | 2.49 | 2.97 | 2.76 | 3.53 | 0.00 | 0.00 |
| 6422 | BREECH PRESENT W/O VERSION | 4.12 | 4.28 | 3.71 | 3.91 | 3.14 | 8.74 | 0.00 | 0.00 |
| 6442 | PREVIOUS CESARIAN SECTION | 4.37 | 3.88 | 4.14 | 4.26 | 4.88 | 5.78 | 0.00 | 0.00 |
| 6443 | FETAL DISTRESS | 3.22 | 3.47 | 4.25 | 3.57 | 4.25 | 5.50 | 0.00 | 0.00 |
| 6444 | POOR FETAL GROWTH | 1.50 | 3.00 | 3.25 | 7.60 | 0.00 | 7.60 | 0.00 | 0.00 |
| 6445 | EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 2.00 | 6.67 | 0.00 | 8.83 | 0.00 | 0.00 |
| 6446 | OTINUSPEC UTERINE INFARTIA | 3.42 | 3.00 | 3.52 | 4.63 | 3.25 | 6.50 | 0.00 | 0.00 |
| 6431 | UNBILICAL CORD AROUND NECK | 2.80 | 3.83 | 2.90 | 3.00 | 2.00 | 3.83 | 0.00 | 0.00 |
| 6433 | UNBILICAL CORD ENTANGLEMENT | 2.75 | 3.83 | 3.30 | 3.18 | 3.55 | 4.75 | 0.00 | 0.00 |
| 6440 | 1ST DEGREE LACERATION PERINEUM | 2.53 | 2.63 | 2.42 | 3.03 | 2.94 | 3.62 | 0.00 | 0.00 |
| 6441 | 2ND DEGREE LACERATION PERINEUM | 2.80 | 2.77 | 2.63 | 3.10 | 3.38 | 3.97 | 0.00 | 0.00 |
| 6442 | 3RD DEGREE LACERATION PERINEUM | 2.85 | 3.43 | 3.03 | 3.27 | 2.70 | 3.97 | 0.00 | 0.00 |
| 6426 | OTHER CELLULITIS/ABSCESS LEG | 4.90 | 8.00 | 5.94 | 5.77 | 4.00 | 8.35 | 0.00 | 2.70 |
| 7159 | OSTEOARTHRITIS | 3.22 | 3.80 | 3.67 | 4.33 | 3.56 | 12.89 | 0.00 | 0.00 |
| 7170 | OTH SPEC INF DEARRANGEMENT KNEE | 5.15 | 11.21 | 8.17 | 7.30 | 5.89 | 30.25 | 1.74 | 17.37 |
| 7221 | DISPLACEMENT INTERIORAL DISC | 6.80 | 6.00 | 6.08 | 9.67 | 10.14 | 15.71 | 3.00 | 5.24 |
| 7242 | LUMBAGO | 2.91 | 22.50 | 3.90 | 8.67 | 9.44 | 22.60 | 2.60 | 8.69 |
| 7270 | SYNOVITIS/TENDOSYNOVITIS | 1.80 | 3.49 | 2.10 | 1.91 | 2.58 | 11.43 | 1.29 | 8.89 |
| 7274 | GANGLION CYST | 2.38 | 2.43 | 2.36 | 1.89 | 2.29 | 3.29 | 0.90 | 3.67 |
| 7350 | MALLON VALGUS | 4.61 | 5.31 | 5.25 | 2.91 | 1.00 | 5.31 | 1.00 | 5.31 |
| 7802 | SYNCOPE AND CHLAPSE | 3.53 | 5.20 | 4.40 | 2.00 | 2.80 | 7.38 | 0.00 | 1.64 |
| 7803 | CONVULSIONS | 2.55 | 0.00 | 2.42 | 2.75 | 2.25 | 10.38 | 0.00 | 0.00 |
| 7865 | CHEST PAIN | 2.03 | 3.13 | 3.08 | 1.84 | 2.60 | 3.13 | 1.84 | 1.70 |
| 7890 | ABDOMINAL PAIN | 2.61 | 2.10 | 4.49 | 2.95 | 3.46 | 4.49 | 1.84 | 2.44 |
| 8540 | INTRACRANIAL INJURY, NEC/MS | 2.47 | 2.50 | 2.13 | 2.13 | 2.29 | 11.07 | 1.30 | 8.51 |

SECTION B: FACILITY DATA
TABLE 22. MEDIUM MEDIAN AVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE UNIT: ADJUSTED RATES

| | BELVOIR ADJ RATE/10K | CAMPBELL ADJ RATE/10K | CHAPSON ADJ RATE/10K | DIX ADJ RATE/10K | HUNCHUCKA ADJ RATE/10K | JACKSON ADJ RATE/10K | LEE ADJ RATE/10K | MCCLELLAN ADJ RATE/10K | ORD ADJ RATE/10K |
|-------------------------------------|----------------------|-----------------------|----------------------|------------------|------------------------|----------------------|------------------|------------------------|------------------|
| 6400 NML GLUC TOL TEST IN PREGNANCY | 3.08 | 1.93 | 1.86 | 0.00 | 1.77 | 5.84 | 0.00 | 5.57 | 4.29 |
| 6500 DELIVERY IN NORMAL CASE | 2.39 | 1.55 | 2.53 | 0.00 | 2.61 | 3.29 | 0.00 | 2.90 | 5.28 |
| 6522 BREACH PRESENT W/O VERSION | 3.58 | 3.28 | 3.24 | 0.00 | 3.76 | 3.84 | 0.00 | 4.98 | 10.71 |
| 6542 PREVIOUS CESARIAN SECTION | 4.38 | 3.05 | 4.22 | 0.00 | 3.80 | 6.52 | 0.00 | 4.02 | 13.01 |
| 6603 FETAL DISTRESS | 3.00 | 2.50 | 3.37 | 0.00 | 2.99 | 5.60 | 0.00 | 3.85 | 7.38 |
| 6603 POOR FETAL GROWTH | 0.00 | 3.07 | 1.36 | 0.00 | 1.01 | 5.15 | 0.00 | 0.00 | 1.68 |
| 6603 EXCESSIVE FETAL GROWTH | 3.09 | 0.00 | 5.64 | 0.00 | 0.94 | 0.00 | 0.00 | 0.00 | 18.06 |
| 6612 DYN/UNSPEC UTERINE INFARTIA | 4.83 | 3.12 | 3.58 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 8.53 |
| 6631 UNBILICAL CORD ENTRANGLEMENT | 2.35 | 1.75 | 2.65 | 0.00 | 2.87 | 0.00 | 0.00 | 0.00 | 5.55 |
| 6633 UNBILICAL CORD ENTRANGLEMENT | 3.17 | 1.64 | 2.55 | 0.00 | 1.41 | 0.00 | 0.00 | 0.00 | 9.98 |
| 6640 1ST DEGREE LACERATION PERINEUM | 2.48 | 1.50 | 2.35 | 0.00 | 2.41 | 4.01 | 0.00 | 3.31 | 6.31 |
| 6641 2ND DEGREE LACERATION PERINEUM | 2.35 | 1.63 | 2.31 | 0.00 | 2.44 | 3.23 | 0.00 | 3.09 | 6.31 |
| 6642 3RD DEGREE LACERATION PERINEUM | 3.73 | 2.04 | 2.87 | 0.00 | 2.44 | 3.46 | 0.00 | 2.98 | 6.60 |
| 6626 OTHER CELLULITIS/ABSCESS LEG | 3.67 | 9.22 | 8.34 | 0.00 | 7.27 | 3.92 | 0.00 | 3.64 | 6.27 |
| 6759 OSTEOARTHRITIS | 2.41 | 14.84 | 15.36 | 7.26 | 0.00 | 7.02 | 6.16 | 3.63 | 4.40 |
| 7178 DYN SPEC INT DEPARTMENT KNEE | 3.77 | 23.80 | 10.48 | 9.13 | 7.10 | 7.97 | 1.33 | 0.94 | 1.51 |
| 7221 DISPLACEMENT INVERTIBRAL UTIC | 5.14 | 10.75 | 17.58 | 13.28 | 5.47 | 9.34 | 13.27 | 6.76 | 2.61 |
| 7242 LUMBAGO | 4.46 | 6.85 | 10.25 | 8.59 | 3.36 | 2.97 | 6.97 | 4.30 | 3.64 |
| 7274 SYNOVITIS/TENDINITIS | 1.37 | 2.01 | 12.50 | 2.73 | 2.07 | 4.00 | 1.58 | 1.87 | 1.26 |
| 7274 GANGLION CYST | 3.34 | 2.08 | 3.55 | 2.73 | 3.04 | 1.53 | 1.39 | 1.45 | 0.87 |
| 7350 HALLUX VALGUS | 3.34 | 1.83 | 3.34 | 3.31 | 3.04 | 2.51 | 0.38 | 2.45 | 2.91 |
| 7602 SYNOVITIS AND TENDINITIS | 3.95 | 2.92 | 8.27 | 6.12 | 4.41 | 2.05 | 2.49 | 3.33 | 1.70 |
| 7603 CONULSIONS | 2.28 | 3.09 | 10.54 | 5.05 | 2.74 | 3.60 | 6.94 | 2.45 | 2.34 |
| 7663 CHEST PAIN | 2.37 | 2.73 | 3.65 | 1.91 | 2.74 | 1.72 | 1.54 | 1.81 | 1.01 |
| 7690 ABDOMINAL PAIN | 3.14 | 3.65 | 4.10 | 2.44 | 3.40 | 3.23 | 2.65 | 3.20 | 1.01 |
| 8540 INTERMITTENT IN MNP, NUC/NOG | 2.46 | 1.70 | 11.97 | 2.11 | 3.11 | 3.17 | 1.74 | 3.05 | 1.01 |

SECTION B: FACILITY DATA
TABLE 22. MEDIUM MEDIAN AVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE DATA: ADJUSTED RATES

| | POLK ADJ AVG DAYS | RILEY ADJ AVG DAYS | SILL ADJ AVG DAYS | STEWART ADJ AVG DAYS | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|-------------------------------------|----------------------|-----------------------|----------------------|-------------------------|-----------------|-----------------|------------------|
| STERILIZATION | 0.83 | 2.15 | 1.49 | 1.10 | 2.36 | 0.83 | 2.86 |
| 1888 ANTERIORAL SCREENING | 0.91 | 0.00 | 1.00 | 0.90 | 2.93 | 0.00 | 2.93 |
| 1889 SINGLE INFANT BORN IN HOSP | 2.43 | 2.33 | 2.67 | 2.63 | 4.34 | 0.00 | 4.34 |
| 1890 OTH PLASTIC SURG, COSMETIC APP | 0.00 | 0.00 | 0.00 | 0.00 | 7.88 | 0.00 | 7.88 |
| 1891 REMOVAL FX PLATE/FIXTIN DEVICE | 2.70 | 4.51 | 2.17 | 3.44 | 6.83 | 1.52 | 5.79 |
| 1892 AFTERCARE MAINT CHEMOTHERAPY | 1.52 | 1.51 | 4.78 | 2.82 | 6.08 | 0.00 | 6.08 |
| 1893 FOLLOW-UP EXAM, SURGERY | 2.30 | 1.53 | 2.48 | 2.44 | 4.83 | 0.00 | 4.83 |
| 1894 F/U EXAM, OTHER TREATMENT | 1.89 | 0.92 | 1.91 | 1.62 | 11.54 | 0.00 | 11.54 |
| 1895 OBSERVATION SUSP CARDIASC DIS | 2.24 | 2.66 | 4.73 | 3.22 | 4.73 | 0.00 | 4.73 |
| 1896 OBSERVATION OTH SPECIFIED COND | 2.46 | 1.67 | 2.55 | 2.35 | 2.77 | 1.01 | 2.77 |
| 1897 INTESTINAL INFECT, OTH DRG N/C | 2.01 | 1.57 | 2.16 | 2.28 | 2.96 | 1.57 | 1.88 |
| 1898 STREPTOCOCCAL SORE THROAT | 2.06 | 2.14 | 2.18 | 2.09 | 4.76 | 1.70 | 2.80 |
| 1899 HIV-III/LAV NOS | 0.00 | 0.00 | 0.21 | 0.00 | 17.40 | 0.00 | 17.40 |
| 1900 VARICELLA N/O COMPLICATIONS | 3.62 | 3.93 | 4.13 | 4.05 | 9.22 | 3.18 | 2.93 |
| 1901 VIRAL INFECT, NOS | 2.29 | 2.01 | 2.43 | 2.02 | 4.00 | 1.81 | 2.21 |
| 1902 CANCER, BRONCHUS/LUNG NOS | 27.52 | 23.13 | 10.07 | 17.35 | 27.52 | 0.00 | 27.52 |
| 1903 CANCER, BREAST, FEM, NOS | 20.23 | 11.47 | 6.13 | 12.97 | 20.23 | 2.59 | 7.80 |
| 1904 CANCER, PROSTATE | 0.00 | 13.23 | 3.99 | 0.00 | 10.12 | 0.00 | 10.12 |
| 2119 BENIGN NEOPLASM, CIN OM | 3.19 | 10.51 | 1.94 | 4.33 | 10.51 | 0.69 | 15.20 |
| 2120 LEIOMYOMA, UTERUS, NOS | 7.18 | 6.71 | 4.54 | 3.72 | 7.18 | 2.78 | 2.58 |
| 2121 VOLUME DEPLETION | 1.69 | 5.18 | 3.72 | 2.57 | 19.22 | 1.69 | 11.38 |
| 2122 ALCOHOL DEPENDENCE | 7.10 | 5.18 | 3.48 | 10.44 | 22.68 | 3.11 | 7.30 |
| 3050 DRUG ABUSE, ALCOHOL | 3.99 | 4.11 | 2.82 | 3.33 | 9.87 | 1.74 | 5.60 |
| 3090 ADJUST REACT, BRIEF DEPRESSIVE | 7.25 | 5.03 | 1.28 | 5.97 | 12.19 | 0.00 | 12.19 |
| 3092 ADJUST REACT N/DIST OTH EMOT | 6.26 | 6.33 | 2.07 | 3.39 | 17.13 | 0.00 | 17.13 |
| 3540 CARPAL TUNNEL SYNDROME | 2.97 | 3.86 | 2.37 | 3.75 | 4.55 | 1.00 | 4.55 |
| 3669 CATARACT NOS | 4.44 | 6.52 | 3.08 | 4.07 | 6.52 | 0.00 | 6.52 |
| 3829 OTITIS MEDIA NOS | 2.01 | 1.19 | 1.22 | 2.03 | 4.11 | 0.00 | 4.11 |
| 4111 INTERMEDIATE CORONARY SYNDROME | 7.26 | 7.67 | 7.03 | 7.32 | 7.67 | 1.76 | 4.37 |
| 4139 ANGINA, OTHER AND UNSPEC | 5.27 | 4.98 | 6.00 | 5.21 | 7.51 | 1.48 | 5.06 |
| 4140 CORONARY ARTERIOSCLEROSIS | 5.83 | 16.43 | 5.08 | 2.73 | 18.13 | 0.00 | 18.13 |
| 4149 CHRONIC ISCHEMIC HEART DISEASE | 1.85 | 4.07 | 3.61 | 0.00 | 8.77 | 0.00 | 8.77 |
| 4273 ATRIAL FIBRILLATION/FLUTTER | 7.59 | 9.18 | 9.06 | 1.95 | 9.77 | 1.17 | 8.34 |
| 4280 CONGESTIVE HEART FAILURE | 10.94 | 27.52 | 13.18 | 7.20 | 27.52 | 1.97 | 13.96 |
| 462 ACUTE PHARYNGITIS | 1.96 | 3.09 | 2.23 | 1.41 | 4.49 | 1.41 | 3.19 |
| 463 ACUTE TONSILLITIS | 1.54 | 2.75 | 2.60 | 3.39 | 5.63 | 1.54 | 3.66 |
| 4659 ACUTE UPPER RESP INFECT | 1.65 | 1.31 | 2.02 | 1.90 | 4.91 | 1.31 | 3.71 |
| 470 DEHYDRATED NASAL SEPTUM | 1.71 | 3.04 | 2.90 | 0.00 | 5.34 | 0.00 | 5.34 |
| 4740 CHRONIC TONSILLITIS | 1.77 | 2.27 | 2.40 | 0.00 | 3.18 | 0.00 | 3.18 |
| 4741 HYPERTROPHY TONSILS/ADENOIDS | 1.26 | 1.99 | 1.80 | 0.00 | 2.62 | 0.00 | 2.62 |
| 486 PNEUMONIA, ORGANISM UNK/DEF | 4.19 | 6.05 | 4.67 | 3.24 | 6.86 | 3.24 | 2.11 |
| 490 BRONCHITIS | 2.62 | 4.95 | 2.83 | 1.76 | 5.19 | 1.76 | 2.94 |
| 4939 ASTHMA NOS | 2.69 | 2.95 | 3.60 | 2.92 | 3.83 | 2.51 | 1.53 |
| 496 CHRONIC AIRWAY OBSTRUCTION | 17.43 | 9.70 | 9.12 | 8.24 | 18.95 | 1.40 | 13.51 |
| 5206 DISTURB TOOTH ERUPTION | 1.41 | 1.66 | 1.51 | 1.62 | 2.76 | 0.00 | 2.76 |
| 5243 ANOMALIES TOOTH POSITION | 0.00 | 2.64 | 1.44 | 0.00 | 2.64 | 0.00 | 2.64 |
| 5301 ESOPHAGITIS | 2.75 | 3.51 | 3.46 | 1.62 | 11.92 | 1.48 | 8.07 |
| 5305 GASTRITIS/GASTROENTERITIS NOS | 2.73 | 2.49 | 3.86 | 2.19 | 3.86 | 1.25 | 3.09 |
| 5409 ACUTE APPENDICITIS N/O PERITON | 3.59 | 3.69 | 4.41 | 4.19 | 5.66 | 2.54 | 2.23 |
| 5509 INGUINAL HERNIA | 3.36 | 3.62 | 4.42 | 2.43 | 5.09 | 1.65 | 3.09 |
| 5589 GASTROENTERITIS | 2.08 | 1.91 | 2.50 | 1.65 | 3.61 | 1.65 | 2.19 |
| 5621 DIVERTICULAR OF COLON | 18.68 | 8.06 | 9.94 | 8.06 | 18.68 | 1.15 | 16.23 |
| 5741 CALCULUS GALLBLADDER N/O CHOL | 7.63 | 7.05 | 8.24 | 7.72 | 8.61 | 5.02 | 1.71 |
| 5789 HEMORRHOID CT TRACT NOS | 9.40 | 8.25 | 8.39 | 7.07 | 9.40 | 0.00 | 9.40 |
| 5800 PYELONEPHRITIS/POYOPHOSIS | 4.51 | 4.31 | 4.81 | 6.00 | 7.31 | 0.00 | 7.31 |
| 5820 CALCULUS OF KIDNEY | 3.04 | 3.12 | 2.53 | 2.20 | 6.30 | 1.77 | 3.57 |
| 5821 CALCULUS OF URETER | 12.24 | 3.88 | 2.42 | 5.63 | 12.24 | 1.34 | 9.11 |
| 5900 URINARY TRACT INFECTION | 5.01 | 3.73 | 6.35 | 3.85 | 6.78 | 3.12 | 2.18 |
| 600 HYPERPLASIA OF PROSTATE | 0.00 | 8.68 | 10.06 | 0.00 | 14.33 | 0.00 | 14.33 |
| 603 REDUNDANT PREPUCE/PHIMOSIS | 1.38 | 1.34 | 0.87 | 1.26 | 4.01 | 0.91 | 4.42 |
| 6101 DILUTE CYSTIC NOSTOPATHY | 3.57 | 4.02 | 2.64 | 2.27 | 7.61 | 0.98 | 7.74 |
| 6146 PULIDEPERITON ADHESIONS, FEM | 2.74 | 3.52 | 4.67 | 2.97 | 5.08 | 1.40 | 3.61 |
| 6223 DYSPERTICULUS/GENITAL | 2.86 | 3.20 | 4.30 | 2.51 | 5.72 | 0.00 | 5.72 |
| 6252 SYMPTOMS/PAIN GENITAL | 2.07 | 1.36 | 3.38 | 2.53 | 9.35 | 1.02 | 9.13 |
| 6262 EXCESSIVE/RED MENSTRUATION | 1.26 | 1.22 | 2.16 | 1.02 | 7.48 | 0.00 | 7.48 |
| 6322 MISSED ABORTION | 1.21 | 1.22 | 2.16 | 1.02 | 4.66 | 1.06 | 4.41 |
| 6349 SPONTANEOUS ABORTION | 1.21 | 1.21 | 2.16 | 1.02 | 4.66 | 1.06 | 4.41 |
| 6424 MILD/UNSPEC PRECLAMPSIA | 4.20 | 4.53 | 7.37 | 7.35 | 9.35 | 0.00 | 9.35 |
| 6430 MILD/HYPERTENSIS GRAVITURUM | 2.75 | 4.30 | 3.99 | 2.62 | 5.30 | 0.00 | 5.30 |
| 6441 THREATENED PREN LABOR | 1.63 | 2.17 | 2.05 | 2.05 | 3.86 | 0.00 | 3.86 |
| 6442 EARLY ONSET DELIVERY (37WKS) | 1.26 | 1.05 | 1.01 | 0.00 | 10.45 | 0.00 | 10.45 |
| 6462 PROLONGED PREGNANCY | 2.79 | 5.03 | 5.02 | 3.61 | 7.47 | 0.00 | 7.47 |
| 6466 INFECT ON TRACT IN PREGNANCY | 2.70 | 2.47 | 3.56 | 3.00 | 7.29 | 0.00 | 7.29 |

SECTION B: FACILITY DATA
TABLE 22. MEDIUM MEDIAN AVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE UNIT: ADJUSTED RATES

| | POLK ADJ RATE/10K | RILEY ADJ RATE/10K | STILL ADJ RATE/10K | STEWART ADJ RATE/10K | W POINT ADJ RATE/10K | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|---------------------------------------|----------------------|-----------------------|-----------------------|-------------------------|-------------------------|-----------------|-----------------|------------------|
| 6400 Fetal BLUC IOL TEST IN PREGNANCY | 2.60 | 2.99 | 2.55 | 2.78 | 4.57 | 6.57 | 0.00 | |
| 6401 DELIVERY IN NORMAL CASE | 2.34 | 3.23 | 2.50 | 2.49 | 4.25 | 5.29 | 0.00 | |
| 6402 PRESENT PRESENT W/O VERSION | 3.73 | 3.99 | 3.70 | 3.25 | 4.33 | 19.71 | 0.00 | |
| 6403 PREVIOUS CESARIAN SECTION | 3.94 | 3.97 | 4.06 | 3.52 | 7.31 | 12.91 | 0.00 | |
| 6404 FETAL DISTRESS | 2.93 | 3.21 | 4.31 | 3.06 | 6.41 | 6.38 | 0.00 | |
| 6405 POOR FETAL GROWTH | 1.37 | 2.84 | 3.35 | 6.46 | 0.00 | 19.02 | 0.00 | |
| 6406 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 2.01 | 5.59 | 0.00 | 19.02 | 0.00 | |
| 6412 OTN/LMSPEC UTERINE INERTIA | 3.10 | 2.75 | 3.53 | 3.88 | 5.02 | 8.53 | 0.00 | |
| 6431 UNBILICAL CORD AROUND NECK | 2.54 | 3.50 | 2.90 | 2.51 | 3.10 | 5.53 | 0.00 | |
| 6433 UNBILICAL CORD ENTANGLEMENT | 2.49 | 3.45 | 3.27 | 2.55 | 5.54 | 9.98 | 0.00 | |
| 6440 1ST DEGREE LACERATION PERINEUM | 2.28 | 2.36 | 2.59 | 2.51 | 4.70 | 6.33 | 0.00 | |
| 6441 2ND DEGREE LACERATION PERINEUM | 2.53 | 2.50 | 2.60 | 2.58 | 5.34 | 6.68 | 0.00 | |
| 6442 3RD DEGREE LACERATION PERINEUM | 2.59 | 3.16 | 3.06 | 2.75 | 4.12 | 6.22 | 0.00 | |
| 6426 OTHER CELLULITIS/ABSCESS LEG | 5.25 | 9.38 | 6.13 | 6.73 | 3.37 | 9.38 | 3.37 | 2.77 |
| 7159 OSTEOARTHRITIS | 5.07 | 6.45 | 4.45 | 6.83 | 2.59 | 15.36 | 0.00 | |
| 7178 OTM SPEC INT DERANGEMENT KNEE | 3.52 | 8.98 | 6.55 | 6.12 | 6.66 | 23.80 | 2.33 | 10.22 |
| 7221 DISPLACEMENT INVERTIBRAL DISC | 5.39 | 5.50 | 5.32 | 6.12 | 2.61 | 17.58 | 2.61 | 6.75 |
| 7242 LUMBAGO | 2.30 | 3.25 | 3.45 | 8.05 | 10.10 | 20.71 | 2.30 | 9.01 |
| 7270 SYNOVITIS/TENDOSYNOVITIS | 1.48 | 3.25 | 1.91 | 1.79 | 2.68 | 12.50 | 1.26 | 9.91 |
| 7274 GANGLION CYST | 1.92 | 2.23 | 2.14 | 1.73 | 2.46 | 5.55 | 0.88 | 6.25 |
| 7350 HALLUX VALGUS | 4.24 | 5.69 | 5.34 | 2.91 | 1.03 | 5.69 | 0.98 | 5.81 |
| 7802 SYNCOPE AND COLLAPSE | 3.84 | 6.41 | 4.69 | 2.37 | 2.34 | 10.54 | 1.78 | 5.92 |
| 7803 CONVULSIONS | 2.37 | 0.00 | 2.36 | 2.71 | 2.25 | 10.54 | 0.00 | |
| 7865 CHEST PAIN | 2.96 | 4.92 | 3.66 | 2.71 | 1.95 | 4.92 | 1.54 | 3.21 |
| 7890 ABDOMINAL PAIN | 2.48 | 2.16 | 4.50 | 2.94 | 3.56 | 11.57 | 1.81 | 6.40 |
| 8540 INTRACRANIAL INJURY, N/C/INDS | 1.81 | 2.11 | 1.79 | 2.04 | 2.51 | 11.57 | 1.04 | 11.10 |

SECTION 10: FACILITY DATA
 1001-1005: MEDIAN MEDIAN OVERLINE LENGTH OF SLOW (HOURS)
 1006-1009: MEDIAN MEDIAN OVERLINE LENGTH OF SLOW (HOURS)

| | BELVOIR (RD) | CAMPBELL (RD) | CARSON (RD) | DIX (RD) | MURPHY (RD) | JACKSON (RD) | LEE (RD) | MCCLELLAN (RD) | ORD (RD) |
|------|--------------|---------------|-------------|----------|-------------|--------------|----------|----------------|----------|
| | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS |
| 6400 | 3.47 | 2.37 | 1.99 | 1.20 | 1.05 | 3.83 | 3.10 | 5.33 | 1.60 |
| 6401 | 2.45 | 2.05 | 2.07 | 2.27 | 3.42 | 3.03 | 1.95 | 2.36 | 2.54 |
| 6402 | 3.82 | 4.50 | 2.98 | 4.33 | 5.25 | 3.60 | 4.13 | 1.85 | 8.21 |
| 6403 | 4.74 | 4.37 | 3.98 | 4.29 | 4.83 | 3.14 | 2.88 | 1.80 | 4.44 |
| 6404 | 3.15 | 3.17 | 2.84 | 4.21 | 3.93 | 5.79 | 3.89 | 4.05 | 3.85 |
| 6405 | 3.67 | 3.60 | 1.16 | 4.50 | 1.24 | 4.67 | 4.00 | 0.00 | 0.94 |
| 6406 | 3.50 | 0.00 | 1.29 | 0.00 | 2.00 | 3.82 | 2.83 | 0.00 | 0.93 |
| 6407 | 5.03 | 3.95 | 3.15 | 3.82 | 0.00 | 4.75 | 2.00 | 0.00 | 3.32 |
| 6408 | 2.53 | 2.09 | 2.42 | 2.67 | 4.04 | 0.00 | 2.00 | 3.22 | 3.70 |
| 6409 | 2.63 | 1.96 | 1.94 | 2.28 | 1.33 | 3.40 | 2.60 | 3.56 | 3.40 |
| 6410 | 2.69 | 1.87 | 2.02 | 2.17 | 2.07 | 3.40 | 1.90 | 3.06 | 2.74 |
| 6411 | 2.59 | 1.99 | 2.09 | 2.33 | 3.00 | 2.94 | 2.83 | 3.00 | 2.77 |
| 6412 | 3.33 | 2.41 | 2.58 | 3.00 | 2.00 | 2.94 | 3.00 | 3.00 | 3.15 |
| 6413 | 3.00 | 2.95 | 7.40 | 5.11 | 2.00 | 4.35 | 5.77 | 3.79 | 3.00 |
| 6414 | 2.75 | 10.00 | 12.33 | 9.25 | 9.00 | 7.25 | 5.53 | 6.00 | 2.22 |
| 6415 | 1.82 | 9.25 | 9.00 | 10.39 | 7.00 | 7.50 | 6.06 | 6.00 | 3.16 |
| 6416 | 6.77 | 9.13 | 14.59 | 11.00 | 6.59 | 10.00 | 6.00 | 6.73 | 4.13 |
| 6417 | 3.50 | 2.25 | 8.61 | 10.00 | 3.14 | 3.29 | 6.70 | 4.13 | 4.52 |
| 6418 | 1.29 | 2.25 | 11.17 | 3.31 | 4.14 | 4.61 | 1.46 | 1.51 | 1.51 |
| 6419 | 0.90 | 2.39 | 3.03 | 3.05 | 3.46 | 1.82 | 1.25 | 1.59 | 3.31 |
| 6420 | 2.14 | 1.31 | 2.07 | 3.67 | 3.56 | 3.16 | 1.14 | 3.00 | 3.31 |
| 6421 | 3.15 | 3.15 | 6.78 | 8.40 | 6.00 | 2.50 | 2.88 | 3.62 | 2.20 |
| 6422 | 3.63 | 3.63 | 9.40 | 3.91 | 4.00 | 7.35 | 5.55 | 5.17 | 2.50 |
| 6423 | 3.24 | 2.34 | 2.94 | 2.27 | 2.00 | 2.35 | 2.06 | 2.43 | 2.73 |
| 6424 | 2.70 | 2.69 | 3.65 | 3.00 | 4.10 | 3.58 | 2.71 | 3.62 | 1.87 |
| 6425 | 2.69 | 3.59 | 11.38 | 2.35 | 3.00 | 2.57 | 10.63 | 1.00 | 1.00 |

6426: OTHER CELLULITIS/ABSCESS LEG
 6427: DIM SPEC INT DEFORMED KNEE
 6428: DIM SPEC INT DEFORMED KNEE
 6429: DIM SPEC INT DEFORMED KNEE
 6430: DIM SPEC INT DEFORMED KNEE
 6431: DIM SPEC INT DEFORMED KNEE
 6432: DIM SPEC INT DEFORMED KNEE
 6433: DIM SPEC INT DEFORMED KNEE
 6434: DIM SPEC INT DEFORMED KNEE
 6435: DIM SPEC INT DEFORMED KNEE
 6436: DIM SPEC INT DEFORMED KNEE
 6437: DIM SPEC INT DEFORMED KNEE
 6438: DIM SPEC INT DEFORMED KNEE
 6439: DIM SPEC INT DEFORMED KNEE
 6440: DIM SPEC INT DEFORMED KNEE
 6441: DIM SPEC INT DEFORMED KNEE
 6442: DIM SPEC INT DEFORMED KNEE
 6443: DIM SPEC INT DEFORMED KNEE
 6444: DIM SPEC INT DEFORMED KNEE
 6445: DIM SPEC INT DEFORMED KNEE
 6446: DIM SPEC INT DEFORMED KNEE
 6447: DIM SPEC INT DEFORMED KNEE
 6448: DIM SPEC INT DEFORMED KNEE
 6449: DIM SPEC INT DEFORMED KNEE
 6450: DIM SPEC INT DEFORMED KNEE
 6451: DIM SPEC INT DEFORMED KNEE
 6452: DIM SPEC INT DEFORMED KNEE
 6453: DIM SPEC INT DEFORMED KNEE
 6454: DIM SPEC INT DEFORMED KNEE
 6455: DIM SPEC INT DEFORMED KNEE
 6456: DIM SPEC INT DEFORMED KNEE
 6457: DIM SPEC INT DEFORMED KNEE
 6458: DIM SPEC INT DEFORMED KNEE
 6459: DIM SPEC INT DEFORMED KNEE
 6460: DIM SPEC INT DEFORMED KNEE
 6461: DIM SPEC INT DEFORMED KNEE
 6462: DIM SPEC INT DEFORMED KNEE
 6463: DIM SPEC INT DEFORMED KNEE
 6464: DIM SPEC INT DEFORMED KNEE
 6465: DIM SPEC INT DEFORMED KNEE
 6466: DIM SPEC INT DEFORMED KNEE
 6467: DIM SPEC INT DEFORMED KNEE
 6468: DIM SPEC INT DEFORMED KNEE
 6469: DIM SPEC INT DEFORMED KNEE
 6470: DIM SPEC INT DEFORMED KNEE
 6471: DIM SPEC INT DEFORMED KNEE
 6472: DIM SPEC INT DEFORMED KNEE
 6473: DIM SPEC INT DEFORMED KNEE
 6474: DIM SPEC INT DEFORMED KNEE
 6475: DIM SPEC INT DEFORMED KNEE
 6476: DIM SPEC INT DEFORMED KNEE
 6477: DIM SPEC INT DEFORMED KNEE
 6478: DIM SPEC INT DEFORMED KNEE
 6479: DIM SPEC INT DEFORMED KNEE
 6480: DIM SPEC INT DEFORMED KNEE
 6481: DIM SPEC INT DEFORMED KNEE
 6482: DIM SPEC INT DEFORMED KNEE
 6483: DIM SPEC INT DEFORMED KNEE
 6484: DIM SPEC INT DEFORMED KNEE
 6485: DIM SPEC INT DEFORMED KNEE
 6486: DIM SPEC INT DEFORMED KNEE
 6487: DIM SPEC INT DEFORMED KNEE
 6488: DIM SPEC INT DEFORMED KNEE
 6489: DIM SPEC INT DEFORMED KNEE
 6490: DIM SPEC INT DEFORMED KNEE
 6491: DIM SPEC INT DEFORMED KNEE
 6492: DIM SPEC INT DEFORMED KNEE
 6493: DIM SPEC INT DEFORMED KNEE
 6494: DIM SPEC INT DEFORMED KNEE
 6495: DIM SPEC INT DEFORMED KNEE
 6496: DIM SPEC INT DEFORMED KNEE
 6497: DIM SPEC INT DEFORMED KNEE
 6498: DIM SPEC INT DEFORMED KNEE
 6499: DIM SPEC INT DEFORMED KNEE
 6500: DIM SPEC INT DEFORMED KNEE

SECTION 01: FACILITY DATA
TABLE 21. MEDIAN MEDICAL AVERAGE LENGTH OF STAY (DAYS)
TABLE 21. MEDIAN MEDICAL AVERAGE LENGTH OF STAY (DAYS)
TABLE 21. MEDIAN MEDICAL AVERAGE LENGTH OF STAY (DAYS)

| | POLK CRD AVG DAYS | RILEY CRD AVG DAYS | SILL CRD AVG DAYS | STEWART CRD AVG DAYS | W POINT CRD AVG DAYS | MAX CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|--------------------------------------|----------------------|-----------------------|----------------------|-------------------------|-------------------------|-------------------|-------------------|------------------|
| W252 STERILIZATION | 1.01 | 1.00 | 2.42 | 1.59 | 1.30 | 2.42 | 0.99 | 2.41 |
| W258 ANTENATAL SCREENING | 1.00 | 0.00 | 0.00 | 1.00 | 0.00 | 3.50 | 0.00 | 0.00 |
| W300 SINGL INFANT BORN IN HOSP | 3.23 | 3.32 | 3.32 | 3.39 | 3.37 | 3.50 | 2.86 | 1.24 |
| W301 OTH PLASTIC SURG, COSMETIC APP | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| W302 REMOVAL FM PLATE/FIXTH DEVICE | 3.43 | 4.93 | 2.45 | 3.95 | 2.90 | 7.97 | 1.05 | 7.63 |
| W303 AFTERBARE MAINT CHEMOTHERAPY | 2.88 | 1.67 | 3.75 | 5.00 | 2.67 | 5.95 | 1.34 | 4.44 |
| W304 FOLLOW-UP EXAM, SURGERY | 2.00 | 1.23 | 2.31 | 2.00 | 1.13 | 4.60 | 0.00 | 0.00 |
| W305 F/U EXAM, OTHER TREATMENT | 2.31 | 1.00 | 2.14 | 1.69 | 1.67 | 11.67 | 0.00 | 0.00 |
| W306 OBSERVATION SUSP CARDIASC DIS | 1.70 | 1.84 | 4.05 | 2.33 | 2.33 | 4.05 | 0.00 | 2.20 |
| W307 OBSERVATION OTH SPECIFIED COND | 2.42 | 1.57 | 2.47 | 2.36 | 1.21 | 2.67 | 1.21 | 2.25 |
| W308 INTESTINAL INFECT, OTH ORG NEC | 2.40 | 1.76 | 2.30 | 2.50 | 2.44 | 3.96 | 1.76 | 2.25 |
| W309 STREPTOCOCCAL SORE THROAT | 3.00 | 2.69 | 2.72 | 2.50 | 2.46 | 12.00 | 2.23 | 5.37 |
| W310 MYOCELLA W/O COMPLICATIONS | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 7.75 | 0.00 | 2.72 |
| W311 VIRAL INFECT, NOS | 3.04 | 2.30 | 5.10 | 4.86 | 5.00 | 5.42 | 2.95 | 1.83 |
| W312 CANCER, BRONCHUS/LUNG NOS | 10.63 | 9.00 | 6.71 | 12.67 | 7.80 | 13.62 | 3.67 | 3.71 |
| W313 CANCER, BREAST, FEM, NOS | 9.56 | 5.11 | 6.19 | 7.00 | 4.70 | 12.00 | 0.00 | 3.00 |
| W314 CANCER, PROSTATE | 3.00 | 5.00 | 1.44 | 2.31 | 1.23 | 12.00 | 0.00 | 6.00 |
| W315 BENIGN NEOPLASM, COLON | 1.70 | 5.00 | 3.80 | 2.41 | 1.23 | 5.97 | 3.58 | 1.78 |
| W316 LEIOMYOMA, UTERUS, NOS | 6.37 | 5.71 | 3.69 | 2.43 | 1.23 | 17.06 | 2.00 | 8.53 |
| W317 VOLUME DEPLETION | 4.13 | 2.65 | 11.94 | 12.43 | 11.85 | 19.68 | 5.66 | 3.40 |
| W318 ALCOHOL DEPENDENCE | 12.54 | 5.68 | 11.94 | 12.43 | 11.85 | 14.52 | 2.27 | 6.41 |
| W319 DRUG ABUSE, ALCOHOL | 8.10 | 6.93 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W320 ADJUST REACT, BRIEF DEPRESSIVE | 11.63 | 6.93 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W321 ADJUST REACT W/DIST OTH PHOT | 9.05 | 7.35 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W322 CARPAL TUNNEL SYNDROME | 2.14 | 2.96 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W323 CATARACT NOS | 1.92 | 2.79 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W324 OTITIS MEDIA NOS | 2.40 | 1.47 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W325 INTERMEDIATE CORONARY SYNDROME | 2.95 | 3.53 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W326 ANGINA, OTHER AND UNSPEC | 2.58 | 3.53 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W327 CORONARY ARTERIOCLEROSIS | 3.00 | 7.47 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W328 CHRONIC ISCHEMIC HEART DISEASE | 1.00 | 2.00 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W329 ATRIAL FIBRILLATION/FLUTTER | 3.29 | 3.30 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W330 CONGESTIVE HEART FAILURE | 4.60 | 10.63 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W331 ACUTE PHARYNGITIS | 2.87 | 3.79 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W332 ACUTE TONSILLITIS | 2.14 | 3.29 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W333 ACUTE UPPER RESPI INFECT | 2.27 | 1.39 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W334 DEVIATED NASAL SEPTUM | 2.24 | 2.24 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W335 CHRONIC TONSILLITIS | 1.23 | 2.71 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W336 HYPERTROPHY TONSILLOIDOPHAGOS | 4.03 | 5.58 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W337 PNEUMONIA, ORGANISM UNKNT | 3.00 | 5.00 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W338 BRONCHITIS | 2.94 | 3.02 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W339 ASTHMA NOS | 6.97 | 3.86 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W340 CHRONIC BRONCHITIS | 1.88 | 1.94 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W341 ACUTE TUBIN EMBOLISM | 0.00 | 3.17 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W342 ESOPHAGITIS | 2.55 | 2.94 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W343 GASTRITIS/GASTROENTERITIS NOS | 2.44 | 2.05 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W344 ACUTE APPENDICITIS W/O PERITON | 4.25 | 4.00 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W345 INGUINAL HERNIA | 3.39 | 3.33 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W346 GASTROENTERITIS | 2.37 | 2.12 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W347 DIVERTICULA OF COLON | 9.08 | 4.00 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W348 CALCULUS GALLBLADDER W/OTH CHNL | 9.95 | 5.43 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W349 HEMORRHOID, GI TRACT NOS | 5.40 | 4.57 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W350 PYLOROPATHY/PYORRHOE | 4.15 | 3.90 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W351 CALCULUS OF KIDNEY | 2.50 | 2.67 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W352 CALCULUS OF URETER | 7.87 | 3.70 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W353 PRIMARY TRACT INFECTION | 3.40 | 2.50 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W354 HYPERPLASIA OF PROSTATE | 4.00 | 3.33 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W355 REDUNDANT PREPUCE/PHIMOSIS | 1.74 | 1.67 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W356 DIFFUSE CYSTIC NASOPHARY | 2.25 | 2.19 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W357 PELVIC/PERITON ADHESIONS, IFM | 2.89 | 3.77 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W358 DYSPLASIA OF CERVIX | 2.83 | 3.00 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W359 SYMPTOMS/PAIN FEM GENITAL | 1.96 | 1.98 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W360 EXCESSIVE/FREQ MENSTRUATION | 2.00 | 3.17 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W361 MISSED ABORTION | 1.38 | 1.38 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W362 SPONTANEOUS ABORTION | 1.31 | 1.37 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W363 MILD/UNSPEC PREECLAMPSIA | 4.59 | 4.00 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W364 MILD HYPERTENSIS GRAVITARIA | 2.98 | 2.98 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W365 THREATENED LABOR | 1.85 | 2.43 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W366 EARLY ONSET DELIVERY (37WKS) | 1.38 | 1.38 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W367 PROLONGED FREQUENCY | 3.08 | 3.08 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |
| W368 THREAT ON PART IN PREGNANCY | 3.11 | 3.11 | 11.94 | 12.43 | 11.85 | 16.81 | 4.71 | 3.56 |

SECTION B: FACILITY DATA
TABLE 7: DIRECT CARE AND CLINICAL DATA COMBINED: CRUISE RUTS

| | POLK CRD AVG DAYS | RILEY CRD AVG DAYS | SILL CRD AVG DAYS | STEWART CRD AVG DAYS | MAX CRUISE RATE | MIN CRUISE RATE | MAX/MIN RAT |
|--------------------------------------|----------------------|-----------------------|----------------------|-------------------------|--------------------|--------------------|----------------|
| 6400 ABIL GLUC TOL TEST IN PREGNANCY | 2.09 | 3.33 | 2.50 | 3.30 | 5.33 | 0.00 | 1.00 |
| 6401 DELIVERY IN NORMAL CASE | 2.55 | 3.42 | 2.50 | 2.72 | 3.42 | 1.95 | 1.95 |
| 6402 BREECH PRESENT W/O VERSION | 4.12 | 4.26 | 3.79 | 4.50 | 8.21 | 2.98 | 2.75 |
| 6403 PREVIOUS CESARIAN SECTION | 4.27 | 3.89 | 4.31 | 4.30 | 5.00 | 2.88 | 1.74 |
| 6404 FETAL DISTRESS | 3.22 | 3.40 | 4.12 | 3.59 | 5.70 | 2.84 | 2.03 |
| 6405 POOR FETAL GROWTH | 1.50 | 3.00 | 3.25 | 2.00 | 6.29 | 0.00 | 0.00 |
| 6406 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 2.00 | 6.67 | 6.09 | 0.00 | 0.00 |
| 6407 10/10/USPET UTERINE INFARCT | 3.42 | 2.80 | 3.46 | 4.63 | 5.03 | 0.00 | 0.00 |
| 6408 UNILATERAL CORD AROUND NECK | 2.80 | 3.83 | 2.90 | 2.98 | 4.04 | 0.00 | 0.00 |
| 6409 1ST DEGREE LACERATION PERINEUM | 2.73 | 3.83 | 3.16 | 3.05 | 3.83 | 0.00 | 0.00 |
| 6410 2ND DEGREE LACERATION PERINEUM | 2.53 | 2.62 | 2.42 | 2.94 | 3.40 | 1.99 | 1.92 |
| 6411 3RD DEGREE LACERATION PERINEUM | 2.71 | 2.77 | 2.63 | 3.08 | 3.80 | 1.99 | 1.92 |
| 6412 OTHER PERINEAL LACERATION | 2.86 | 3.43 | 3.03 | 3.22 | 3.93 | 2.41 | 1.63 |
| 6413 OTHER PERINEAL LACERATION | 4.90 | 8.00 | 5.94 | 5.47 | 8.00 | 3.00 | 2.67 |
| 6414 1ST DEGREE LACERATION PERINEUM | 3.20 | 3.86 | 3.67 | 4.33 | 12.33 | 2.22 | 5.55 |
| 6415 2ND DEGREE LACERATION PERINEUM | 5.03 | 11.21 | 8.17 | 7.00 | 28.95 | 1.97 | 15.92 |
| 6416 3RD DEGREE LACERATION PERINEUM | 6.09 | 12.60 | 6.06 | 6.72 | 14.59 | 4.13 | 3.53 |
| 6417 4TH DEGREE LACERATION PERINEUM | 2.91 | 3.43 | 3.58 | 7.13 | 22.60 | 2.91 | 7.77 |
| 6418 5TH DEGREE LACERATION PERINEUM | 1.80 | 2.43 | 2.10 | 2.17 | 11.17 | 1.27 | 8.69 |
| 6419 6TH DEGREE LACERATION PERINEUM | 2.38 | 2.43 | 2.36 | 1.89 | 3.05 | 0.90 | 3.40 |
| 6420 7TH DEGREE LACERATION PERINEUM | 4.61 | 5.31 | 4.89 | 2.89 | 5.31 | 1.00 | 5.31 |
| 6421 8TH DEGREE LACERATION PERINEUM | 3.44 | 4.50 | 4.40 | 3.63 | 8.40 | 2.20 | 3.94 |
| 6422 9TH DEGREE LACERATION PERINEUM | 2.78 | 3.33 | 2.83 | 3.18 | 9.85 | 2.50 | 3.94 |
| 6423 10TH DEGREE LACERATION PERINEUM | 2.03 | 2.53 | 3.01 | 2.53 | 3.01 | 2.00 | 1.51 |
| 6424 11TH DEGREE LACERATION PERINEUM | 2.63 | 2.17 | 4.37 | 3.00 | 4.37 | 1.87 | 2.33 |
| 6425 12TH DEGREE LACERATION PERINEUM | 1.41 | 1.41 | 6.31 | 3.31 | 11.39 | 1.50 | 2.57 |

SECTION B - FACILITY DATA
 TABLE 2 - MEDIAN MEDIAN AVERAGE LENGTH OF STAY (MAY) -
 TABLE 2 - MEDIAN MEDIAN AVERAGE LENGTH OF STAY (MAY) -

| | RELMER (MAY) | CAMPBELL (MAY) | CHURCH (MAY) | DIX (MAY) | HARRIS (MAY) | JACKSON (MAY) | LEE (MAY) | MEYER (MAY) | RELMER (MAY) |
|--------------------------------------|--------------|----------------|--------------|-----------|--------------|---------------|-----------|-------------|--------------|
| | NO. DAYS | NO. DAYS | NO. DAYS | NO. DAYS | NO. DAYS | NO. DAYS | NO. DAYS | NO. DAYS | NO. DAYS |
| 6400 ABIL. GLUC. TOL. TEST IN PREGN. | 3.01 | 1.95 | 1.67 | 4.41 | 1.77 | 4.50 | 0.00 | 5.60 | 4.37 |
| 6500 DELIVERY IN HOSPITAL CASE | 2.23 | 1.71 | 1.81 | 2.23 | 3.22 | 3.33 | 2.02 | 2.90 | 5.37 |
| 6522 BREACH PRESENT AT VISION | 3.46 | 3.75 | 2.59 | 4.26 | 4.95 | 3.90 | 4.50 | 4.80 | 17.90 |
| 6542 PREVIOUS CESARIAN SECTION | 4.17 | 3.61 | 3.39 | 4.41 | 4.67 | 3.60 | 3.20 | 3.91 | 11.10 |
| 6563 FETAL DISTRESS | 2.94 | 2.68 | 2.52 | 3.99 | 3.66 | 5.96 | 4.16 | 3.82 | 7.95 |
| 6583 POOR FETAL GROWTH | 3.59 | 3.06 | 1.05 | 4.05 | 1.14 | 4.53 | 4.18 | 0.00 | 1.70 |
| 6586 EXCESSIVE FETAL GROWTH | 3.24 | 0.00 | 1.13 | 0.00 | 1.07 | 4.02 | 0.00 | 0.00 | 14.17 |
| 6612 UNUSUAL FETAL POSITION | 4.64 | 3.31 | 2.77 | 3.68 | 0.00 | 5.02 | 3.06 | 0.00 | 6.09 |
| 6631 UNUSUAL FETAL POSITION | 2.34 | 1.75 | 2.12 | 2.37 | 3.00 | 0.00 | 2.16 | 3.09 | 5.50 |
| 6633 UNUSUAL FETAL POSITION | 2.32 | 1.63 | 1.67 | 2.23 | 1.77 | 0.00 | 2.99 | 3.42 | 8.00 |
| 6640 1ST DEGREE LACERATION PERINEUM | 2.38 | 1.55 | 1.73 | 2.21 | 2.71 | 3.05 | 2.11 | 3.06 | 6.40 |
| 6641 2ND DEGREE LACERATION PERINEUM | 2.32 | 1.64 | 1.80 | 2.35 | 3.60 | 2.93 | 3.12 | 3.01 | 6.21 |
| 6642 3RD DEGREE LACERATION PERINEUM | 3.67 | 2.03 | 2.24 | 2.85 | 2.31 | 3.04 | 3.21 | 3.61 | 6.21 |
| 6826 OSTEOMYELITIS | 3.66 | 0.00 | 0.34 | 4.54 | 7.31 | 3.82 | 6.24 | 4.52 | 4.41 |
| 7159 OTH. SPEC. INF. DEPARTMENT KNEE | 2.93 | 14.69 | 14.69 | 7.70 | 10.24 | 6.10 | 4.52 | 6.67 | 2.01 |
| 7221 DISPLACEMENT OF PELVIS | 11.37 | 12.73 | 16.31 | 9.13 | 7.10 | 7.32 | 9.67 | 6.40 | 2.31 |
| 7242 LUMBAGO | 5.96 | 6.07 | 6.31 | 9.13 | 6.00 | 9.33 | 9.67 | 6.40 | 3.31 |
| 7270 SYNOVITIS/OSTEOARTHRITIS | 1.96 | 2.01 | 12.20 | 0.59 | 3.31 | 3.01 | 7.39 | 3.72 | 3.20 |
| 7274 GONORRHOEA | 1.96 | 2.01 | 12.20 | 0.59 | 3.31 | 3.01 | 7.39 | 3.72 | 3.20 |
| 7350 HERNIA VALGUS | 3.15 | 1.05 | 2.34 | 2.64 | 2.42 | 1.67 | 1.59 | 1.07 | 1.27 |
| 7802 SYNOVITIS/OSTEOARTHRITIS | 3.15 | 1.05 | 2.34 | 2.64 | 2.42 | 1.67 | 1.59 | 1.07 | 1.27 |
| 7803 SYNOVITIS/OSTEOARTHRITIS | 3.15 | 1.05 | 2.34 | 2.64 | 2.42 | 1.67 | 1.59 | 1.07 | 1.27 |
| 7863 CHEST PAIN | 2.91 | 3.28 | 3.45 | 3.79 | 4.00 | 2.05 | 2.58 | 3.22 | 1.97 |
| 7890 ACUTE PAIN | 2.91 | 3.28 | 3.45 | 3.79 | 4.00 | 2.05 | 2.58 | 3.22 | 1.97 |
| 8540 TUBERCULOSIS | 2.14 | 3.49 | 3.80 | 2.66 | 4.00 | 1.89 | 1.68 | 2.28 | 2.57 |
| | 2.14 | 3.49 | 3.80 | 2.66 | 4.00 | 1.89 | 1.68 | 2.28 | 2.57 |
| | 2.14 | 3.49 | 3.80 | 2.66 | 4.00 | 1.89 | 1.68 | 2.28 | 2.57 |

SECTION B: FACILITY DATA
TABLE 2-1. DIRECT CARE AND CAMPUS DATA COMBINED: ADJUSTED RATES

| | | POLK ADJ AVG DAYS | RILEY ADJ AVG DAYS | STILL ADJ AVG DAYS | STEMART ADJ AVG DAYS | ST. M. POINT ADJ AVG DAYS | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|------|--------------------------------|----------------------|-----------------------|-----------------------|-------------------------|------------------------------|-----------------|-----------------|------------------|
| 1400 | ABNL GLUC TOL TEST IN PREGN | 2.60 | 2.34 | 2.50 | 2.78 | 6.59 | 6.59 | 0.00 | |
| 1500 | DELIVERY IN NORMAL CASE | 2.31 | 3.10 | 2.57 | 2.42 | 4.26 | 5.37 | 1.71 | 3.13 |
| 1522 | BREECH PRESENT W/O VERSION | 3.72 | 3.85 | 3.76 | 3.81 | 5.26 | 17.98 | 2.59 | 6.93 |
| 1542 | PREVIOUS CESARIAN SECTION | 3.84 | 3.46 | 4.20 | 3.55 | 8.17 | 11.10 | 3.20 | 3.47 |
| 1543 | FETAL DISTRESS | 2.92 | 3.20 | 4.16 | 3.02 | 6.00 | 7.35 | 2.52 | 2.92 |
| 1545 | POOR FETAL GROWTH | 1.37 | 2.83 | 3.35 | 5.34 | 2.97 | 5.34 | 0.00 | |
| 1546 | EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 2.00 | 5.58 | 0.00 | 14.17 | 0.00 | |
| 1548 | DM/UNSPEC UTERINE INFARCT | 3.10 | 2.55 | 3.46 | 3.87 | 4.67 | 6.89 | 0.00 | |
| 1552 | UMBILICAL CORD AROUND NECK | 2.54 | 3.50 | 2.90 | 2.49 | 3.72 | 5.58 | 0.00 | |
| 1553 | 1ST DEGREE LACERATION PERINEUM | 2.46 | 2.41 | 3.10 | 2.52 | 5.18 | 8.09 | 0.00 | |
| 1554 | 2ND DEGREE LACERATION PERINEUM | 2.28 | 2.34 | 2.37 | 2.43 | 4.43 | 6.48 | 1.55 | 4.18 |
| 1555 | 3RD DEGREE LACERATION PERINEUM | 2.55 | 2.40 | 2.59 | 2.55 | 5.25 | 6.72 | 1.64 | 4.09 |
| 1556 | OTHER CELLULITIS/ABSCESS LEG | 2.59 | 3.15 | 3.05 | 2.70 | 4.14 | 6.23 | 2.03 | 3.07 |
| 1559 | OSTEOARTHRITIS | 3.26 | 9.41 | 6.14 | 6.84 | 3.36 | 9.41 | 3.36 | 2.80 |
| 1700 | DM SPEC INT DERANGEMENT KNEE | 3.44 | 6.57 | 4.46 | 6.47 | 2.61 | 14.73 | 2.02 | 7.20 |
| 1721 | DISLOCN MT INJURY/IN MT | 4.87 | 8.98 | 6.36 | 6.37 | 6.66 | 22.79 | 2.33 | 9.78 |
| 1722 | LUMBAGO | 2.31 | 20.76 | 5.34 | 6.37 | 12.29 | 16.31 | 3.31 | 4.93 |
| 1724 | SYNOVITIS/TENDINITIS | 1.48 | 3.17 | 3.17 | 6.63 | 9.73 | 20.76 | 2.31 | 9.00 |
| 1750 | MINOR URGES | 1.25 | 2.23 | 2.14 | 1.73 | 2.68 | 12.20 | 1.27 | 9.63 |
| 1802 | SYNOVITIS/TENDINITIS | 3.80 | 5.70 | 4.97 | 2.89 | 1.03 | 3.27 | 0.89 | 3.69 |
| 1803 | CUNNIFLUX | 2.60 | 3.22 | 4.72 | 4.32 | 2.33 | 5.70 | 1.03 | 5.54 |
| 1805 | CHEST PAIN | 3.02 | 4.06 | 2.77 | 3.13 | 9.87 | 7.90 | 1.92 | 4.12 |
| 1890 | ANTHONY M. PTIN | 2.52 | 4.06 | 3.61 | 3.78 | 1.94 | 9.87 | 2.32 | 4.25 |
| 1894 | THYROID HORMONE INJURY, MT/NOG | 2.44 | 2.24 | 4.40 | 3.00 | 3.55 | 4.06 | 1.86 | 2.16 |
| 1895 | THYROID HORMONE INJURY, MT/NOG | 2.44 | 2.24 | 4.40 | 3.00 | 3.55 | 4.40 | 1.86 | 2.36 |
| | | | | | | | 12.60 | 2.12 | 5.95 |

SECTION B: FACILITY WITH
SMALL MEDICARE DISPOSITIONS PER JOK
ADJUSTABLE 2%. DIRECT CARE DMIN: CRUDE RATES

| TITRE THREE THIRTY CRUDE MIXES | | | | | | | | | |
|--------------------------------|---------------------|--------------------------|------------------------|------------------------|------------------------|-------------------------|-----------------------|--------------------------|--|
| | MSC RATE PER 10K | UNWRIGHT CRD RATE/10K | DEWEVS CRD RATE/10K | EUSTIS CRD RATE/10K | BM HBR CRD RATE/10K | LUWORTH CRD RATE/10K | HERDE CRD RATE/10K | MONMOUTH CRD RATE/10K | |
| V252 | 20.82 | 10.17 | 17.73 | 14.68 | 34.25 | 5.80 | 20.21 | 5.06 | |
| V253 | 18.32 | 10.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| V254 | 128.32 | 205.96 | 0.00 | 0.00 | 0.00 | 0.00 | 0.25 | 0.00 | |
| V255 | 1.36 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| V256 | 3.26 | 6.61 | 1.64 | 2.94 | 0.75 | 0.00 | 2.09 | 0.00 | |
| V257 | 8.22 | 6.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 2.02 | |
| V258 | 9.26 | 1.02 | 0.02 | 2.03 | 0.00 | 0.00 | 1.73 | 5.73 | |
| V259 | 3.83 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.73 | 5.73 | |
| V260 | 3.73 | 0.51 | 0.16 | 0.90 | 4.52 | 13.05 | 2.83 | 3.34 | |
| V261 | 10.13 | 12.71 | 1.48 | 0.45 | 4.89 | 4.08 | 2.49 | 0.06 | |
| V262 | 10.13 | 11.00 | 13.55 | 3.39 | 1.63 | 2.09 | 7.42 | 5.06 | |
| V263 | 8.05 | 6.10 | 6.07 | 6.10 | 4.49 | 2.02 | 1.36 | 2.02 | |
| V264 | 3.62 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.01 | |
| V265 | 3.74 | 2.54 | 3.28 | 2.94 | 3.01 | 0.00 | 0.00 | 1.01 | |
| V266 | 21.83 | 9.66 | 8.21 | 21.69 | 15.41 | 2.72 | 2.46 | 7.04 | |
| V267 | 3.48 | 0.00 | 0.16 | 1.36 | 0.75 | 0.00 | 0.34 | 0.00 | |
| V268 | 3.50 | 0.51 | 0.82 | 2.26 | 2.24 | 1.36 | 2.46 | 0.62 | |
| V269 | 3.19 | 0.00 | 0.15 | 0.68 | 0.00 | 0.54 | 0.99 | 0.62 | |
| V270 | 8.99 | 2.03 | 2.95 | 0.00 | 0.00 | 2.45 | 1.85 | 1.01 | |
| V271 | 2765 | 1.51 | 1.31 | 3.16 | 12.37 | 3.81 | 4.31 | 1.03 | |
| V272 | 2113 | 6.64 | 2.30 | 2.48 | 4.14 | 4.52 | 3.20 | 1.04 | |
| V273 | 3039 | 9.65 | 0.98 | 0.68 | 1.11 | 0.54 | 0.25 | 0.34 | |
| V274 | 3050 | 4.37 | 2.63 | 0.98 | 1.97 | 0.54 | 0.25 | 0.34 | |
| V275 | 3090 | 6.21 | 2.03 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | |
| V276 | 3092 | 4.97 | 5.00 | 0.00 | 0.45 | 0.00 | 0.12 | 0.00 | |
| V277 | 3240 | 4.47 | 4.50 | 1.15 | 2.71 | 0.54 | 1.11 | 6.02 | |
| V278 | 3249 | 10.22 | 0.00 | 6.57 | 0.00 | 0.00 | 3.08 | 1.35 | |
| V279 | 3253 | 7.61 | 5.59 | 3.28 | 4.74 | 1.63 | 5.18 | 1.00 | |
| V280 | 4111 | 3.69 | 0.00 | 0.00 | 2.71 | 0.00 | 4.19 | 0.00 | |
| V281 | 4139 | 3.59 | 0.00 | 0.49 | 3.84 | 1.36 | 0.74 | 3.03 | |
| V282 | 4140 | 11.01 | 1.51 | 0.82 | 2.26 | 0.75 | 0.32 | 1.35 | |
| V283 | 4149 | 4.82 | 2.54 | 0.82 | 0.00 | 0.00 | 0.62 | 0.62 | |
| V284 | 4273 | 5.12 | 2.54 | 2.13 | 4.74 | 0.75 | 1.97 | 2.75 | |
| V285 | 4280 | 5.32 | 3.56 | 0.33 | 1.97 | 3.26 | 3.70 | 2.70 | |
| V286 | 462 | 7.64 | 2.54 | 3.12 | 4.74 | 1.36 | 0.96 | 3.03 | |
| V287 | 463 | 4.40 | 2.54 | 1.81 | 2.48 | 1.36 | 0.49 | 3.03 | |
| V288 | 4659 | 21.28 | 5.59 | 1.81 | 6.10 | 0.82 | 1.11 | 2.02 | |
| V289 | 470 | 4.95 | 10.68 | 0.16 | 5.65 | 0.00 | 0.67 | 0.67 | |
| V290 | 4740 | 3.45 | 12.20 | 0.00 | 5.87 | 0.30 | 4.31 | 0.67 | |
| V291 | 4741 | 4.82 | 12.20 | 2.46 | 20.33 | 0.00 | 1.36 | 1.36 | |
| V292 | 4741 | 3.45 | 19.83 | 5.75 | 9.94 | 7.15 | 7.52 | 8.76 | |
| V293 | 490 | 14.70 | 1.51 | 0.33 | 5.20 | 8.20 | 0.62 | 2.02 | |
| V294 | 490 | 4.65 | 1.51 | 0.33 | 5.20 | 8.20 | 0.62 | 2.02 | |
| V295 | 4939 | 12.57 | 13.22 | 7. | | | | | |

SECTION D. FACILITY WITH SMALL NUMBER DISPOSITIONS PER 100
DIRECT CASES WITH TRUE RATES

| | MSC RATE PER 100 | MINWRIGHT CRD RATE/10K | DEVENS CRD RATE/10K | EUSTIS CRD RATE/10K | BN HARR CRD RATE/10K | LUWORTH CRD RATE/10K | HERDE CRD RATE/10K | MONMOUTH CRD RATE/10K |
|-------------------------------------|---------------------|---------------------------|------------------------|------------------------|-------------------------|-------------------------|-----------------------|--------------------------|
| 6400 ABIL GLUC TOL TEST IN PREGNACY | 5.06 | 12.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.27 | 0.00 |
| 6500 DELIVERY IN NORMAL CASE | 23.22 | 9.48 | 0.00 | 0.23 | 0.00 | 0.00 | 0.27 | 6.74 |
| 6522 BREACH PRESENT W/O VERSION | 3.26 | 6.10 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6542 PREVIOUS CESARIAN SECTION | 6.80 | 9.66 | 0.16 | 0.00 | 0.00 | 0.00 | 0.37 | 0.00 |
| 6563 FETAL DISTRESS | 12.35 | 19.66 | 0.00 | 0.00 | 0.00 | 0.00 | 0.12 | 0.34 |
| 6565 POOR FETAL GROWTH | 3.20 | 4.07 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6566 EXCESSIVE FETAL GROWTH | 4.33 | 7.12 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6612 OTH/UNSPEC UTERINE INFRTA | 3.22 | 0.00 | 0.00 | 0.00 | 0.00 | 0.12 | 0.00 | 0.00 |
| 6631 UMBILICAL CORD AROUND NECK | 6.77 | 13.22 | 0.00 | 0.00 | 0.00 | 0.00 | 0.12 | 0.00 |
| 6633 UMBILICAL CORD ENTANGLEMENT | 3.75 | 10.17 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6640 1ST DEGREE LACERATION PERINEUM | 6.15 | 15.76 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6641 2ND DEGREE LACERATION PERINEUM | 4.41 | 10.68 | 0.16 | 0.00 | 0.00 | 0.00 | 0.25 | 0.00 |
| 6642 3RD DEGREE LACERATION PERINEUM | 5.22 | 16.78 | 0.00 | 0.00 | 0.00 | 0.00 | 0.62 | 0.00 |
| 6826 OTHER CELLULITIS/ABSCESS LEG | 3.81 | 1.53 | 0.82 | 2.71 | 4.52 | 1.36 | 1.36 | 2.02 |
| 7159 OSTEOARTHRITIS | 3.59 | 3.05 | 1.48 | 1.58 | 0.00 | 0.00 | 2.46 | 0.34 |
| 7170 OTH SPEC INT DERANGEMENT KNEE | 4.71 | 13.22 | 2.13 | 4.07 | 0.00 | 0.00 | 4.07 | 1.01 |
| 7221 DISPLACEMENT INVERTEBRAL DISC | 5.10 | 2.03 | 0.33 | 2.49 | 0.00 | 0.00 | 4.11 | 0.14 |
| 7242 LUMBAGO | 4.44 | 3.05 | 3.28 | 3.61 | 1.51 | 0.82 | 2.34 | 5.19 |
| 7270 SYNOVITIS/TENDINITIS | 3.81 | 1.53 | 0.82 | 0.45 | 1.00 | 15.77 | 0.62 | 2.36 |
| 7274 GUNGLION CYST | 3.70 | 4.58 | 0.82 | 2.71 | 8.66 | 1.97 | 1.97 | 5.39 |
| 7350 HALLUX VALGUS | 3.57 | 6.61 | 1.81 | 10.17 | 0.00 | 1.63 | 0.37 | 5.23 |
| 7602 SYNOVIO AND CONTRACT | 3.32 | 2.03 | 2.30 | 3.16 | 3.33 | 0.00 | 0.86 | 1.69 |
| 7603 CONVULSIONS | 4.60 | 1.53 | 2.63 | 3.61 | 7.15 | 0.27 | 2.46 | 0.34 |
| 7665 CHEST PAIN | 13.25 | 8.64 | 4.60 | 15.13 | 2.45 | 1.09 | 6.38 | 5.23 |
| 7690 ABDOMINAL PAIN | 8.29 | 6.10 | 7.39 | 3.39 | 13.92 | 2.45 | 2.09 | 3.37 |
| 8540 THERMURININ THERAPY, MTC/100G | 5.37 | 1.05 | 1.11 | 1.74 | 0.00 | 0.00 | 0.00 | 0.00 |

SECTION B: FACILITY DATA
TABLE 2: SMALL MEDICAL DISPOSITIONS PER IUK
DIRECT CARE DATA: CRUDE RATES

| | STERILIZATION | REDSTONE RATE/IUK | RUCKER CRD RATE/IUK | MIN CRUDE RATE | MAX CRUDE RATE | MAX/MIN RATIO |
|------|---------------------------------|----------------------|------------------------|-------------------|-------------------|------------------|
| V252 | STERILIZATION | 25.00 | 23.47 | 34.25 | 5.06 | 6.77 |
| V260 | ANTENATAL SCREENING | 0.00 | 0.00 | 0.00 | 0.00 | |
| V300 | SINGL INFANT BORN IN HOSP | 0.00 | 156.38 | 295.96 | 0.00 | |
| V801 | OTH PLASTIC SURG, COSMETIC APP | 0.00 | 0.00 | 4.07 | 0.00 | |
| V840 | REMOVAL FX PLATE/FIXTN DEVICE | 0.00 | 1.13 | 6.81 | 0.00 | |
| V881 | POSTERIOR MAINT CHEMOTHERAPY | 0.00 | 0.00 | 0.02 | 0.00 | |
| V870 | FOLLOW-UP EXAM, SURGERY | 5.48 | 0.28 | 5.73 | 0.00 | |
| V875 | F/U EXAM, OTHER TREATMENT | 0.00 | 0.57 | 3.81 | 0.00 | |
| V717 | OBSERVATION SUSP CARDIASC DIS | 0.34 | 0.00 | 13.05 | 0.00 | |
| V718 | OBSERVATION OTH SPECIFIED COMD | 12.67 | 0.28 | 12.71 | 0.28 | 44.95 |
| 8008 | INTESTINAL INFECT, OTH ORG NEC | 5.48 | 6.50 | 13.55 | 1.63 | 8.31 |
| 8340 | SIREPTOCOCAL SORE THROAT | 5.14 | 2.26 | 6.10 | 0.82 | 7.40 |
| 8449 | HTLV-III/IV NOS | 0.00 | 0.00 | 1.01 | 0.00 | |
| 8523 | VARICELLA W/O COMPLICATIONS | 1.37 | 1.13 | 3.28 | 0.27 | 12.07 |
| 8799 | VIRAL INFECT, NOS | 8.56 | 7.64 | 21.69 | 1.48 | 14.67 |
| 1649 | CANCER, BRONCHUS/LUNG NOS | 2.06 | 0.28 | 2.06 | 0.00 | |
| 1749 | CANCER, BREAST, FEM, NOS | 2.40 | 1.70 | 2.46 | 0.51 | 4.00 |
| 185 | CANCER, PROSTATE | 0.69 | 1.11 | 1.15 | 0.00 | |
| 2113 | REINION NEOPLASH, CILION | 11.30 | 0.00 | 11.30 | 0.00 | |
| 2189 | LEIOMYOMA, UTERUS, NOS | 0.34 | 1.41 | 4.31 | 0.00 | |
| 2765 | VOLUME DEPLETION | 17.81 | 1.13 | 32.37 | 0.37 | 87.55 |
| 3039 | ALCOHOL DEPENDENCE | 4.45 | 1.70 | 8.64 | 1.70 | 5.09 |
| 3050 | DRUG ABUSE, ALCOHOL | 1.71 | 0.28 | 7.63 | 0.25 | 30.10 |
| 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 3.08 | 0.57 | 4.97 | 0.00 | |
| 3092 | ADJUST REACT W/DIST OTH FINI | 0.00 | 0.28 | 5.09 | 0.00 | |
| 3540 | CARPAL TUNNEL SYNDROME | 7.88 | 9.90 | 9.90 | 0.54 | 18.20 |
| 3649 | CATARACT NOS | 0.34 | 10.75 | 10.75 | 0.00 | |
| 3829 | OTITIS MEDIA NOS... | 2.06 | 0.85 | 5.59 | 0.75 | 7.40 |
| 4111 | INTERMEDIATE CORONARY SYNDROME | 2.40 | 3.11 | 5.44 | 0.00 | |
| 4139 | ANGINA, OTHER AND UNSPEC | 0.00 | 9.61 | 9.61 | 0.00 | |
| 4140 | CORONARY ARTERIOSCLEROSIS | 3.77 | 0.28 | 3.77 | 0.28 | 13.30 |
| 4149 | CHRONIC ISCHEMIC HEART DISEASE | 1.37 | 1.13 | 2.54 | 0.00 | |
| 4273 | ATRIAL FIBRILLATION/FLUTTER | 2.74 | 3.11 | 4.74 | 0.67 | 7.04 |
| 4280 | CONGESTIVE HEART FAILURE | 4.80 | 4.81 | 4.97 | 0.00 | |
| 482 | ACUTE PHARYNGITIS | 5.48 | 3.11 | 7.75 | 0.86 | 8.93 |
| 483 | ACUTE TONSILLITIS | 1.37 | 0.28 | 3.03 | 0.28 | 10.70 |
| 4859 | ACUTE UPPER RESP INFECT | 1.37 | 0.00 | 10.68 | 0.00 | |
| 4740 | DEVIATED NASAL SEPTUM | 1.37 | 0.00 | 12.20 | 0.00 | |
| 4741 | CHRONIC TONSILLITIS | 2.74 | 0.00 | 20.33 | 0.00 | |
| 4741 | HYPERTROPHY TONSILS/ADENOIDS | 2.06 | 0.00 | 19.83 | 5.75 | 3.45 |
| 486 | PNEUMONIA, ORGANISM UNSPEC'D | 10.96 | 6.73 | 17.62 | 0.33 | 25.22 |
| 490 | BRONCHITIS | 1.71 | 3.11 | 8.28 | 4.89 | 7.60 |
| 4939 | ASTHMA NOS | 8.91 | 11.31 | 17.62 | 0.00 | |
| 496 | CHRONIC AIRWAY OBSTRUCTION | 10.28 | 3.96 | 23.90 | 0.00 | |
| 8206 | DISTURB TOOTH ERUPTION | 12.67 | 4.52 | 1.53 | 0.00 | |
| 8243 | ANOMALIES TOOTH POSITION | 1.03 | 0.28 | 5.09 | 0.75 | 6.76 |
| 8301 | ESOPHAGITIS | 4.45 | 3.68 | 5.09 | 0.86 | 5.90 |
| 8353 | GASTRITIS/GASTROENTERITIS NOS | 3.77 | 3.96 | 8.14 | 0.82 | 9.91 |
| 8409 | ACUTE APPENDICITIS W/O PERITON | 2.06 | 2.26 | 32.55 | 7.72 | 4.22 |
| 8509 | INGUINAL HERNIA | 23.63 | 21.21 | 31.01 | 1.90 | 16.29 |
| 8849 | GASTROENTERITIS | 7.88 | 9.05 | 12.33 | 1.13 | 10.92 |
| 8841 | DIVERTICULA OF COLON | 12.33 | 1.70 | 14.04 | 1.15 | 12.22 |
| 8741 | CALCULUS GALLBLADDER W/OTH CHOL | 14.04 | 8.20 | 1.85 | 0.34 | 5.48 |
| 8789 | HEMORRHOID GI TRACT NOS | 1.37 | 1.13 | 4.80 | 0.86 | 5.40 |
| 8908 | PELOUSOPHATITIS/PYOHFPHITIS | 4.80 | 4.24 | 3.53 | 0.00 | |
| 8920 | CALCULUS OF KIDNEY | 2.40 | 1.41 | 6.50 | 0.00 | |
| 8921 | CALCULUS OF URETER | 1.71 | 1.41 | 6.50 | 0.00 | |
| 8991 | UTERINE TRACT INFECTION | 4.11 | 3.68 | 4.52 | 0.67 | 6.70 |
| 800 | HYPERPLASIA OF PROSTATE | 0.00 | 9.61 | 9.77 | 0.00 | |
| 805 | REDUNDANT PREPUCE/PHIMOSIS | 3.77 | 5.66 | 9.15 | 0.67 | 13.58 |
| 8101 | DIFFUSE CYSTIC MASTOPATHY | 7.88 | 8.20 | 8.20 | 1.13 | 7.40 |
| 8146 | PELOUSOPHATITIS/ADENOSIS, FEM | 0.00 | 10.46 | 10.46 | 0.00 | |
| 8221 | DYSPLASIA OF CERVIX | 1.03 | 0.57 | 10.17 | 0.27 | |
| 8223 | STYLOSIS/PERI GENITAL | 0.34 | 0.57 | 38.46 | 0.00 | |
| 8252 | EXCESSIVE/RED HEMISPHTHION | 7.54 | 19.66 | 19.66 | 0.00 | |
| 8252 | WISSED MOUS ABORTION | 0.00 | 1.70 | 8.64 | 0.00 | |
| 8259 | SPERMATOCYST ABORTION | 3.08 | 19.66 | 19.66 | 0.00 | |
| 8349 | WILD UNUSP. PRECELL | 0.00 | 1.99 | 7.12 | 0.00 | |
| 8430 | WILD UNUSP. PRECELL | 0.63 | 1.93 | 2.83 | 0.00 | |
| 8440 | THREATENED PREM LABORS | 0.00 | 19.23 | 22.58 | 0.00 | |
| 8441 | THREATENED LABORS (37WKS) | 0.00 | 9.22 | 12.58 | 0.00 | |
| 8442 | EARLY ONSET DELIVERY (37WKS) | 0.00 | 5.39 | 12.58 | 0.00 | |
| 8480 | PROLONGED PREGNANCY | 0.63 | 3.39 | 5.09 | 0.00 | |
| 8486 | THREAT TO LIFE IN PARTURIENT | 1.03 | 1.03 | 3.06 | 0.00 | |

SECTION B: FACILITY DATA
TABLE 7: SMALL MEDIAN DISPOSITIONS PER 10K
DIRECT CARE UNIT: CRUDE RATES

| | REDSTONE CRD RATE/10K | BUCKER CRD RATE/10K | MAX CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|---|--------------------------|------------------------|-------------------|-------------------|------------------|
| 6400 HAML BLUC TOL TEST IN PREGNANCY | 0.00 | 2.26 | 12.20 | 0.00 | |
| 6500 DELIVERY IN NORMAL CASE | 3.77 | 26.86 | 28.18 | 0.00 | |
| 6522 BREACH PRESENT N/O VERSION | 0.34 | 3.39 | 6.10 | 0.00 | |
| 6542 PREVIOUS CESARIAN SECTION | 0.69 | 14.42 | 14.42 | 0.00 | |
| 6563 FETAL DISTRESS | 0.34 | 7.35 | 39.66 | 0.00 | |
| 6569 POOR FETAL GROWTH | 0.00 | 0.28 | 4.07 | 0.00 | |
| 6566 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 7.12 | 0.00 | |
| 6512 DYN/UNSPEC UTERINE INERTIA | 0.00 | 1.41 | 1.41 | 0.00 | |
| 6531 UNBILICAL CORD ENTANGLEMENT | 0.00 | 5.66 | 13.22 | 0.00 | |
| 6540 1ST DEGREE LACERATION PERINEUM | 1.03 | 7.64 | 10.17 | 0.00 | |
| 6541 2ND DEGREE LACERATION PERINEUM | 0.00 | 11.88 | 15.76 | 0.00 | |
| 6542 3RD DEGREE LACERATION PERINEUM | 0.00 | 3.11 | 10.68 | 0.00 | |
| 6526 OTHER CELLULITIS/ABSCESS LEG | 0.69 | 3.68 | 16.78 | 0.00 | |
| 7159 OSTEOARTHRITIS | 0.00 | 8.20 | 4.52 | 0.69 | 6.60 |
| 7176 DIN SPEC INT DERANGEMENT KNEE | 0.00 | 1.13 | 13.22 | 0.00 | |
| 7221 DISPLACEMENT INVERTED ORBITAL DISC | 4.80 | 2.83 | 4.80 | 0.33 | 14.61 |
| 7232 LUMBAGO | 4.45 | 2.26 | 5.39 | 0.27 | 19.83 |
| 7270 SYNOVITIS/TENOSYNOVITIS | 3.77 | 1.41 | 15.77 | 0.45 | 34.91 |
| 7274 GANGLION CYST | 8.22 | 7.07 | 8.66 | 0.82 | 10.55 |
| 7350 HALLUX VALGUS | 0.69 | 1.98 | 10.17 | 0.00 | |
| 7402 SYNCOPE AND (IN)FECT | 1.37 | 0.57 | 3.39 | 0.00 | |
| 7403 CONVULSIONS | 2.74 | 2.26 | 3.61 | 0.27 | 13.29 |
| 7465 CHEST PAIN | 19.87 | 1.70 | 19.87 | 1.09 | 18.27 |
| 7490 PROXIMAL FEMUR INJURY, NEC/HOS | 8.22 | 3.39 | 13.92 | 2.09 | 6.65 |
| 8540 INTIMIDATION INJURY, NEC/HOS | 1.17 | 1.11 | 4.74 | 0.00 | |

SHALL MEDIAN DISPOSITIONS PER 100 DIRECT CARE UNIT; ADJUSTED RATES

| | UNWRIGHT | ADJ | DEFENS | ADJ | EUSTIS | ADJ | HEAR | ALL | UNWTH | ADJ | MEHLE | ADJ | INMOUTH | ADJ |
|------|--------------------------------|---------------------|--------|-----------|--------|-----------|-------|-------|-------|-----------|-------|------|---------|-----------|
| | RATE/10K | | MTF | RATE/1000 | UNIT | RATE/1000 | ADJ | ADJ | UNIT | RATE/1000 | UNIT | PALE | UNIT | RATE/1000 |
| 6400 | ADNL GLUC | FOL TEST IN PREGN | 11.66 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.31 | 0.12 | 0.12 | 0.00 | 9.35 |
| 6401 | DELIVERY | IN NORMAL CASE | 26.65 | 0.00 | 0.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 3.81 | 0.00 | 0.00 | 9.35 |
| 6402 | BREACH | PRESENT N/D VERSION | 5.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.12 | 0.00 | 0.00 | 0.00 |
| 6403 | PREVIOUS | CESMARIAN SECTION | 9.20 | 0.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.36 | 0.00 | 0.00 | 0.00 |
| 6404 | FETAL DISTRESS | | 37.06 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.26 | 0.13 | 0.47 | 0.00 | 0.00 |
| 6405 | POOR FETAL GROWTH | | 3.81 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6406 | EXCESSIVE FETAL GRIMACE | | 6.74 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6407 | OTM/UNSPEC UTERINE INFARTIA | | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.13 | 0.00 | 0.00 | 0.00 |
| 6408 | UMBILICAL CORD AROUND NECK | | 12.45 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.31 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6409 | UMBILICAL CORD ENTANGLEMENT | | 9.62 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6410 | 1ST DEGREE LACERATION PERINEUM | | 14.98 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6411 | 2ND DEGREE LACERATION PERINEUM | | 10.13 | 0.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6412 | 3RD DEGREE LACERATION PERINEUM | | 15.73 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6413 | OTHER CELLULITIS/ABSCESS LEG | | 1.39 | 0.85 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.63 | 0.81 | 1.91 | 0.00 | 1.91 |
| 6414 | OSTEOARTHRITIS | | 4.29 | 1.12 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1.68 | 1.29 | 0.00 | 0.00 | 0.25 |
| 6415 | OTM SPEC INT DERANGEMENT KNEE | | 8.11 | 4.35 | 4.19 | 0.00 | 0.00 | 0.00 | 0.00 | 1.11 | 1.94 | 1.33 | 0.00 | 1.33 |
| 6416 | DISPLACEMENT INVERTIBRAL DISC | | 1.50 | 0.44 | 0.40 | 0.93 | 0.32 | 0.57 | 0.93 | 3.63 | 3.63 | 0.36 | 0.00 | 0.36 |
| 6417 | LUMBAGO | | 2.23 | 4.70 | 3.72 | 1.95 | 0.45 | 0.32 | 1.95 | 6.03 | 6.03 | 0.00 | 0.00 | 6.03 |
| 6418 | SYNDROMITIS/TENOSYNOVITIS | | 3.35 | 2.25 | 0.46 | 2.10 | 16.69 | 16.69 | 0.72 | 0.72 | 2.40 | 2.40 | 0.00 | 2.40 |
| 6419 | GINGIVITIS | | 1.34 | 2.25 | 1.12 | 2.72 | 1.88 | 3.48 | 1.88 | 1.08 | 1.08 | 6.24 | 0.00 | 6.24 |
| 6420 | MILLUM VALGUS | | 5.64 | 2.34 | 10.29 | 0.00 | 0.00 | 0.00 | 0.00 | 1.85 | 0.44 | 6.34 | 0.00 | 6.34 |
| 6421 | SYNCOPE AND TILT TEST | | 2.19 | 2.10 | 3.30 | 3.30 | 3.30 | 3.30 | 0.00 | 0.00 | 0.46 | 1.46 | 0.00 | 1.46 |
| 6422 | CONVULSIONS | | 1.38 | 2.99 | 3.59 | 3.59 | 1.52 | 0.28 | 0.28 | 0.90 | 0.39 | 0.39 | 0.00 | 0.39 |
| 6423 | CHEST PAIN | | 12.60 | 3.41 | 15.91 | 6.28 | 0.90 | 2.06 | 0.90 | 2.06 | 4.28 | 4.28 | 0.00 | 4.28 |
| 6424 | ACROMIACAL PAIN | | 5.73 | 8.25 | 14.47 | 2.58 | 1.47 | 2.58 | 1.47 | 2.58 | 3.64 | 3.64 | 0.00 | 3.64 |
| 6425 | THUMBPIPITIN IN BURY, HFC/NOC | | 2.10 | 2.10 | 4.03 | 1.02 | 1.02 | 1.02 | 1.02 | 1.02 | 1.11 | 1.11 | 0.00 | 1.11 |

SECTION A: FACILITY DATA

[illegible]

SECTION B: FACILITY DATA
TABLE 26. SMALL MEDICARE DISPOSITIONS PER 10K
DIRECT CARE DATA: ADJUSTED RATES

| | ADJ RATE/10K | REDSTONE MTF RATE/10K | ADJ RUCKER MTF RATE/10K | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|-------------------------------------|--------------|--------------------------|----------------------------|-----------------|-----------------|------------------|
| 6400 ABML GLUC FOL TEST IN PREGN | 0.00 | 2.10 | 0.00 | 11.66 | 0.00 | |
| 6500 DELIVERY IN NORMAL CASE | 4.16 | 25.74 | 0.00 | 26.65 | 0.00 | |
| 6522 BREACH PRESENT W/O VERSION | 0.36 | 3.22 | 0.00 | 5.75 | 0.00 | |
| 6542 PREVIOUS CESARIAN SECTION | 0.74 | 13.45 | 0.00 | 13.45 | 0.00 | |
| 6563 FETAL DISTRESS | 0.36 | 7.06 | 0.00 | 37.06 | 0.00 | |
| 6585 POOR FETAL GROWTH | 0.00 | 0.27 | 0.00 | 3.81 | 0.00 | |
| 6586 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 0.00 | 6.74 | 0.00 | |
| 6587 OBTUSPEC UTERINE INFRTA | 0.00 | 1.35 | 0.00 | 1.35 | 0.00 | |
| 6591 UNBILICAL CORD AROUND NECK | 0.00 | 5.37 | 0.00 | 12.45 | 0.00 | |
| 6593 1ST DEGREE LACERATION PERINEUM | 0.00 | 11.12 | 0.00 | 14.98 | 0.00 | |
| 6540 2ND DEGREE LACERATION PERINEUM | 0.00 | 2.72 | 0.00 | 10.13 | 0.00 | |
| 6541 3RD DEGREE LACERATION PERINEUM | 0.00 | 5.40 | 0.00 | 15.73 | 0.00 | |
| 6542 OTHER CELLULITIS/ABSCESS LEG | 0.72 | 3.84 | 0.00 | 4.85 | 0.72 | 6.76 |
| 6526 OSTEOARTHRITIS | 0.00 | 8.30 | 0.00 | 8.30 | 0.00 | |
| 7159 OTH SPEC INT DUBINGMENT KNEE | 0.00 | 1.29 | 0.00 | 8.11 | 0.00 | |
| 7221 DISPLACEMENT INTERPHAL DNG | 5.29 | 3.09 | 0.00 | 6.28 | 0.36 | 17.32 |
| 7242 LYMPHOMA | 4.14 | 2.51 | 0.00 | 6.03 | 0.32 | 18.78 |
| 7270 SYNOVITIS/TEMOVITIS | 10.36 | 7.58 | 0.00 | 16.65 | 0.46 | 36.06 |
| 7274 GRANULOM CYST | 0.80 | 2.19 | 0.00 | 10.52 | 1.12 | 9.39 |
| 7350 MALLUM VAGUS | 1.27 | 0.53 | 0.00 | 10.29 | 0.00 | |
| 7602 SYNCOPE AND CHLORAL | 2.94 | 2.27 | 0.00 | 3.30 | 0.00 | |
| 7603 CONVULSIONS | 15.62 | 3.60 | 0.00 | 15.51 | 0.90 | 17.22 |
| 7665 CHEST PAIN | 8.64 | 3.40 | 0.00 | 14.47 | 1.86 | 7.78 |
| 8540 BRONCHIAL DYS | 2.05 | 1.55 | 0.00 | 4.83 | 0.00 | |

SECTION OF FACILITY DATA
TABLE 2.2. DEPT LTR AND CHRGUS DATA CONTINUED

| | HSC RATE PER 10K | CRUDE RATES HARRIS (MD) RATE/10K | DEVENS CRD RATE/10K | EUSTIS CRD RATE/10K | CRIMM HARR CRD RATE/10K | LUNNORTH CRD RATE/10K | HEIDE CRD RATE/10K | MONROVIA CRD RATE/10K |
|--------------------------------------|---------------------|--|------------------------|------------------------|----------------------------|--------------------------|-----------------------|--------------------------|
| 6480 ABNL GLUC TOL TEST IN PREGNANCY | 5.06 | 12.71 | 1.81 | 0.45 | 2.26 | 2.59 | 0.62 | 2.02 |
| 6500 DELIVERY IN NORMAL CASE | 3.22 | 17.12 | 18.06 | 21.69 | 19.19 | 19.31 | 15.77 | 2.90 |
| 6522 BREACH PRESENT W/O VERSION | 3.26 | 8.14 | 2.30 | 1.13 | 2.63 | 2.18 | 1.23 | 2.96 |
| 6542 PREVIOUS CESARIAN SECTION | 6.80 | 15.26 | 7.39 | 11.52 | 7.15 | 7.61 | 3.08 | 10.11 |
| 6563 PETAL DISTRESS | 12.35 | 45.77 | 6.24 | 3.39 | 4.52 | 7.07 | 5.30 | 13.82 |
| 6583 POOR PETAL GROWTH | 3.20 | 4.58 | 0.49 | 0.23 | 1.51 | 0.00 | 0.62 | 1.01 |
| 6586 EXCESSIVE PETAL GROWTH | 4.33 | 7.63 | 0.49 | 0.00 | 0.38 | 0.00 | 0.12 | 1.01 |
| 6612 OTR/ONSPT/UTERINE INJURY | 3.22 | 0.51 | 2.13 | 1.81 | 1.88 | 1.63 | 0.86 | 2.20 |
| 6631 UNILATERAL CORD AROUND NECK | 6.77 | 14.24 | 0.98 | 0.90 | 0.75 | 1.09 | 0.37 | 3.03 |
| 6633 UNILATERAL CORD AROUND NECK | 3.75 | 19.32 | 8.04 | 2.94 | 9.41 | 4.35 | 1.85 | 6.07 |
| 6640 1ST DEGREE LACERATION PERINEUM | 6.15 | 18.31 | 8.86 | 4.29 | 5.65 | 8.16 | 1.73 | 9.77 |
| 6641 2ND DEGREE LACERATION PERINEUM | 6.41 | 13.22 | 7.06 | 2.71 | 5.65 | 1.63 | 1.73 | 5.73 |
| 6642 3RD DEGREE LACERATION PERINEUM | 5.22 | 17.80 | 1.97 | 0.23 | 3.01 | 1.36 | 1.36 | 3.71 |
| 6646 OTHER CELLULITIS/ABSCESSES LG | 3.81 | 1.53 | 1.31 | 3.16 | 4.89 | 1.90 | 1.49 | 3.37 |
| 7159 OSTEOARTHRITIS | 3.53 | 3.05 | 2.46 | 2.94 | 1.51 | 0.27 | 2.71 | 0.62 |
| 7178 GYN SPEC INT DYSFUNCTION KNEE | 4.71 | 13.23 | 2.30 | 4.52 | 0.00 | 0.92 | 4.41 | 1.35 |
| 7221 DISPLACED INT VERTEBRAL DISC | 5.10 | 2.54 | 1.81 | 7.23 | 4.14 | 2.18 | 4.91 | 2.02 |
| 7242 LUMBAGO | 4.44 | 3.05 | 4.43 | 4.52 | 1.51 | 0.54 | 2.34 | 6.07 |
| 7270 SYNDROME/TERMINOLOGY | 3.01 | 1.53 | 1.97 | 0.68 | 1.80 | 15.77 | 0.74 | 2.00 |
| 7274 URINATION EMT | 3.78 | 4.59 | 0.82 | 2.71 | 8.66 | 2.99 | 1.97 | 6.07 |
| 7350 HALLUX VALGUS | 3.57 | 6.61 | 1.97 | 10.17 | 0.00 | 1.63 | 0.37 | 6.40 |
| 7802 SYNOVIAL AND TUBICUL | 3.37 | 2.03 | 2.79 | 3.04 | 4.52 | 1.09 | 1.49 | 4.72 |
| 7803 CIRCULATORY | 4.60 | 9.15 | 4.60 | 4.97 | 3.01 | 2.45 | 4.31 | 7.75 |
| 7865 CHEST PAIN | 13.25 | 10.18 | 10.18 | 21.91 | 15.81 | 6.53 | 10.84 | 10.11 |
| 7890 PROPHYLACTIC PAIN | 8.20 | 6.10 | 10.34 | 4.74 | 15.81 | 5.44 | 2.59 | 5.73 |
| 8540 TUBOEPIDIDYMITIS/PROST. INJURY | 5.37 | 1.00 | 2.30 | 5.20 | 1.51 | 1.10 | 1.36 | 1.01 |

SECTION H: FACILITY UNIT
TABLE 1: SMALL MEDICAL POSITIONS PER 10K
TABLE 2: SMALL MEDICAL POSITIONS PER 10K
TABLE 3: SMALL MEDICAL POSITIONS PER 10K

| ICD-9 | DESCRIPTION | MAX CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|-------|-----------------------------------|----------------|----------------|---------------|
| 5232 | STERILIZATION | 34.25 | 6.74 | 5.00 |
| 5233 | ANTENATAL SCREENING | 0.00 | 0.00 | 0.00 |
| 5234 | SINGLE INFANT BORN IN HOSP | 371.22 | 48.30 | 7.60 |
| 5235 | ONE PLASTIC SURG. COSMETIC APP | 4.07 | 0.00 | 0.00 |
| 5236 | REMOVAL FN PLATE/FIXED DEVICE | 6.81 | 0.34 | 19.70 |
| 5237 | REFILLING MOUNT CHEMOTHERAPY | 7.90 | 0.00 | 0.00 |
| 5238 | FOLLOW-UP EXAM. SURGERY | 5.73 | 0.00 | 0.00 |
| 5239 | F/U EXAM. OTHER TREATMENT | 3.81 | 0.00 | 0.00 |
| 5240 | OBSERVATION SUSP CARDIASC DIS | 13.05 | 0.00 | 0.00 |
| 5241 | OBSERVATION IMCT. OIN DRG MET | 12.71 | 0.45 | 28.14 |
| 5242 | INTERSTITIAL IMCT. OIN DRG MET | 13.78 | 2.22 | 6.21 |
| 5243 | STREPTOCOCCUS SOME TUBERC | 6.10 | 1.02 | 6.00 |
| 5244 | HILU-III/IV NOS | 1.01 | 0.00 | 0.00 |
| 5245 | VARICELLA W/O COMPLICATIONS | 3.28 | 0.54 | 6.04 |
| 5246 | VIRAL INFECT. NOS | 22.36 | 1.73 | 12.70 |
| 5247 | CANCER, BRONCHUS/LUNG NOS | 2.26 | 0.00 | 0.00 |
| 5248 | CANCER, BREAST, FEM. NOS | 3.77 | 0.67 | 5.51 |
| 5249 | CANCER, PROSTATE | 3.43 | 0.00 | 0.00 |
| 5250 | HEMION MED LOSM, LUNGS | 11.30 | 0.00 | 0.00 |
| 5251 | LEIOMYOMA, UTERUS, NOS | 5.17 | 0.43 | 10.49 |
| 5252 | WILM'S TUMOR | 35.00 | 1.11 | 31.56 |
| 5253 | ALCOHOL DEPLETION | 11.29 | 2.55 | 4.44 |
| 5254 | DRUG ABUSE, IN COMMON | 7.63 | 0.68 | 11.26 |
| 5255 | ALJUST REKT. BRIEF DEPRESSIVE | 6.10 | 0.33 | 18.58 |
| 5256 | ALJUST REKT. W/DIST INI FMT | 5.09 | 0.12 | 41.27 |
| 5257 | CIPRAL TUNNEL SYNDROME | 10.18 | 0.54 | 18.77 |
| 5258 | CHLORAL NOS | 10.75 | 0.00 | 0.00 |
| 5259 | OTITIS MEDIA NOS | 5.59 | 1.41 | 3.90 |
| 5260 | INTERMEDIATE CORONARY SYNDROME | 10.75 | 0.00 | 0.00 |
| 5261 | ANGINA, OTHER AND UNSPEC | 13.29 | 0.00 | 0.00 |
| 5262 | CARDIAC ARTERIOCLEROSIS | 16.78 | 1.53 | 11.00 |
| 5263 | CHRONIC ISCHEMIC HEART DISEASE | 2.54 | 0.00 | 0.00 |
| 5264 | ATRIAL FIBRILLATION/AFIB | 5.87 | 2.34 | 2.51 |
| 5265 | CONGESTIVE HEART FAILURE | 7.88 | 1.13 | 6.90 |
| 5266 | ACUTE PHARYNGITIS | 8.09 | 0.86 | 9.30 |
| 5267 | ACUTE TONSILLITIS | 3.37 | 0.28 | 11.97 |
| 5268 | ACUTE UPPER RESPIR INFECT | 6.10 | 0.00 | 0.00 |
| 5269 | DEVIATED NASAL SEPTUM | 10.68 | 0.28 | 37.76 |
| 5270 | CHRONIC TONSILLITIS | 12.20 | 0.00 | 0.00 |
| 5271 | HYPERTROPHY TONSILLOIDENOTIS | 20.56 | 0.28 | 72.69 |
| 5272 | PNEUMONIA, BACTERIAL NOS | 20.34 | 9.19 | 2.21 |
| 5273 | BRONCHITIS | 8.28 | 0.33 | 25.22 |
| 5274 | ASTHMA NOS | 21.91 | 8.75 | 2.50 |
| 5275 | CHRONIC AIRWAY OBSTRUCTION | 10.62 | 0.54 | 19.51 |
| 5276 | DISTURB TOOTH ERUPTION | 23.90 | 0.00 | 0.00 |
| 5277 | PARONYCHIA | 1.53 | 0.00 | 0.00 |
| 5278 | ESOPHAGITIS | 6.51 | 1.69 | 3.86 |
| 5279 | GASTRITIS/GASTROENTERITIS NOS | 5.37 | 0.86 | 6.23 |
| 5280 | ACUTE APPENDICITIS NOS | 8.64 | 1.97 | 4.30 |
| 5281 | INGUINAL HERNIA | 33.05 | 10.01 | 3.30 |
| 5282 | DIVERTICULA OF COLON | 33.02 | 4.62 | 7.16 |
| 5283 | CALCULUS GALLBLADDER W/OTH CHL | 13.02 | 1.60 | 8.13 |
| 5284 | HEMORRHOID EXTERNAL NOS | 16.78 | 2.46 | 6.82 |
| 5285 | HEMORRHOID INTERNAL NOS | 3.43 | 0.51 | 6.74 |
| 5286 | PYLORITIS/PYLOIDITIS | 5.14 | 0.86 | 5.90 |
| 5287 | CALCULUS OF KIDNEY | 4.14 | 0.00 | 0.00 |
| 5288 | CALCULUS OF URETER | 9.90 | 1.15 | 8.61 |
| 5289 | URINARY TRACT INFECTION | 6.02 | 1.48 | 4.00 |
| 5290 | HYPERPLASIA OF PROSTATE | 11.88 | 0.00 | 0.00 |
| 5291 | REINFLAMMATION OF PROSTATE | 9.15 | 0.67 | 13.58 |
| 5292 | DIFFUSE CYSTIC NOSTROPHY | 9.13 | 1.13 | 8.07 |
| 5293 | PELVIC/PERITONEAL INFECTIONS, FEM | 10.46 | 0.00 | 0.00 |
| 5294 | DYSPLASIA OF CERVIX | 1.41 | 0.34 | 4.12 |
| 5295 | EXCESSIVE/FREQ MENSTRUATION | 39.02 | 0.67 | 57.89 |
| 5296 | SYMPTOMS/PAIN FEM GENITAL | 1.99 | 0.00 | 0.00 |
| 5297 | EXCESSIVE/FREQ MENSTRUATION | 19.95 | 1.98 | 11.98 |
| 5298 | MISSING ABORTION | 3.43 | 0.49 | 6.91 |
| 5299 | SPONTANEOUS ABORTION | 0.69 | 0.12 | 5.75 |
| 5300 | MILD/UNSPEC PREECLAMPSIA | 2.06 | 0.34 | 6.05 |
| 5301 | MILD HYPERTENSIS GRAVITHIRIH | 4.11 | 0.74 | 5.40 |
| 5302 | THREATENED LABOR (LABOR) | 0.34 | 0.00 | 0.00 |
| 5303 | THREATENED LABOR (LABOR) | 1.37 | 0.13 | 10.31 |
| 5304 | EARLY ONSET DELIVERY (LABOR) | 3.08 | 1.13 | 2.72 |
| 5305 | PREMATURE DELIVERY (LABOR) | 1.11 | 0.00 | 0.00 |

SECTION 0: FACILITY DATA
TABLE 0: SMALL MEDICAL DISPOSITIONS PER 10K
DIRECT (UP) AND CAMPUS DATA COMBINED: CRUDE RATE/10K
REDSTONE CRU RUCKER CRU

| | REDSTONE CRU | RUCKER CRU | CRUDE RATE/10K | MAX CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|--------------------------------------|--------------|------------|----------------|----------------|----------------|---------------|
| 6488 ROML GLUC TIL TEST IN PREGNANCY | 0.34 | 2.26 | | 12.71 | 0.34 | 37.12 |
| 650 DELIVERY IN NORMAL CASE | 30.02 | 27.43 | | 52.58 | 15.77 | 3.33 |
| 6522 BREACH PRESENT W/O VERSION | 2.40 | 3.39 | | 0.14 | 1.13 | 7.20 |
| 6542 PREVIOUS CESARIAN SECTION | 10.62 | 14.42 | | 15.26 | 3.00 | 4.95 |
| 6543 FETAL DISTRESS | 3.77 | 7.64 | | 45.77 | 3.39 | 13.51 |
| 6545 POOR FETAL GROWTH | 0.00 | 0.28 | | 4.50 | 0.00 | |
| 6546 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | | 7.63 | 0.00 | |
| 6547 DTA/UNSPEC UTERINE INERTIA | 0.00 | 1.70 | | 2.70 | 0.00 | |
| 6551 UNBILICAL CORD AROUND NECK | 0.00 | 5.66 | | 14.24 | 0.00 | |
| 6553 UNBILICAL CORD ENTANGLEMENT | 0.69 | 7.64 | | 19.32 | 0.69 | 28.21 |
| 6541 1ST DEGREE LACERATION PERINEUM | 7.54 | 11.94 | | 18.31 | 1.73 | 10.61 |
| 6542 2ND DEGREE LACERATION PERINEUM | 3.77 | 3.11 | | 13.22 | 1.63 | 8.10 |
| 6543 3RD DEGREE LACERATION PERINEUM | 0.00 | 5.66 | | 17.80 | 0.00 | |
| 6576 OTHER CELLULITIS/ABSCESS LEG | 1.03 | 4.24 | | 4.83 | 1.03 | 4.70 |
| 7159 OSH DORBITIS | 1.03 | 3.61 | | 9.61 | 0.27 | 35.60 |
| 7178 OSH SPEC THE DEFRIGMENT KNEE | 0.34 | 5.13 | | 13.22 | 0.00 | |
| 7221 DISPLACED INVERTED UMBILICUS | 12.73 | 5.66 | | 12.73 | 0.00 | |
| 7242 LUMBAGO | 4.14 | 2.56 | | 6.07 | 0.54 | 11.16 |
| 7270 SYNDROME/CLINICAL/PHYSIC | 4.14 | 7.07 | | 15.77 | 0.68 | 23.27 |
| 7274 BRILLIANT CYCLE | 9.22 | 7.07 | | 8.66 | 0.82 | 10.56 |
| 7350 BRILLIANT CYCLE | 1.03 | 1.90 | | 10.17 | 0.00 | |
| 7802 SYNCHRONOUS AND DILATION | 3.43 | 1.70 | | 4.72 | 1.09 | 4.34 |
| 7803 CERVICAL STIM | 26.37 | 2.03 | | 7.75 | 2.03 | 3.81 |
| 7865 CHEST PAIN | 9.54 | 13.06 | | 26.37 | 6.53 | 4.04 |
| 7890 PULMONARY EDEMA | 2.74 | 5.04 | | 15.81 | 2.59 | 6.11 |
| 8500 INTERMITTENT EMBOLI, IN FEMOR | 2.74 | 1.00 | | 6.20 | 1.01 | 6.14 |

SECTION H: FACILITY DATA

SECTION 111
TWO 211

SMALL MEDIAN OF POSITIONS PER IOK
DIRECT CARE AND CAMPUS DATA COMBINED: ADJUSTED PATES[illegible]

SECTION B: FACILITY DATA

TABLE 20. SMALL MEDICAL DISPOSITIONS PER IOK
DIRECT CARE AND CAMPUS DATA COMBINED: ADJUSTED RATES

| | | REDSTONE RATE/IOK | ADJ RUCKER RATE/IOK | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|-------|--------------------------------|----------------------|---------------------------|-----------------|-----------------|------------------|
| 1832 | STERILIZATION | 33.86 | 24.40 | 43.04 | 8.30 | 5.19 |
| 1880 | ANTENATAL SCREENING | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1900 | SINGL INFANT BORN IN HOSP | 96.50 | 158.72 | 331.66 | 47.83 | 6.93 |
| 1901 | OTH PLASTIC SURG, COSMETIC APP | 0.00 | 0.00 | 4.50 | 0.00 | |
| 1940 | REMOVAL FX PLATE/FIXIM DEVICE | 0.46 | 1.21 | 4.74 | 0.46 | 10.28 |
| 1981 | AFTERCARE MAINT CHEMOTHERAPY | 5.34 | 1.90 | 6.40 | 0.00 | |
| 1970 | FOLLOW-UP EXAM, SURGERY | 4.23 | 0.56 | 4.26 | 0.00 | |
| 1975 | F/U EXAM, OTHER TREATMENT | 0.00 | 0.57 | 3.49 | 0.00 | |
| 1977 | OBSERVATION SUSP CARDIASC DIS | 0.28 | 0.00 | 10.96 | 0.00 | |
| 19710 | OBSERVATION OTH SPECIFIED COND | 11.35 | 0.56 | 14.67 | 0.46 | 32.15 |
| 00000 | INTESTINAL INFECT, OTH ORG NEC | 8.06 | 7.63 | 17.25 | 2.68 | 6.44 |
| 0340 | STREPTOCOCCAL SORE THROAT | 9.56 | 2.54 | 13.03 | 0.62 | 21.17 |
| 0449 | MTLV-II/IV NOS | 0.00 | 0.00 | 1.05 | 0.00 | |
| 0529 | VARICELLA W/O COMPLICATIONS | 2.44 | 1.30 | 6.79 | 0.74 | 9.17 |
| 0799 | VIRAL INFECT, NOS | 13.76 | 9.01 | 23.62 | 2.41 | 9.81 |
| 1829 | CANCER, BRONCHUS/LUNG NOS | 1.31 | 0.80 | 1.63 | 0.00 | |
| 1749 | CANCER, BREAST, TFM, NOS | 2.62 | 1.90 | 2.93 | 0.51 | 5.90 |
| 185 | CANCER, PROSTATE | 2.14 | 1.05 | 2.14 | 0.00 | |
| 2113 | BENIGN NEU'LASH, COLON | 7.43 | 0.20 | 8.20 | 0.00 | |
| 2189 | LEIOMYOMA, UTERUS, NOS | 0.94 | 2.20 | 5.21 | 0.49 | 10.64 |
| 2765 | VOLUME DEPLETION | 22.64 | 6.19 | 37.41 | 1.21 | 30.90 |
| 3039 | ALCOHOL DEPENDENCE | 13.51 | 2.98 | 16.50 | 2.98 | 5.55 |
| 3090 | DRUG ABUSE, ALCOHOL | 3.66 | 1.27 | 7.02 | 0.71 | 9.94 |
| 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 6.59 | 3.92 | 6.59 | 0.61 | 10.75 |
| 3092 | ADJUST REACT W/DIST OTH ENH | 4.75 | 1.30 | 4.75 | 0.19 | 25.06 |
| 3540 | CARPAL TUNNEL SYNDROME | 6.42 | 9.92 | 9.92 | 0.48 | 20.74 |
| 3669 | CATARACT NOS | 0.44 | 10.31 | 10.31 | 0.00 | |
| 3829 | OTITIS MEDIA NOS | 2.38 | 1.42 | 5.37 | 1.42 | 3.77 |
| 4111 | INTERMEDIATE CORONARY SYNDROME | 3.60 | 10.40 | 10.40 | 0.00 | |
| 4139 | ANGINA, OTHER AND UNSPEC | 1.37 | 12.84 | 12.84 | 0.00 | |
| 4140 | CORONARY ARTERIO-SCLEROSIS | 11.42 | 6.57 | 11.42 | 2.12 | 5.39 |
| 4149 | CHRONIC ISCHEMIC HEART DISENT | 1.19 | 1.36 | 5.09 | 0.00 | |
| 4273 | AFIBRILLATION/FIBRILL | 3.05 | 5.17 | 6.23 | 1.80 | 3.45 |
| 4281 | CONGESTIVE HEART FAILURE | 5.11 | 6.49 | 11.70 | 1.36 | 8.63 |
| 462 | ACUTE PHARYNGITIS | 9.80 | 4.24 | 4.56 | 0.31 | 14.63 |
| 463 | ACUTE TONSILLITIS | 2.06 | 0.31 | 7.77 | 0.00 | |
| 4659 | ACUTE UPPER RESP INFECT | 2.37 | 0.00 | 7.66 | 0.31 | 25.05 |
| 470 | DEVIATED NASAL SEPTUM | 2.78 | 0.31 | 10.86 | 0.00 | |
| 4740 | CHRONIC TONSILLITIS | 4.55 | 0.00 | 20.29 | 0.28 | 71.53 |
| 4741 | HYPERTROPHY TONSIL/ADENOIDS | 2.75 | 0.29 | 18.76 | 9.80 | 1.91 |
| 486 | PNEUMONIA, ORGANISM UNK | 16.95 | 10.20 | 22.54 | 8.60 | 21.50 |
| 490 | BRONCHITIS | 2.68 | 3.44 | 6.81 | 0.38 | 17.86 |
| 4939 | ASTHMA NOS | 11.30 | 14.03 | 22.57 | 0.00 | |
| 496 | CHRONIC AIRWAY OBSTRUCTION | 18.97 | 4.99 | 1.53 | 0.00 | |
| 5206 | DISTURB TOOTH ERUPTION | 5.77 | 4.38 | 6.00 | 1.54 | 3.90 |
| 5243 | ANOMALIES TOOTH POSITION | 3.44 | 5.40 | 5.62 | 0.84 | 6.71 |
| 5301 | ESOPHAGITIS | 4.22 | 3.24 | 8.73 | 2.56 | 3.41 |
| 5355 | GASTRITIS/GASTROENTERITIS NOS | 26.09 | 22.27 | 31.17 | 9.47 | 3.29 |
| 5409 | ACUTE APPENDICITIS W/O PERITON | 12.11 | 14.56 | 43.10 | 5.49 | 7.85 |
| 5509 | INGUINAL HERNIA | 8.64 | 3.80 | 8.64 | 1.26 | 6.83 |
| 5589 | GASTROENTERITIS | 14.16 | 9.38 | 17.62 | 2.09 | 8.44 |
| 5621 | DIVERTICULA OF COLON | 2.52 | 1.92 | 2.52 | 0.48 | 5.24 |
| 5769 | HEMORRHOIDAL TRACT NOS | 4.99 | 4.50 | 4.99 | 0.83 | 6.00 |
| 5908 | PYLOPHORITIS/PYORRHOE | 2.58 | 2.29 | 4.11 | 0.00 | |
| 5920 | CALCULUS OF KIDNEY | 3.15 | 10.03 | 10.03 | 1.16 | 8.67 |
| 5921 | CALCULUS OF URETER | 5.08 | 4.30 | 5.38 | 1.30 | 4.14 |
| 5990 | PRIMARY TRACT INFECTION | 1.50 | 11.11 | 11.11 | 0.00 | |
| 600 | HYPERPLASIA OF PROSTATE | 4.68 | 5.73 | 7.18 | 0.83 | 8.65 |
| 6101 | REDUNDANT PREPICE/PHIMOSIS | 6.19 | 9.04 | 14.90 | 0.98 | 15.24 |
| 6146 | DIFFUSE CYSTIC MASTOPATHY | 0.00 | 8.63 | 8.63 | 0.00 | |
| 6221 | PELVIC/PERITON ADHESIONS, TFM | 1.41 | 10.45 | 10.45 | 0.00 | |
| 6259 | DYSPLASIA OF CERVIX | 0.39 | 9.19 | 10.45 | 0.00 | |
| 6282 | SYMPTOMS/PAIN FEM GENITAL | 7.62 | 16.26 | 36.26 | 0.75 | 23.49 |
| 632 | EXCESSIVE/FEQ MENSTRUATION | 0.00 | 1.91 | 18.51 | 0.00 | |
| 632 | EXCESSIVE/FEQ MENSTRUATION | 0.00 | 1.91 | 18.51 | 0.00 | |
| 6349 | SPONTANEOUS ABORTION | 3.76 | 18.51 | 18.51 | 1.45 | 12.75 |
| 6424 | MILD/UNSPEC PRECLAMPSIA | 0.75 | 1.99 | 7.51 | 0.50 | 15.08 |
| 6430 | WILD/HYPERTENSIS GRAVITIDIM | 2.30 | 2.81 | 2.81 | 0.13 | 22.13 |
| 6440 | THREATENED PREN LABOR | 4.53 | 19.53 | 25.17 | 1.85 | 13.60 |
| 6441 | THREATENED LABIA CRYSTALS | 0.37 | 1.09 | 4.01 | 0.37 | 10.78 |
| 6442 | EARLY ONSET DELIVERY (17WKS) | 1.51 | 2.22 | 16.02 | 1.03 | 15.58 |
| 6450 | PHILLOMATA PREGNANCY | 3.18 | 1.20 | 9.26 | 1.03 | 8.97 |
| 6466 | PHILLOMATA PREGNANCY | 1.40 | 4.15 | 4.15 | 0.63 | 6.63 |

| SECTION B: FACILITY DATA | | | |
|---|----------------------|-----------------|----------------|
| TABLE 20. DIRECT CORE AND CLIMBUS DATA COMBINED: ADJUSTED RPT'S | | | |
| | REDSTONE RATE/10K | ADJ RATE/10K | ADJUSTED RPT'S |
| 6400 ABML GLUC TOL TEST IN PREGN | 0.36 | 2.09 | |
| 6401 DELIVERY IN NORMAL CASE | 41.19 | 26.26 | |
| 6402 BREECH PRESENT M/O VERSION | 2.35 | 3.19 | |
| 6403 PREVIOUS CESARIAN SECTION | 11.43 | 13.40 | |
| 6404 FETAL DISTRESS | 4.12 | 7.32 | |
| 6405 POOR FETAL GROWTH | 0.00 | 0.27 | |
| 6406 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | |
| 6407 DFM/UNSPEC UTERINE INERTIA | 0.00 | 1.60 | |
| 6408 UNBILICAL CORD AROUND NECK | 0.00 | 5.35 | |
| 6409 UNBILICAL CORD ENTANGLEMENT | 0.73 | 7.14 | |
| 6410 1ST DEGREE LACERATION PERINEUM | 9.12 | 11.07 | |
| 6411 2ND DEGREE LACERATION PERINEUM | 4.07 | 2.91 | |
| 6412 3RD DEGREE LACERATION PERINEUM | 0.00 | 5.30 | |
| 6413 OTHER CELLULITIS/INDIFFERENT | 1.07 | 4.39 | |
| 6414 OSTEOARTHRITIS | 0.04 | 9.54 | |
| 6415 BUN SPEC IN DERANGEMENT KNEE | 0.60 | 1.23 | |
| 6416 DISPLACED INVERTEBRAL DISC | 15.77 | 6.11 | |
| 6417 LUMBAGO | 6.80 | 2.01 | |
| 6418 SYNOVITIS/TELEANGIOMATOSIS | 4.46 | 1.79 | |
| 6419 GALLBLADDER | 10.20 | 7.22 | |
| 6420 MALLUX VALGUS | 1.18 | 2.16 | |
| 6421 SYNOVITIS AND OSTEOARTHRITIS | 1.58 | 1.77 | |
| 6422 CONVULSIONS | 3.70 | 2.04 | |
| 6423 CHEST PAIN | 21.01 | 14.05 | |
| 6424 ANGIOPHILIC PAIN | 10.07 | 5.21 | |
| 6425 TUBOEPIDIDYMAL TORSION, M/L/NO | 4.07 | 2.17 | |

| MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|-----------------|-----------------|------------------|
| 12.31 | 0.36 | 34.14 |
| 70.51 | 15.67 | 4.50 |
| 7.74 | 1.02 | 7.59 |
| 14.49 | 3.00 | 4.83 |
| 42.96 | 3.09 | 13.92 |
| 4.56 | 0.00 | |
| 7.22 | 0.00 | |
| 13.42 | 0.00 | |
| 18.37 | 0.73 | 25.10 |
| 17.34 | 1.69 | 10.31 |
| 12.51 | 1.69 | 7.40 |
| 16.94 | 0.00 | |
| 5.22 | 1.07 | 4.80 |
| 9.54 | 0.23 | 41.04 |
| 8.16 | 0.00 | |
| 15.77 | 1.94 | 8.12 |
| 6.80 | 0.64 | 10.67 |
| 16.54 | 0.69 | 24.06 |
| 10.37 | 1.11 | 9.30 |
| 10.20 | 0.00 | |
| 4.35 | 1.01 | 4.30 |
| 9.12 | 1.86 | 4.91 |
| 23.41 | 5.46 | 4.29 |
| 16.39 | 2.70 | 6.05 |
| 5.31 | 1.31 | 4.00 |

TABLE 2. SMALL MEDIAN AVERAGE LENGTH OF STAY (MAYS)
DIRECT CARE DATA: CRUDE RATES[illegible]

SECTION 05 - FACILITY UTILITIES
TABLE 05.1 - SMALL MEDIAN AVERAGE LENGTH OF SINK (INCHES)
REPORT UNIT DATA: PUMP RATES

| | WARRINGTON (PD) | DEVIN (CND) | FUGIS (CND) | BN (HARR) | LYNHORTH (PD) | WARR (CND) | WARRHOUTH (PD) |
|-------------------------------------|-----------------|-------------|-------------|-----------|---------------|------------|----------------|
| | AVG INCH | AVG INCH | AVG INCH | AVG INCH | AVG INCH | AVG INCH | AVG INCH |
| 6400 RBN, GLUC TUL TEST IN PREGNACY | 4.33 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6401 DELIVERY IN NORMAL CASE | 2.38 | 0.00 | 0.00 | 0.00 | 0.00 | 0.03 | 0.00 |
| 6402 BREECH PRESENT W/O VERSION | 3.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6403 PREVIOUS CESARIAN SECTION | 3.16 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6404 FETAL DISTRESS | 3.09 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6405 POOR FETAL GROWTH | 5.75 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6406 EXCESSIVE FETAL GROWTH | 3.64 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6407 0TH/UNSPEC UTERINE INFRTIA | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6408 UNBILICAL CORD AROUND NECK | 2.81 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6409 1ST DEGREE LACERATION PERINEUM | 1.80 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6410 2ND DEGREE LACERATION PERINEUM | 2.68 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6411 3RD DEGREE LACERATION PERINEUM | 1.76 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6412 OTHER CELLULITIS/ABSCESS LEG | 2.82 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 6413 OSTEOARTHRITIS | 3.33 | 3.68 | 6.00 | 3.30 | 4.67 | 5.00 | 5.31 |
| 6414 DISPLACEMENT KNEE | 2.67 | 2.00 | 4.29 | 0.00 | 2.67 | 10.02 | 3.50 |
| 6415 DISPLACEMENT INJURY/INJURY | 2.65 | 7.31 | 7.27 | 0.00 | 2.67 | 25.97 | 21.00 |
| 6416 LUMBAGO | 11.00 | 19.00 | 8.88 | 6.00 | 3.00 | 11.89 | 6.91 |
| 6417 SYNOVITIS/TELEANGIECTASIS | 6.17 | 3.45 | 15.50 | 4.50 | 2.00 | 3.00 | 2.44 |
| 6418 GINGIVITIS | 1.67 | 1.00 | 2.33 | 1.00 | 1.45 | 1.56 | 2.41 |
| 6419 HALLUX VALGUS | 1.33 | 1.00 | 2.27 | 1.22 | 2.67 | 2.00 | 5.18 |
| 6420 SYNCOPE AND FINTONET | 3.54 | 1.95 | 1.71 | 0.00 | 0.00 | 0.57 | 9.00 |
| 6421 CONVULSIONS | 2.25 | 3.36 | 3.00 | 2.35 | 1.00 | 2.30 | 3.00 |
| 6422 CHEST PAIN | 7.33 | 2.13 | 2.25 | 1.47 | 0.75 | 2.69 | 1.42 |
| 6423 ANGIOPHIL PHIM | 2.24 | 3.32 | 2.53 | 2.97 | 1.33 | 2.24 | 2.00 |
| 6424 TUBEROPHIM IN BAY, IN FZROS | 2.25 | 2.00 | 2.54 | 0.00 | 1.00 | 0.00 | 0.00 |
| 6425 | 1.50 | 2.00 | 2.54 | 0.00 | 1.00 | 0.00 | 0.00 |

SECTION B: FACILITY DATA

[illegible]

| ICD-9-CM | DESCRIPTION | 1973 | 1974 | 1975 | 1976 | 1977 | 1978 | 1979 | 1980 | 1981 | 1982 | 1983 | 1984 | 1985 | 1986 | 1987 | 1988 | 1989 | 1990 |
|----------|--------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 93.00 | STERILIZATION | 1.16 | 1.51 | 2.31 | 1.33 | 1.99 | 1.27 | 2.31 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.01 | ANTENATAL SCREENING | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.02 | SINGLE INFANT BORN IN HOSP | 2.96 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.03 | OTH PLASTIC SURG, COSMETIC PPP | 1.39 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.04 | REMOVAL EX PLASTIC SURG | 1.39 | 2.10 | 3.67 | 1.31 | 3.20 | 4.93 | 3.20 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.05 | PERICARPEAL PLASTIC SURG | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.06 | FULL THICK SKIN SURG | 1.15 | 2.24 | 1.27 | 0.00 | 0.00 | 0.21 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.07 | FLAP SURG | 1.31 | 1.31 | 0.51 | 0.00 | 1.04 | 2.01 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.08 | FLAP SURG | 1.31 | 1.31 | 0.51 | 0.00 | 1.04 | 2.01 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.09 | OBSERVATION SURG CROWDING DIS | 1.33 | 3.80 | 1.32 | 1.51 | 1.59 | 2.54 | 1.07 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.10 | FLAP SURG | 1.31 | 1.31 | 0.51 | 0.00 | 1.04 | 2.01 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.11 | OBSERVATION SURG CROWDING DIS | 1.33 | 3.80 | 1.32 | 1.51 | 1.59 | 2.54 | 1.07 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.12 | FLAP SURG | 1.31 | 1.31 | 0.51 | 0.00 | 1.04 | 2.01 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.13 | OBSERVATION SURG CROWDING DIS | 1.33 | 3.80 | 1.32 | 1.51 | 1.59 | 2.54 | 1.07 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.14 | FLAP SURG | 1.31 | 1.31 | 0.51 | 0.00 | 1.04 | 2.01 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.15 | OBSERVATION SURG CROWDING DIS | 1.33 | 3.80 | 1.32 | 1.51 | 1.59 | 2.54 | 1.07 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.16 | FLAP SURG | 1.31 | 1.31 | 0.51 | 0.00 | 1.04 | 2.01 | 1.88 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.17 | OBSERVATION SURG CROWDING DIS | 1.33 | 3.80 | 1.32 | 1.51 | 1.59 | 2.54 | 1.07 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 93.18 | FLAP SURG | 1.31 | 1.31 | 0.51 | 0.00 | 1.04 | | | | | | | | | | | | | |

SECTION D: FACILITY DATA

TABLE D: SMALL MEDIAN AVERAGE LENGTH OF STAY (DAYS)

DATE: 10/1/77

| | UNWRIGHT (M) | DEATHS (M) | ELUSIES (M) | BN HRR (M) | LUNORTH (M) | MLNCE (M) | NONMOUTH (M) |
|---|--------------|------------|-------------|------------|-------------|-----------|--------------|
| | AUG DAYS | AUG DAYS | AUG DAYS | AUG DAYS | AUG DAYS | AUG DAYS | AUG DAYS |
| 8400 ABML GLUC TOL TEST IN PREGN | 4.15 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8500 DELIVERY IN NORMAL CASE | 2.21 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8522 BRECH PRESENT M/O VERSION | 3.28 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8542 PREVIOUS CESARIAN SECTION | 3.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8563 FETAL DISTRESS | 2.86 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8583 POOR FETAL GROWTH | 5.27 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8584 EXCESSIVE FETAL GROWTH | 3.40 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8585 07A/UNSPEC UTERINE INFARCT | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8586 UNBILICAL CORD AROUND NECK | 2.62 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8587 UNBILICAL CORD ENTANGLEMENT | 1.69 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8588 1ST DEGREE LACERATION PERINEUM | 2.53 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8589 2ND DEGREE LACERATION PERINEUM | 1.66 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8590 3RD DEGREE LACERATION PERINEUM | 2.62 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| 8591 OTHER CELLULITIS/ABSCESS LEG | 3.43 | 3.28 | 8.33 | 3.50 | 4.34 | 5.13 | 4.93 |
| 8592 OSTEOARTHRITIS | 4.52 | 1.39 | 9.91 | 8.52 | 0.00 | 8.52 | 2.13 |
| 8593 01A SPEC INT DERANGEMENT KNEE | 1.50 | 16.07 | 3.97 | 0.00 | 3.75 | 18.12 | 4.60 |
| 8594 DISPLACED INT INTERFEMORAL DISC | 7.81 | 25.41 | 7.55 | 8.15 | 6.22 | 35.19 | 23.04 |
| 8595 LUMBAGO | 4.35 | 5.19 | 9.16 | 6.15 | 3.61 | 16.27 | 7.80 |
| 8596 SYNDROMIC/LENDYMBRITIS | 1.23 | 1.42 | 15.89 | 1.28 | 2.36 | 4.91 | 2.44 |
| 8597 GONORRHOE | 0.97 | 1.48 | 2.37 | 1.57 | 1.75 | 2.01 | 2.65 |
| 8598 HILLUX VALGUS | 2.94 | 1.96 | 2.31 | 0.00 | 3.00 | 2.41 | 5.78 |
| 8599 SYNOVIAL AND CERVICAL | 2.30 | 3.16 | 1.79 | 2.56 | 0.00 | 0.60 | 5.75 |
| 8600 CERVICAL STENOSIS | 6.58 | 2.16 | 3.02 | 2.36 | 1.01 | 2.45 | 3.15 |
| 8601 CHEST PAIN | 3.41 | 2.42 | 2.38 | 1.28 | 0.61 | 2.39 | 1.05 |
| 8602 ANOMALY: PAIN | 2.04 | 3.13 | 2.53 | 3.18 | 1.42 | 2.41 | 2.97 |
| 8603 INTERMITTENT TENDONITIS, RECURRENT | 0.00 | 1.51 | 2.35 | 0.00 | 1.24 | 1.24 | 0.61 |

SECTION B: FACILITY DATA

| | STERILIZATION | REDUCTIONS ADJ AVG DAYS | BUCKER ADJ AVG DAYS | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|------|--------------------------------|----------------------------|------------------------|-----------------|-----------------|------------------|
| 9532 | INFANTAL SCREENING | 1.02 | 1.04 | 2.34 | 1.04 | 2.26 |
| 9533 | SINGL INFANT BORN IN HOSP | 0.00 | 0.00 | 0.00 | 0.00 | |
| 9534 | OTH PLASTIC SURG. COSMETIC APP | 0.00 | 2.90 | 2.90 | 0.00 | |
| 9535 | REMOVAL FX PLATE/FIXTH DEVICE | 0.00 | 0.00 | 1.39 | 0.00 | |
| 9536 | FTTCARE MAINT CHEMOTHERAPY | 0.00 | 1.09 | 1.09 | 0.00 | |
| 9537 | FOLLOW-UP EXAM. SURGERY | 0.00 | 6.09 | 3.02 | 0.00 | |
| 9538 | P/U EXAM. OTHER TREATMENT | 1.11 | 6.09 | 6.09 | 0.00 | |
| 9539 | OBSERVATION SUSP CARDIASC DIS | 0.00 | 0.54 | 2.01 | 0.00 | |
| 9540 | OBSERVATION OTH SPECIFIED COND | 1.63 | 0.00 | 3.80 | 0.00 | 3.15 |
| 9541 | INTESTINAL INFECT. OTH ORG NEC | 1.10 | 2.04 | 3.48 | 1.10 | 2.69 |
| 9542 | STREPTOCOCCAL SORE THROAT | 4.14 | 2.17 | 4.14 | 1.54 | 4.04 |
| 9543 | STREPTOCOCCAL SORE THROAT | 3.82 | 3.04 | 6.07 | 1.50 | 4.04 |
| 9544 | VARICELLA W/O COMPLICATIONS | 0.00 | 0.00 | 5.22 | 0.00 | |
| 9545 | VIRAL INFECT. NOS | 12.03 | 9.28 | 14.11 | 4.56 | 3.15 |
| 9546 | CANCER. BRONCHUS/LUNG NOS | 3.84 | 2.40 | 4.85 | 1.05 | 4.61 |
| 9547 | CANCER. BREAST. FEM. NOS | 5.28 | 2.87 | 10.82 | 0.00 | 4.61 |
| 9548 | CANCER. PROSTATE | 9.36 | 2.43 | 10.75 | 1.96 | 5.49 |
| 9549 | BENIGN MEDIAST. COLON | 1.89 | 5.17 | 8.99 | 0.00 | |
| 9550 | LEIOMYOMA, UTERUS, NOS | 1.06 | 0.00 | 2.86 | 0.00 | |
| 9551 | VOLUME DEPLETION | 6.54 | 3.41 | 7.05 | 0.00 | |
| 9552 | ALCOHOL DEPENDENCE | 2.23 | 3.77 | 9.66 | 0.74 | 6.94 |
| 9553 | DRUG ABUSE. ALCOHOL | 6.66 | 3.77 | 7.19 | 1.04 | |
| 9554 | ADJUST REACT. BRIEF DEPRESSIV | 11.91 | 0.58 | 11.91 | 0.00 | 3.63 |
| 9555 | ADJUST REACT. W/DIST OTH ENH | 0.00 | 0.00 | 2.01 | 0.00 | 6.94 |
| 9556 | CARPAL TUNNEL SYNDROME | 1.35 | 1.20 | 1.93 | 0.90 | 2.15 |
| 9557 | CATARACT NOS | 1.95 | 1.55 | 2.38 | 0.00 | 2.37 |
| 9558 | OTITIS MEDIA NOS | 1.80 | 2.39 | 3.09 | 1.29 | |
| 9559 | INTERMEDIATE CORONARY SYNDROM | 1.77 | 4.00 | 4.00 | 0.00 | |
| 9560 | ANGINA. OTHER AND UNSPEC | 0.00 | 2.04 | 2.60 | 0.00 | |
| 9561 | CORONARY ARTERIO-SCLEROSIS | 2.30 | 0.00 | 5.83 | 0.00 | |
| 9562 | CHRONIC ISCHEMIC HEART DISEASE | 1.91 | 1.69 | 6.96 | 0.00 | |
| 9563 | MITRAL FIBRILLATION/FLUTTER | 2.15 | 2.55 | 6.39 | 0.00 | |
| 9564 | CONGESTIVE HEART FAILURE | 3.55 | 8.27 | 31.40 | 0.00 | 2.63 |
| 9565 | ACUTE PHARYNGITIS | 5.83 | 2.22 | 5.83 | 2.22 | 3.39 |
| 9566 | ACUTE TONSILLITIS | 3.41 | 2.31 | 1.93 | 1.93 | |
| 9567 | ACUTE UPPER RESP INFL | 6.94 | 0.00 | 6.94 | 0.00 | |
| 9568 | DEVIANED NASAL SEPTUM | 4.04 | 0.00 | 4.04 | 0.00 | |
| 9569 | CHRONIC TONSILLITIS | 4.69 | 0.00 | 4.69 | 0.00 | |
| 9570 | HYPERTROPHY TONSILLOIDENOSIS | 1.39 | 0.00 | 2.59 | 0.00 | 2.32 |
| 9571 | PNEUMONIA. ORGANISM UN-IDENT | 5.68 | 5.23 | 4.65 | 2.58 | 3.77 |
| 9572 | BRONCHITIS | 3.47 | 2.53 | 1.23 | 2.37 | 1.47 |
| 9573 | ASTHMA NOS | 3.36 | 3.24 | 25.38 | 0.00 | |
| 9574 | CHRONIC URINARY OBSTRUCTION | 3.65 | 10.47 | 0.00 | 0.00 | |
| 9575 | DISTURD TOOTH ERUPTION | 2.12 | 1.32 | 2.61 | 0.00 | |
| 9576 | ANOMALIES TOOTH POSITION | 1.43 | 1.15 | 2.34 | 0.00 | |
| 9577 | ESOPHAGITIS | 1.34 | 4.25 | 6.61 | 0.86 | 7.64 |
| 9578 | GASTRITIS/GASTROENTERITIS NOS | 2.52 | 1.47 | 3.25 | 1.17 | 2.77 |
| 9579 | ACUTE APPENDICITIS W/O PERITON | 4.69 | 1.98 | 6.66 | 1.98 | 3.37 |
| 9580 | INGUINAL HERNIA | 3.75 | 1.29 | 4.65 | 1.29 | 3.89 |
| 9581 | GASTROENTERITIS | 4.01 | 3.10 | 4.01 | 1.40 | 2.87 |
| 9582 | DIVERTICULA OF COLON | 2.27 | 6.11 | 9.30 | 0.82 | 11.39 |
| 9583 | CALCULUS GALLBLADER W/OIT CHOL | 5.61 | 3.36 | 6.82 | 3.36 | 2.03 |
| 9584 | PERIAPICAL CT TRACT NOS | 1.60 | 4.37 | 11.77 | 1.56 | 1.40 |
| 9585 | PYLOREPTIC PYROMPHOSIS | 4.12 | 4.94 | 4.94 | 3.94 | |
| 9586 | CALCULUS OF KIDNEY | 3.49 | 5.47 | 5.47 | 0.00 | |
| 9587 | CALCULUS OF KIDNEY | 2.01 | 2.08 | 3.89 | 0.00 | |
| 9588 | UTERINE INFLAM. INFECTION | 3.10 | 3.30 | 4.05 | 1.17 | 3.48 |
| 9589 | | | | | | |

SECTION 8: FACILITY DATA
TABLE 31: SMALL MEDICAL AVERAGE LENGTH OF STAY (DAYS)
DIRECT CARE DATA: ADJUSTED RATES

| | REDSTONE RDJ AVG DAYS | RUCKER RDJ AVG DAYS | MMH RDJ RATE | NIM RDJ RATE | MMH/NIM RATIO |
|--------------------------------------|--------------------------|------------------------|-----------------|-----------------|------------------|
| 6400 ROML GLUC TOL TEST IN PREGNANCY | 0.00 | 2.78 | 4.15 | 0.00 | |
| 6401 DELIVERY IN NORMAL CASE | 0.00 | 2.50 | 2.50 | 0.00 | |
| 6422 BREAST PRESENT IN VERSION | 0.00 | 4.14 | 4.14 | 0.00 | |
| 6442 PREVIOUS CESARIAN SECTION | 0.00 | 3.17 | 4.17 | 0.00 | |
| 6443 FETAL DISTRESS | 0.00 | 3.83 | 3.83 | 0.00 | |
| 6445 POOR FETAL GROWTH | 0.00 | 0.59 | 3.27 | 0.00 | |
| 6446 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 3.40 | 0.00 | |
| 6412 GYMNASPEC UTERINE INERTIA | 0.00 | 2.50 | 2.50 | 0.00 | |
| 6431 UMBILICAL CORD AROUND NECK | 0.00 | 2.26 | 2.42 | 0.00 | |
| 6433 UMBILICAL CORD AROUND NECK | 0.00 | 2.40 | 2.40 | 0.00 | |
| 6440 1ST DEGREE LACERATION PERINEUM | 0.00 | 2.49 | 2.53 | 0.00 | |
| 6441 2ND DEGREE LACERATION PERINEUM | 0.00 | 2.50 | 2.50 | 0.00 | |
| 6442 3RD DEGREE LACERATION PERINEUM | 0.00 | 2.96 | 2.96 | 0.00 | |
| 6426 OTHER CELLULITIS/INFECTION LEG | 4.25 | 5.57 | 8.31 | 3.28 | 2.51 |
| 7159 OSTEOARTHRITIS | 0.00 | 5.00 | 9.31 | 0.00 | |
| 7170 DTH SPEC INT DERANGEMENT KNEE | 0.00 | 2.02 | 18.11 | 0.00 | |
| 7221 DISPLACEMENT INTRACRANIAL DISC | 13.48 | 1.55 | 35.12 | 1.63 | 21.29 |
| 7242 LUMBAGO | 18.89 | 5.15 | 16.27 | 3.63 | 4.48 |
| 7270 SYNOVITIS/TENDONITIS | 1.32 | 1.10 | 15.27 | 1.41 | 14.41 |
| 7274 GILLION VALGUS | 1.36 | 1.19 | 2.93 | 0.97 | 2.91 |
| 7350 HALLUX VALGUS | 1.20 | 1.28 | 5.76 | 0.00 | |
| 7802 SYNOVITIS AND COLLEUM | 2.16 | 1.06 | 5.75 | 0.00 | |
| 7803 CONJUNCTIVITIS | 2.27 | 2.05 | 6.50 | 1.01 | 6.37 |
| 7865 CHEST PAIN | 1.57 | 3.16 | 3.41 | 0.81 | 5.57 |
| 7890 ABDOMINAL PAIN | 2.38 | 1.40 | 3.13 | 1.42 | 2.24 |
| 8540 TUBAL PAIN IN UTERUS, INCL/AVG | 1.73 | 0.00 | 3.51 | 0.00 | |

SECTION 8: FACILITY DATA

TIME 11. SMALL MEDIAN: 1

| DIRECT TIME INB CHIRPUS DATA COMBINED: CRUDE RATES | STABILIZATION | UNWRIGHT CRD | | DEVENS CRD | | EUSTIS CRD | | BN HARR CRD | | LYNHORTH CRD | | NFAIE CRD | | MINHOUTH CRD | |
|--|---------------------------------|--------------|----------|------------|----------|------------|----------|-------------|----------|--------------|----------|-----------|----------|--------------|----------|
| | | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS |
| W232 | ANTENITAL SCREENING | 1.45 | 1.04 | 0.00 | 0.00 | 2.41 | 1.11 | 0.00 | 0.00 | 1.52 | 1.07 | 0.00 | 0.00 | 1.55 | 1.55 |
| W280 | SINGL INFANT BORN IN HOSP | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| W300 | ANY PLASTIC SURG, COSMETIC APP | 2.52 | 2.75 | 3.26 | 2.79 | 3.26 | 2.79 | 3.26 | 2.79 | 3.25 | 3.02 | 3.25 | 3.02 | 4.64 | 4.64 |
| W301 | REMOVAL FX PLATE/FXIM DEVICE | 1.38 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 |
| W340 | ANTENRECE MAMT CHEMOTHERAPY | 1.92 | 1.55 | 3.62 | 1.33 | 3.62 | 1.33 | 3.62 | 1.33 | 2.67 | 3.61 | 2.67 | 3.61 | 4.13 | 4.13 |
| W381 | FOLLOW-UP EXAM, SURGERY | 0.00 | 3.20 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 3.00 | 2.48 | 5.50 | 2.48 | 5.50 | 2.00 | 2.00 |
| W391 | P/U EXAM, OTHER TREATMENT | 1.00 | 1.00 | 3.50 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.33 | 1.93 | 0.33 | 1.93 | 1.35 | 1.35 |
| W475 | OBSERVATION SUSP CARDIASC DIS | 0.00 | 5.00 | 1.25 | 1.63 | 1.25 | 1.63 | 1.25 | 1.63 | 1.90 | 2.74 | 1.90 | 2.74 | 1.00 | 1.00 |
| W717 | OBSERVATION OTH SPECIFIED COND | 1.48 | 1.55 | 2.00 | 3.54 | 2.00 | 3.54 | 2.00 | 3.54 | 2.09 | 2.50 | 2.09 | 2.50 | 2.89 | 2.89 |
| W718 | INTESTINAL INFECT, OTH DRG N/C | 1.92 | 1.90 | 3.07 | 1.94 | 3.07 | 1.94 | 3.07 | 1.94 | 2.09 | 2.50 | 2.09 | 2.50 | 3.33 | 3.33 |
| W800 | STREPTOCOCCAL SORE THROAT | 2.50 | 2.73 | 3.37 | 2.57 | 3.37 | 2.57 | 3.37 | 2.57 | 3.25 | 2.09 | 3.25 | 2.09 | 4.67 | 4.67 |
| W840 | WILY-JIJIANV NOS | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 6.50 | 6.50 |
| W845 | VARICELLA W/O COMPLICATIONS | 7.60 | 5.40 | 6.00 | 4.88 | 6.00 | 4.88 | 6.00 | 4.88 | 8.50 | 5.75 | 8.50 | 5.75 | 3.19 | 3.19 |
| W852 | VIRAL INFECT, NOS | 1.53 | 2.21 | 2.75 | 2.23 | 2.75 | 2.23 | 2.75 | 2.23 | 2.00 | 3.20 | 2.00 | 3.20 | 25.50 | 25.50 |
| W859 | CANCER, BRONCHUS/LUNG, NOS | 0.00 | 13.80 | 5.67 | 7.00 | 5.67 | 7.00 | 5.67 | 7.00 | 0.00 | 6.50 | 0.00 | 6.50 | 14.50 | 14.50 |
| W862 | CANCER, BREAST, FTH, NOS | 2.00 | 11.20 | 5.73 | 2.56 | 5.73 | 2.56 | 5.73 | 2.56 | 3.60 | 3.78 | 3.60 | 3.78 | 5.25 | 5.25 |
| W869 | CANCER, PROSTATE | 0.00 | 17.00 | 3.75 | 0.00 | 3.75 | 0.00 | 3.75 | 0.00 | 7.75 | 3.78 | 7.75 | 3.78 | 1.50 | 1.50 |
| W883 | BENIGN NEOPLASIA, COLON | 1.17 | 1.40 | 0.00 | 1.50 | 0.00 | 1.50 | 0.00 | 1.50 | 0.00 | 1.07 | 0.00 | 1.07 | 5.25 | 5.25 |
| W889 | LEIOMYOMA, UTERUS, INV | 5.00 | 3.67 | 6.72 | 7.84 | 6.72 | 7.84 | 6.72 | 7.84 | 3.95 | 3.73 | 3.95 | 3.73 | 4.58 | 4.58 |
| W899 | VOLUME DEPLETION | 3.33 | 3.43 | 4.94 | 2.04 | 4.94 | 2.04 | 4.94 | 2.04 | 8.45 | 10.09 | 8.45 | 10.09 | 10.00 | 10.00 |
| W900 | ALCOHOL DEPENDENCE | 3.06 | 13.05 | 12.34 | 15.67 | 12.34 | 15.67 | 12.34 | 15.67 | 41.67 | 17.50 | 41.67 | 17.50 | 9.60 | 9.60 |
| W930 | ADJUNCT REACT, BRIEF DEPRESSIVE | 4.13 | 3.50 | 1.00 | 3.22 | 1.00 | 3.22 | 1.00 | 3.22 | 15.38 | 7.33 | 15.38 | 7.33 | 19.00 | 19.00 |
| W950 | ADJUST REACT W/ADIST OTH FTHI | 3.30 | 3.67 | 2.67 | 11.00 | 2.67 | 11.00 | 2.67 | 11.00 | 11.33 | 6.00 | 11.33 | 6.00 | 2.28 | 2.28 |
| W954 | CHIRPAL TUNNEL SYNDROME | 1.22 | 1.43 | 1.54 | 1.00 | 1.54 | 1.00 | 1.54 | 1.00 | 1.00 | 2.20 | 1.00 | 2.20 | 0.00 | 0.00 |
| W959</ | | | | | | | | | | | | | | | |

| SECTION 00: FACILITY DATA | | | | | | | | | |
|---|----------------|------------|-----------|----------|----------|----------|----------|----------|----------|
| TABLE 11: SHORT MEDIAN (M) AVERAGE LENGTH OF STAY (DOVES) | | | | | | | | | |
| IMPAIRMENT (M) CURRENT DATA COMBINED CRUDE RATE | | | | | | | | | |
| | IMPAIRMENT (M) | DEATHS (M) | FUSIS (M) | BM (M) | LM (M) | LM (M) | LM (M) | LM (M) | LM (M) |
| | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS |
| 6400 | 4.24 | 2.00 | 2.50 | 2.67 | 1.91 | 2.60 | 3.00 | | |
| 6500 | 2.25 | 2.44 | 2.38 | 2.14 | 2.13 | 1.62 | 2.37 | | |
| 6522 | 3.50 | 4.43 | 5.20 | 3.43 | 3.38 | 4.10 | 4.00 | | |
| 6542 | 3.17 | 3.62 | 3.67 | 3.32 | 3.73 | 3.00 | 4.40 | | |
| 6563 | 3.06 | 3.32 | 3.60 | 2.67 | 3.31 | 2.93 | 4.66 | | |
| 6565 | 5.44 | 4.67 | 4.00 | 2.50 | 0.00 | 2.00 | 4.00 | | |
| 6566 | 3.67 | 3.00 | 0.00 | 2.00 | 0.00 | 2.00 | 4.33 | | |
| 6612 | 1.00 | 4.23 | 2.63 | 2.60 | 4.33 | 3.71 | 5.38 | | |
| 6631 | 2.71 | 2.50 | 2.75 | 3.50 | 1.75 | 1.73 | 2.33 | | |
| 6633 | 1.76 | 2.16 | 2.46 | 2.12 | 2.11 | 1.87 | 2.67 | | |
| 6640 | 2.53 | 2.02 | 2.32 | 2.40 | 2.30 | 2.00 | 2.41 | | |
| 6641 | 1.69 | 2.16 | 2.25 | 1.93 | 1.41 | 1.64 | 2.88 | | |
| 6642 | 2.77 | 2.58 | 3.00 | 2.25 | 2.20 | 1.00 | 3.36 | | |
| 6826 | 3.33 | 2.63 | 8.86 | 3.69 | 4.71 | 6.58 | 5.40 | | |
| 7159 | 2.67 | 5.67 | 9.54 | 6.25 | 7.00 | 9.11 | 12.00 | | |
| 7242 | 2.65 | 2.14 | 3.70 | 0.00 | 2.67 | 10.49 | 3.50 | | |
| 7271 | 9.60 | 5.73 | 5.97 | 2.36 | 5.30 | 22.65 | 14.00 | | |
| 7272 | 6.17 | 5.52 | 8.10 | 4.50 | 2.00 | 11.00 | 7.20 | | |
| 7274 | 1.67 | 1.00 | 11.00 | 1.00 | 2.00 | 4.41 | 2.30 | | |
| 7274 | 1.33 | 1.00 | 1.22 | 1.22 | 1.45 | 1.56 | 2.44 | | |
| 7350 | 3.54 | 1.42 | 2.27 | 0.00 | 2.67 | 2.00 | 4.95 | | |
| 7802 | 2.25 | 3.65 | 2.35 | 3.00 | 3.00 | 1.00 | 4.29 | | |
| 7803 | 6.50 | 3.36 | 3.00 | 3.00 | 3.00 | 2.73 | 3.30 | | |
| 7865 | 2.17 | 3.29 | 2.43 | 1.88 | 1.91 | 2.64 | 2.33 | | |
| 7870 | 2.25 | 3.03 | 3.10 | 3.05 | 2.10 | 2.13 | 3.18 | | |
| 8541 | 1.00 | 1.71 | 1.75 | 5.00 | 1.00 | 1.71 | 1.67 | | |

8541: TUBERCULOSIS, TUBERCULOSIS, TUBERCULOSIS

SECTION N: FACILITY DATA

SMALL MEDIAN AVERAGE LENGTH OF STAY (OVS)
INLET FUR. AND CUMULUS DATA COMBINED: CRUDE RATE
RED-TONE CRD RUCKER CRD
HVG DAYS: AVG DAYS

[illegible]

SECTION B: FACILITY DATA
 UNIT E 11: SMALL MEDIAN AVERAGE LENGTH OF STAY (COWS)
 RED-TONE CAR RUCKER END
 NO. DAYS

| NO. | DESCRIPTION | NO. DAYS | RED-TONE CAR RUCKER END | NO. DAYS | RED-TONE CAR RUCKER END |
|------|---------------------------------|----------|-------------------------|----------|-------------------------|
| 6408 | ABNL GLUC TOL TEST IN PREGNANCY | 1.00 | 3.00 | 1.00 | 3.00 |
| 6500 | DELIVERY IN NORMAL CASE | 2.18 | 2.51 | 2.18 | 2.51 |
| 6522 | BREACH PRESENT W/O VERSION | 3.14 | 4.33 | 3.14 | 4.33 |
| 6542 | PREVIOUS CESARIAN SECTION | 3.74 | 3.93 | 3.74 | 3.93 |
| 6563 | FETAL DISTRESS | 3.64 | 3.93 | 3.64 | 3.93 |
| 6565 | POOR FETAL GROWTH | 0.00 | 1.00 | 0.00 | 1.00 |
| 6566 | EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 0.00 | 0.00 |
| 6512 | OP/UNSPEC UTERINE INERTIA | 0.00 | 2.93 | 0.00 | 2.93 |
| 6531 | UMBILICAL CORD AROUND NECK | 0.00 | 2.35 | 0.00 | 2.35 |
| 6533 | UMBILICAL CORD ENTANGLEMENT | 2.50 | 2.52 | 2.50 | 2.52 |
| 6540 | 1ST DEGREE LACERATION PERINEUM | 2.05 | 2.64 | 2.05 | 2.64 |
| 6541 | 2ND DEGREE LACERATION PERINEUM | 2.27 | 2.64 | 2.27 | 2.64 |
| 6542 | 3RD DEGREE LACERATION PERINEUM | 0.00 | 3.05 | 0.00 | 3.05 |
| 6526 | OTHER CELLULITIS/ABSCESS LEG | 5.00 | 6.53 | 5.00 | 6.53 |
| 7159 | OSTEOARTHRITIS | 2.00 | 5.56 | 2.00 | 5.56 |
| 7170 | OTH SPEC INT DERANGEMENT KNEE | 7.00 | 1.75 | 7.00 | 1.75 |
| 7221 | DISPLACEMENT INVERTEBRAL DISC | 6.08 | 4.45 | 6.08 | 4.45 |
| 7242 | LUMBAGO | 5.80 | 5.22 | 5.80 | 5.22 |
| 7270 | SYNOVITIS/TENDONITIS | 1.33 | 1.50 | 1.33 | 1.50 |
| 7274 | GANGLION CYST | 1.00 | 1.08 | 1.00 | 1.08 |
| 7350 | HALLUX VALGUS | 1.00 | 1.14 | 1.00 | 1.14 |
| 7802 | SYNCOPE AND COLLAPSE | 1.80 | 1.83 | 1.80 | 1.83 |
| 7803 | CONVULSIONS | 2.10 | 2.20 | 2.10 | 2.20 |
| 7865 | CHEST PAIN | 1.92 | 2.61 | 1.92 | 2.61 |
| 7890 | ABDOMINAL PAIN | 2.04 | 1.44 | 2.04 | 1.44 |
| 8540 | INTERP PART III IN DRV. NET/DRY | 19.00 | 14.57 | 19.00 | 14.57 |

| MAN CRUDE RATE | MIN CRUDE RATE | MAX/MIN RATIO |
|----------------|----------------|---------------|
| 4.24 | 1.91 | 2.22 |
| 2.61 | 1.62 | 1.61 |
| 3.20 | 3.14 | 1.65 |
| 4.45 | 3.00 | 1.48 |
| 4.66 | 2.67 | 1.75 |
| 4.74 | 0.00 | |
| 4.33 | 0.00 | |
| 5.38 | 0.00 | |
| 3.59 | 0.00 | |
| 2.64 | 1.76 | 1.51 |
| 2.64 | 2.00 | 1.32 |
| 3.96 | 1.64 | 1.75 |
| 3.36 | 0.00 | |
| 8.06 | 3.33 | 2.66 |
| 12.00 | 2.00 | 6.00 |
| 10.49 | 0.00 | |
| 22.65 | 2.36 | 9.58 |
| 11.89 | 2.09 | 5.93 |
| 11.00 | 1.00 | 11.00 |
| 2.44 | 1.00 | 2.44 |
| 4.95 | 0.00 | |
| 4.75 | 1.00 | 4.75 |
| 6.50 | 2.10 | 3.10 |
| 3.29 | 1.88 | 1.75 |
| 3.18 | 1.44 | 2.20 |
| 19.00 | 1.00 | 19.00 |

SECTION B: FACILITY DATA
TABLE 32. SMALL MEDIAN AVERAGE LENGTH OF STAY (MAYS)
DIRECT CARE AND CAMPUS DATA COMBINED; ADJUSTED RATES

| | REDSTONE ADJ AVG DAYS | NUCKER ADJ AVG DAYS | MAX ADJ RATE | MIN ADJ RATE | MAX/MIN RATIO |
|--------------------------------------|--------------------------|------------------------|-----------------|-----------------|------------------|
| 6400 MMAL GLUC TOL TEST IN PREGNANCY | 4.30 | 2.77 | 4.30 | 2.17 | 1.98 |
| 650 DELIVERY IN NORMAL CASE | 2.40 | 2.49 | 3.21 | 1.61 | 1.99 |
| 6522 BREACH PRESENT W/O VERSION | 3.45 | 4.12 | 5.54 | 3.29 | 1.68 |
| 6542 PREVIOUS CESARIAN SECTION | 4.05 | 4.14 | 6.07 | 2.93 | 2.07 |
| 6603 FETAL DISTRESS | 0.00 | 3.81 | 6.47 | 2.76 | 2.34 |
| 6605 POOR FETAL GROWTH | 0.00 | 0.99 | 6.12 | 0.00 | |
| 6646 EXCESSIVE FETAL GROWTH | 0.00 | 0.00 | 6.01 | 0.00 | |
| 6612 DTM/UNSPEC UTERINE INERTIA | 0.00 | 2.72 | 7.46 | 0.00 | |
| 6631 UNBILICAL CORD ENTANGLEMENT | 0.00 | 2.26 | 3.63 | 0.00 | |
| 6640 1ST DEGREE LACERATION PERINEUM | 2.22 | 2.37 | 3.68 | 1.67 | 2.21 |
| 6641 2ND DEGREE LACERATION PERINEUM | 2.48 | 2.48 | 3.33 | 1.96 | 1.70 |
| 6642 3RD DEGREE LACERATION PERINEUM | 0.00 | 2.95 | 3.98 | 1.60 | 2.41 |
| 6626 OTHER CELLULITIS/ABSCESS LEG | 4.71 | 6.72 | 4.68 | 0.00 | |
| 7159 OSTEOARTHRITIS | 1.49 | 5.54 | 10.18 | 3.45 | 2.68 |
| 7159 DISC INT DEARRANGEMENT KNEE | 13.36 | 2.02 | 17.52 | 1.49 | 6.81 |
| 7224 DISPLACEMENT INTRACRANIAL DISC | 8.22 | 4.89 | 30.24 | 3.17 | 9.56 |
| 7243 LUMBAGO | 9.12 | 5.81 | 16.48 | 2.41 | 6.71 |
| 7276 SPONDYLITIS/SPONDYLOLISTHESIS | 1.76 | 1.65 | 11.27 | 1.24 | 9.12 |
| 7274 SPONDYLITIS/SPONDYLOLISTHESIS | 1.36 | 1.18 | 2.88 | 0.97 | 2.96 |
| 7350 HALLUX CLAVUS | 1.19 | 1.28 | 5.51 | 0.00 | |
| 7802 SYNOVIAL FLUID INJURY | 1.71 | 1.93 | 4.47 | 1.04 | 4.31 |
| 7803 CUMULUS FLUID | 2.22 | 2.25 | 5.90 | 2.22 | 2.65 |
| 7865 CHEST PAIN | 1.47 | 2.60 | 3.42 | 1.47 | 2.33 |
| 7890 ABDOMINAL PAIN | 2.18 | 1.50 | 3.42 | 1.50 | 2.28 |
| 8540 INTRACRANIAL INJURY, MTC/HDS | 31.27 | 16.26 | 31.27 | 0.98 | 31.27 |

SECTION 1: VIMINILITY WINKINGS BY PEIR (MINI)
TABLE 1. MEDIAN DISPOSITIONS PER 10K
DIRECT CORE DATA: CRUDE RATES

[illegible]

THESE RESULTS ARE COMPATIBLE WITH THE FINDINGS OF OTHER STUDIES, BY THE SAME RESEARCHERS, THAT THE EFFECTS OF THE TREATMENT GROUPS WERE NOT SIGNIFICANTLY DIFFERENT FROM EACH OTHER.

[illegible]

| RMSE | SID DEV | COEF | VAR |
|------|---------|------|-----|
| 4.23 | 0.71 | 0.23 | |
| 3.49 | 0.78 | 0.22 | |
| 3.74 | 0.83 | 0.22 | |
| 1.93 | 0.12 | 0.22 | |
| 5.29 | 1.16 | 0.22 | |
| 2.20 | 0.62 | 0.21 | |
| 7.40 | 1.52 | 0.21 | |
| 6.23 | 1.28 | 0.20 | |
| 3.27 | 0.55 | 0.20 | |
| 2.41 | 0.47 | 0.19 | |
| 3.73 | 0.70 | 0.19 | |
| 3.29 | 0.62 | 0.19 | |
| 1.39 | 0.24 | 0.18 | |
| 3.58 | 0.64 | 0.17 | |
| 2.54 | 0.43 | 0.16 | |
| 1.33 | 0.69 | 0.16 | |
| 4.12 | 0.64 | 0.16 | |
| 2.25 | 0.31 | 0.14 | |
| 3.55 | 0.49 | 0.14 | |
| 9.11 | 1.23 | 0.14 | |
| 7.29 | 1.28 | 0.13 | |
| 7.31 | 0.97 | 0.13 | |
| 5.51 | 0.71 | 0.13 | |
| 1.29 | 0.29 | 0.13 | |

[illegible]

SECTION 1 - VULNERABILITY PRIORITIES, BY PEAR GROUP
 LISTED IN ORDER OF INCREASING VULNERABILITY

| | PEAR GROUP | STD DEV (INT) | VAR |
|----|------------------------------------|---------------|------|
| 1 | 6441 THREATENED LABOR (37WKS) | 3.52 | 1.29 |
| 2 | 6566 EXCESSIVE FETAL GROWTH | 6.45 | 0.27 |
| 3 | 6570 PERINATAL INJURY, NEC/NOS | 14.74 | 1.07 |
| 4 | 6573 PERINATAL ASPLASIA | 1.77 | 0.27 |
| 5 | 6590 ADJUST REACT BIRTH DEPRESSIVE | 17.80 | 0.92 |
| 6 | 6720 SYNDROMES/STENOSIS/ITIS | 15.07 | 0.26 |
| 7 | 6755 VOLUME DEPLETION | 5.07 | 0.97 |
| 8 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 9 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 10 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 11 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 12 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 13 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 14 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 15 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 16 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 17 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 18 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 19 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 20 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 21 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 22 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 23 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 24 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 25 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 26 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 27 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 28 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 29 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 30 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 31 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 32 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 33 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 34 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 35 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 36 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 37 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 38 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 39 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 40 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 41 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 42 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 43 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 44 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 45 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 46 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 47 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 48 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 49 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 50 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 51 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 52 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 53 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 54 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 55 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 56 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 57 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 58 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 59 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 60 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 61 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 62 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 63 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 64 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 65 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 66 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 67 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 68 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 69 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 70 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 71 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 72 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 73 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 74 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |
| 75 | 6755 VOLUME DEPLETION | 5.07 | 0.25 |

PEAR GROUP 76 5509 INGUINAL HERNIA 3.29 0.91 0.28
 77 6146 PELVIC/PERITONEAL ADHESIONS, FEM 3.56 1.07 0.27
 78 6542 2ND DEGREE LACERATION PERINEUM 3.16 0.94 0.27
 79 0793 VITELLINE CYST NOS 3.10 0.82 0.27
 80 3039 ALCOHOL DEPENDENCE 3.78 0.97 0.26
 81 3039 ALCOHOL DEPENDENCE 21.07 5.22 0.25
 82 2189 LEIOMYOMA UTERUS, NOS 5.58 1.37 0.25
 83 2189 LEIOMYOMA UTERUS, NOS 9.35 2.26 0.24
 84 2189 LEIOMYOMA UTERUS, NOS 4.00 0.95 0.24
 85 3029 ADHESION, PERITONEUM 2.21 0.52 0.24
 86 5321 CALCULUS OF URETER 2.21 0.52 0.24
 87 5321 CALCULUS OF URETER 2.21 0.52 0.24
 88 5321 CALCULUS OF URETER 2.21 0.52 0.24
 89 5321 CALCULUS OF URETER 2.21 0.52 0.24
 90 5321 CALCULUS OF URETER 2.21 0.52 0.24
 91 5321 CALCULUS OF URETER 2.21 0.52 0.24
 92 486 PNEUMONIA, ORGANISM UNSPEC 3.31 0.72 0.22
 93 5589 GASTROENTERITIS 5.48 1.13 0.21
 94 6641 2ND DEGREE LACERATION PERINEUM 6.33 1.25 0.20
 95 1749 CANCER, BREAST, FEM, NOS 3.49 0.69 0.20
 96 0088 INTESTINAL INFECT, OTH ORG NEC 2.61 0.49 0.19
 97 6826 OTHER CELLULITIS/ABSCESS LEG 7.18 1.29 0.18
 98 5789 HEMORRHOID, GI TRACT NOS 2.52 0.45 0.17
 99 5741 CALCULUS GALLBLADDER N/OTH CHOL 5.85 0.97 0.17
 100 6640 1ST DEGREE LACERATION PERINEUM 6.03 1.02 0.16
 2.49 0.35 0.14

51000 00000 00000 00000 00000
000 000 00000 00000 00000 00000
00000 00000 00000 00000 00000 00000

[illegible]

[illegible]

| I | V301 | OTH PLASTIC SURG., COSMETIC IMP | AVG | % D. | CHIEF VAR | 76 5789 | HEMORRHAGE GI TRACT NOS | AVG | % D. | CHIEF VAR |
|----|------|---------------------------------|-------|------|-----------|----------|---------------------------------|------|------|-----------|
| 2 | 2700 | SYNDROME/TENDOSYNDROMIS | 6.75 | 0.80 | 1.42 | 77 3540 | CARPAL TUNNEL SYNDROME | 5.29 | 0.80 | 0.17 |
| 3 | 0673 | FALU-ETIAI, OTHER, TRENTHIN | 1.59 | 0.79 | 1.25 | 78 0086 | INTESTINAL INFECTION, NEC | 2.49 | 0.40 | 0.16 |
| 4 | 0493 | HYDRO-ETIAI, SURGERY | 1.78 | 1.23 | 1.15 | 79 0300 | SINUS INFECTION, IN HOSP | 3.13 | 0.50 | 0.15 |
| 5 | 0670 | FOLLOWUP EXAM, THERAPY | 2.59 | 2.39 | 1.02 | 80 5908 | ESOPHAGITIS/PYROMPHOSIS | 4.41 | 0.59 | 0.15 |
| 6 | 0591 | AFTERGROWTH SUSP, GROWTHC | 2.75 | 2.59 | 1.00 | 81 4986 | PHARYNGITIS | 4.57 | 0.21 | 0.15 |
| 7 | 0717 | POSTFEEL GROWTHC | 2.44 | 2.61 | 0.91 | 82 0799 | BRONCHITIS | 3.29 | 0.50 | 0.15 |
| 8 | 5365 | EXCESSIVE GROWTHC | 2.44 | 1.95 | 0.71 | 83 0799 | VIRAL INFECTION NOS | 2.82 | 0.32 | 0.15 |
| 9 | 7378 | EXCESSIVE GROWTHC | 1.59 | 1.17 | 0.73 | 84 5449 | 1ST DEGREE LACERATION PERINEUM | 2.70 | 0.40 | 0.15 |
| 10 | 7378 | EXCESSIVE GROWTHC | 12.63 | 0.12 | 0.54 | 85 4659 | ACUTE UPPER RESP INFECTION | 2.73 | 0.39 | 0.14 |
| 11 | 5340 | CALCIUM DEFICIENCY | 3.72 | 2.19 | 0.64 | 86 3259 | SYMPTOMS/PAIN FEM GENITAL | 2.86 | 0.40 | 0.14 |
| 12 | 7240 | PROSTHESIS, TONGUE POSITION | 1.98 | 1.18 | 0.50 | 87 5542 | PELVIC/PERITON ADHESIONS, FEM | 4.40 | 0.51 | 0.14 |
| 13 | 7240 | PROSTHESIS, TONGUE POSITION | 3.88 | 2.15 | 0.56 | 88 5146 | ACUTE PHARYNGITIS | 3.58 | 0.49 | 0.14 |
| 14 | 4740 | CORONARY ARTERIOCLEROSIS | 3.44 | 1.89 | 0.51 | 89 462 | PELVIC/PERITON ADHESIONS, FEM | 2.84 | 0.37 | 0.13 |
| 15 | 2750 | HALLUX VALGUS | 4.17 | 2.26 | 0.54 | 90 3741 | CALCULUS GALLBLADDER W/OTM CHOL | 5.15 | 0.80 | 0.13 |
| 16 | 3032 | HEENT RECENT W/OIST OTH EMIT | 9.79 | 5.23 | 0.53 | 91 5633 | UMBILICAL CORD ENTANGLEMENT | 2.87 | 0.36 | 0.13 |
| 17 | 2113 | ADJUST PROPLANT, CONOM | 1.89 | 1.00 | 0.53 | 92 5633 | UMBILICAL CORD ENTANGLEMENT | 2.87 | 0.34 | 0.12 |
| 18 | 3050 | ADJUST PLANT, HALLET UPRESSIVL | 9.67 | 4.88 | 0.50 | 93 5440 | THREATENED PREM LABOR | 2.25 | 0.26 | 0.11 |
| 19 | 3050 | ADJUST PLANT, HALLET UPRESSIVL | 2.73 | 1.30 | 0.48 | 94 2189 | LEIOMYOMA UTERUS NOS | 5.44 | 0.62 | 0.11 |
| 20 | 4111 | INTERPERIDIC CORONARY SYNDROME | 2.79 | 1.30 | 0.47 | 95 0340 | STREPTOCOCCAL SORE THROAT | 2.90 | 0.33 | 0.11 |
| 21 | 7802 | SYNDROME AND COLLAPSE | 4.52 | 2.09 | 0.46 | 96 5642 | 3RD DEGREE LACERATION PERINEUM | 2.96 | 0.31 | 0.11 |
| 22 | 0288 | INTENSUAL SLEEPING | 0.83 | 0.37 | 0.43 | 97 550 | DELIVERY IN NORMAL CASE | 2.76 | 0.29 | 0.11 |
| 23 | 3050 | DRUG ABUSE, ALCOHOL | 4.71 | 2.04 | 0.43 | 98 5301 | ESOPHAGITIS | 4.78 | 0.26 | 0.10 |
| 24 | 4280 | CONGESTIVE HEART FAILURE | 6.92 | 2.97 | 0.43 | 99 5466 | INFECTION GU TRACT IN PREGNANCY | 3.39 | 0.27 | 0.08 |
| 25 | 4349 | CHRONIC ISCHEMIC HEART DISEASE | 2.93 | 1.19 | 0.41 | 100 6442 | EARLY ONSET DELIVERY (37WKS) | 3.89 | 0.26 | 0.07 |

[illegible]

TABLE 16. LARGE MEDUAC AVERAGE LENGTH OF STAY (DAYS)

[illegible]

1990-1991

[illegible]

CELLULOSE: VIRGINIALLY KRAFTING, BY PER KROPP
3000) 11. MEDIUM MEDIUM DISPOSITIONS, PER KROPP
DIRECT CARE AND CHAMUS DATA COMBIN

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
|--|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | | | | | | | | | | | | | | | | | |

SECTION 1: VARIABILITY KINFING, BY PEER GROUP
10001 20. MEDIUM MEDDIC DISPOSITIONS PIR LOK
DIRECT COKE AND CHAMUS DATA COMBIN

| D. ID. NO. | | SURG. CHRG. NO. | | DATE | | TIME | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | S. D. COEFF. VAR. | | | |
|------------|--|-----------------|--|------|--|------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|--|--|
|------------|--|-----------------|--|------|--|------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|-------------------|--|--|--|

SECTION 1: VARIABILITY ROUNDS BY PEER GROUP
SECTION 2: MEDIUM MEDIAN AVERAGE LENGTH OF STAY (MAY),
DIRECT CARE DAYS: CRUDE RATES

[illegible]

SECTION C: VARIABILITY RANKINGS BY PEER GROUP
TABLE 25. SMALL MEDICAL DISPOSITIONS PER IUK

SECTION 1: VIRALITY RANKINGS BY PEER REVIEW

SECTION 1 - VARIABILITY RANKINGS BY PIER GROUP
SMALL MEDIAN DISPOSITIONS PER 10K
ADJUSTABLE PIA
DIRECT CARE UNIT: ADJUSTED RATES

SECTION 1: VIRILITY RANKINGS BY PIER GROUP

CRUDE RATES

TABLE 1. CONTINUITY LISTING BY PERIOD
OF CONTINUITY LISTING BY PERIOD
OF CONTINUITY LISTING BY PERIOD

| | AVG | S.D. | COEFF VAR | | AVG | S.D. | COEFF VAR |
|---------|------|-------|-----------|----------|-------|------|-----------|
| 1 1501 | 0.50 | 1.41 | 2.83 | 76 0088 | 12.98 | 1.41 | 0.59 |
| 2 0499 | 0.12 | 0.33 | 2.83 | 77 2189 | 4.02 | 1.49 | 0.52 |
| 3 0586 | 1.08 | 2.21 | 2.06 | 78 605 | 9.02 | 2.07 | 0.52 |
| 4 3669 | 1.92 | 3.26 | 1.70 | 79 4690 | 3.02 | 1.55 | 0.50 |
| 5 0622 | 6.74 | 10.74 | 1.59 | 80 7273 | 3.39 | 2.68 | 0.50 |
| 6 0617 | 2.24 | 3.37 | 1.50 | 81 7273 | 2.39 | 2.04 | 0.49 |
| 7 0617 | 0.78 | 1.09 | 1.30 | 82 5923 | 2.70 | 1.28 | 0.47 |
| 8 0621 | 2.72 | 3.41 | 1.30 | 83 5923 | 2.70 | 1.28 | 0.47 |
| 9 0621 | 0.99 | 1.35 | 1.37 | 84 5923 | 2.70 | 1.28 | 0.47 |
| 10 0621 | 1.84 | 2.50 | 1.37 | 85 5923 | 2.70 | 1.28 | 0.47 |
| 11 0621 | 3.03 | 4.05 | 1.33 | 86 5923 | 2.70 | 1.28 | 0.47 |
| 12 0621 | 3.83 | 4.95 | 1.29 | 87 5923 | 2.70 | 1.28 | 0.47 |
| 13 0621 | 3.83 | 4.95 | 1.29 | 88 5923 | 2.70 | 1.28 | 0.47 |
| 14 0621 | 3.83 | 4.95 | 1.29 | 89 5923 | 2.70 | 1.28 | 0.47 |
| 15 0621 | 3.83 | 4.95 | 1.29 | 90 5923 | 2.70 | 1.28 | 0.47 |
| 16 0621 | 3.83 | 4.95 | 1.29 | 91 5923 | 2.70 | 1.28 | 0.47 |
| 17 0621 | 3.83 | 4.95 | 1.29 | 92 5923 | 2.70 | 1.28 | 0.47 |
| 18 0621 | 3.83 | 4.95 | 1.29 | 93 5923 | 2.70 | 1.28 | 0.47 |
| 19 0621 | 3.83 | 4.95 | 1.29 | 94 5923 | 2.70 | 1.28 | 0.47 |
| 20 0621 | 3.83 | 4.95 | 1.29 | 95 5923 | 2.70 | 1.28 | 0.47 |
| 21 0621 | 3.83 | 4.95 | 1.29 | 96 5923 | 2.70 | 1.28 | 0.47 |
| 22 0621 | 3.83 | 4.95 | 1.29 | 97 5923 | 2.70 | 1.28 | 0.47 |
| 23 0621 | 3.83 | 4.95 | 1.29 | 98 5923 | 2.70 | 1.28 | 0.47 |
| 24 0621 | 3.83 | 4.95 | 1.29 | 99 5923 | 2.70 | 1.28 | 0.47 |
| 25 0621 | 3.83 | 4.95 | 1.29 | 100 0288 | 0.00 | 0.00 | 0.00 |
| 26 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 27 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 28 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 29 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 30 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 31 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 32 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 33 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 34 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 35 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 36 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 37 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 38 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 39 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 40 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 41 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 42 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 43 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 44 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 45 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 46 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 47 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 48 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 49 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 50 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 51 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 52 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 53 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 54 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 55 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 56 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 57 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 58 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 59 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 60 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 61 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 62 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 63 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 64 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 65 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 66 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 67 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 68 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 69 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 70 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 71 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 72 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 73 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 74 0621 | 3.83 | 4.95 | 1.29 | | | | |
| 75 0621 | 3.83 | 4.95 | 1.29 | | | | |

[illegible]

SECTION D: COMPOSITE INDEX OF VARIATION
TABLE 1. MEDICINES

[illegible]

PHARMACEUTICALS
ADJUSTED RATES

SECTION 11: COMPOSITE INDEX OF VARIATION
TABLE 3. MEDICARE AND CHAMPUS DATA COMBINED: CRUDE RATES

| | DISP | RANKINGS DAYS | CHM |
|--|------|------------------|-----|
| 1 8366 EXCESSIVE FETAL GROWTH | 2 | 4 | 1 |
| 2 9288 ANTENATAL SCREENING | 4 | 6 | 2 |
| 3 6430 MILD HYPEREMESIS GRAVIDARUM | 16 | 10 | 14 |
| 4 8441 THREATENED LABOR (C/STAKS) | 16 | 11 | 17 |
| 5 5263 POOR FETAL GROWTH | 10 | 11 | 21 |
| 6 5355 GASTRITIS/GASTROENTERITIS NOS | 11 | 14 | 22 |
| 7 8440 THREATENED PRETERM LABOR | 11 | 12 | 23 |
| 8 4612 OXYMETHOXY UTERINE INERTIA | 3 | 21 | 24 |
| 9 5119 CHRONIC ISCHEMIC HEART DISEASE | 27 | 72 | 27 |
| 10 2113 BENIGN NEURALGIA, COLON | 29 | 19 | 30 |
| 11 6670 FOLLOW-UP EXAM, SURGERY | 13 | 19 | 38 |
| 12 5243 AMNIOCLIP WITH POSITION | 14 | 26 | 39 |
| 13 6451 UNILATERAL CORD AROUND NECK | 14 | 27 | 41 |
| 14 6451 UNILATERAL CORD AROUND NECK | 14 | 27 | 41 |
| 15 6221 DYSPLASIA OF CERVIX | 24 | 17 | 45 |
| 16 6101 DIFFUSE CYSTIC METASTASIS | 15 | 13 | 49 |
| 17 2765 VOLUME DEPLETION | 46 | 3 | 51 |
| 18 4659 ACUTE UPPER RESPIR INFECTION | 21 | 31 | 52 |
| 19 6675 P/20 EXAM, OTHER TREATMENT | 47 | 24 | 60 |
| 20 6450 PROLONGED PREGNANCY | 47 | 25 | 65 |
| 21 6466 INFECTED TUBIT IN PREGNANCY | 37 | 24 | 61 |
| 22 6442 EARLY ONSET OF LIVERY (C/STAKS) | 40 | 13 | 63 |
| 23 3090 ADJUST REACT, BRIEF DEPRESSIVE | 6 | 47 | 63 |
| 24 0340 STREPTOCOCCAL SINUS THROAT | 22 | 11 | 68 |
| 25 6718 OBSERVATION WITH SPECIFIED CHM | 40 | 28 | 68 |
| 26 6633 UNILATERAL CORD ENTANGLEMENT | 1 | 38 | 69 |
| 27 6363 FETAL DISTRESS | 1 | 38 | 70 |
| 28 5920 CALCULUS OF KIDNEY | 44 | 23 | 73 |
| 29 3501 OTITIS MEDIA NOS | 50 | 23 | 73 |
| 30 7803 CONVULSIONS | 25 | 47 | 73 |
| 31 6428 PAINFUL TEST IN PREGNANCY | 35 | 45 | 77 |
| 32 6428 PAINFUL TEST IN PREGNANCY | 35 | 45 | 77 |
| 33 6428 CANCER, BRONCHUS/LUNG NOS | 19 | 60 | 79 |
| 34 6428 ACUTE BRONCHITIS | 42 | 37 | 79 |
| 35 3501 ESOPHAGITIS | 50 | 25 | 85 |
| 36 1740 DEVIATED NASAL SEPTUM | 50 | 25 | 85 |
| 37 1740 CORONARY ARTERIOSCLEROSIS | 43 | 53 | 88 |
| 38 7350 EMBOLUS, ALVEOLAR | 62 | 13 | 88 |
| 39 5240 SPONTANEOUS FIBROSITIS | 83 | 3 | 90 |
| 40 6327 SPONTANEOUS ABORTION | 25 | 65 | 90 |
| 41 6327 ADJUST REACT/DIST OTM ENOT | 74 | 16 | 92 |
| 42 6421 MILD/UNSPEC PRECLAMPSIA | 29 | 58 | 92 |
| 43 4741 HYPERTROPHIC MYOSITIS/ADENOSIS | 29 | 58 | 94 |
| 44 7350 RADICAL PROSTATECTOMY | 56 | 39 | 96 |
| 45 6029 REDUNDANT PREPIT/PHIMOSIS | 29 | 39 | 97 |
| 46 7139 URETHRITIS | 29 | 68 | 97 |
| 47 5241 URETHRAL INFECTION NOS | 30 | 67 | 97 |
| 48 5241 CALCULUS OF URETER | 30 | 67 | 97 |
| 49 5206 DISTURB TOOTH ERUPTION | 12 | 89 | 100 |
| 50 3039 ALCOHOL DEPENDENCE | 49 | 52 | 101 |
| 51 4139 ANGINA OTHER AND UNSPEC | 62 | 42 | 104 |
| 52 0540 INTRACRANIAL INJURY, NEC/NOS | 96 | 8 | 105 |
| 53 4240 CHRONIC TONSILLITIS | 54 | 51 | 105 |
| 54 185 CANCER PROSTATE | 53 | 54 | 107 |
| 55 6441 2ND DEGREE LACERATION PERINEUM | 23 | 85 | 108 |
| 56 5591 AFTERCARE WITH CHEMOTHERAPY | 17 | 92 | 109 |
| 57 7242 LUMBAGO | 61 | 49 | 110 |
| 58 7178 OTM SPEC INT DERANGEMENT KNEE | 72 | 40 | 112 |
| 59 0529 VARICELLA W/O COMPLICATIONS | 56 | 56 | 112 |
| 60 4111 INTERMEDIATE CORONARY SYNDROME | 77 | 35 | 113 |
| 61 2189 LEIOMYOMA, UTERUS, NOS | 43 | 70 | 113 |
| 62 6259 SYMPTOMS/PAIN FEM GENITAL | 79 | 34 | 113 |
| 63 6442 3RD DEGREE LACERATION PERINEUM | 33 | 81 | 114 |
| 64 0540 REMOVAL FM PLATE/FIXTN DEVICE | 95 | 20 | 115 |
| 65 6146 PELVIC/PERITONEAL DYSFUNCTION, EFF | 85 | 36 | 121 |
| 66 6262 EXCESSIVE/RED MENSTRUATION | 51 | 73 | 124 |
| 67 1749 CANCER, BREAST, FEM, NOS | 75 | 50 | 125 |
| 68 3540 CARPAL TUNNEL SYNDROME | 67 | 59 | 126 |
| 69 7221 DISPLACEMENT INTRUTERINE D/C | 52 | 75 | 127 |
| 70 490 BRONCHITIS | 74 | 55 | 129 |
| 71 7802 SYNCOPES AND COLLAPSE | 39 | 91 | 129 |
| 72 650 DELIVERY IN NON-HM CIVT | 86 | 44 | 130 |
| 73 5621 DIVERTICULA OF COLON | 89 | 40 | 137 |
| 74 7274 CANCEL TION CVS | | | |
| 76 5990 URINARY TRACT INFECTION | | | |
| 77 463 ACUTE TONSILLITIS | | | |
| 78 3829 OTITIS MEDIA NOS | | | |
| 79 600 HYPERPLASIA OF PROSTATE | | | |
| 80 486 PNEUMONIA, ORGANISM UNSPEC | | | |
| 81 7865 CHEST PAIN | | | |
| 82 5309 INGUINAL HERNIA | | | |
| 83 0717 OBSERVATION SUSP (ORD/VASC DTS) | | | |
| 84 0252 STERILIZATION | | | |
| 85 4273 ATRIAL FIBRILLATION/FLUTTER | | | |
| 86 6522 BREECH PRESENT W/O VERSION | | | |
| 87 5789 HEMORRHOGE GI TRACT NOS | | | |
| 88 7890 ABDOMINAL PAIN | | | |
| 89 4939 ASTHMA NOS | | | |
| 90 6542 PREVIOUS CESARIAN SECTION | | | |
| 91 0088 INTESTINAL INFECTION, DTH ORG NEC | | | |
| 92 5409 ACUTE APPENDICITIS W/O PERITON | | | |
| 93 6640 1ST DEGREE LACERATION PERINEUM | | | |
| 94 5741 CALCULUS GALLBLADDER W/OUT CHOL | | | |
| 95 5308 PYELOPHREITIS/PYELONEPHROSIS | | | |
| 96 0300 SINGLE INFANT BURN IN HOSP | | | |
| 97 496 CHRONIC AIRWAY OBSTRUCTION | | | |
| 98 5589 GASTROENTERITIS | | | |
| 99 6826 OTHER CELLULITIS/ABSCESS ITC | | | |
| 100 4260 CONGESTIVE HEART FAILURE | | | |

SECTION D: COMPOSITE INDEX OF VARIATION
TABLE 4. MEDICINE DIRECT CARE AND CHAMPUS DATA COMBINED: ADJUSTED RATES

| | DISP | RANKINGS DAYS | ADJUSTED RATES | SUM |
|----------|---------------------------------|------------------|----------------|-----|
| 1 6386 | EXCESSIVE FETAL GROWTH | 2 | 13 | 139 |
| 2 6388 | ANTENATAL SCREENING | 15 | 1 | 139 |
| 3 6441 | THREATENED LABOR (37WKS) | 6 | 12 | 140 |
| 4 6430 | MILD HYPERTENSIS (GRVIDIAN) | 9 | 14 | 141 |
| 5 6199 | CHRONIC ISCHEMIC HEART DISEASE | 10 | 16 | 143 |
| 6 6363 | POOR FETAL GROWTH | 10 | 16 | 144 |
| 7 6395 | BASTRITIS/OSTROENTERITIS NOS | 10 | 16 | 144 |
| 8 6612 | OTH UNSPEC UTERINE INERTIA | 23 | 24 | 145 |
| 9 2113 | BENIGN NEOPLASM, COLON | 10 | 16 | 145 |
| 10 3090 | ADJUST HEART, BRIEF DEPRESSIVE | 10 | 16 | 145 |
| 11 4859 | ACUTE UPPER RESP INFECT | 13 | 20 | 152 |
| 12 0340 | STREPTOCOCCAL SORE THROAT | 13 | 20 | 157 |
| 13 6440 | THREATENED PREM LABOR | 13 | 20 | 161 |
| 14 6101 | DIFFUSE CYSTIC MASTOPATHY | 18 | 25 | 165 |
| 15 462 | ACUTE PHARYNGITIS | 23 | 21 | 167 |
| 16 3293 | ABNORMALITIES FOOTH POSITION | 8 | 43 | 169 |
| 17 6631 | UNILATERAL CORD AROUND NECK | 14 | 38 | 171 |
| 18 6466 | INFECT GU INCT IN PREGNANCY | 38 | 15 | 171 |
| 19 6670 | FOLLOW UP EXAM, SURGERY | 19 | 16 | 174 |
| 20 2765 | VOLUME DEPLETION | 48 | 7 | 176 |
| 21 0499 | MILK-III/IV NOS | 24 | 32 | 177 |
| 22 6675 | F/U EXAM, OTHER TREATMENT | 50 | 11 | 177 |
| 23 6251 | DYSPLASIA OF CERVIX | 11 | 50 | 177 |
| 24 6430 | PROLONGED PREGNANCY | 20 | 42 | 177 |
| 25 167 | ACUTE TONSILLITIS | 55 | 10 | 177 |
| 26 6629 | CANCER, BRONCHUS, LUNG NOS | 45 | 22 | 177 |
| 27 4140 | CONJUNCTIVITIS/BLINDNESS | 61 | 8 | 177 |
| 28 3292 | CONJUNCTIVITIS/BLINDNESS | 61 | 8 | 177 |
| 29 470 | DEVIATED NASAL SEPTUM | 44 | 26 | 177 |
| 30 6442 | EARLY ONSET DELIVERY (37WKS) | 39 | 31 | 177 |
| 31 32178 | OTH SPEC INT DEBARMENT KNEE | 63 | 9 | 177 |
| 32 5920 | CALCULUS OF KIDNEY | 7 | 69 | 177 |
| 33 6488 | ABN GLUC TOR TEST IN PREGNANCY | 29 | 48 | 177 |
| 34 6488 | CONVALESCENCE | 43 | 15 | 177 |
| 35 6633 | INTRACRANIAL INJURY, NEC/NOS | 78 | 3 | 177 |
| 36 6633 | UNILATERAL CORD ENTANGLEMENT | 37 | 46 | 177 |
| 37 6633 | OBSERVATION OTH SPECIFIED COND | 22 | 61 | 177 |
| 38 7350 | HALLUX VALGUS | 53 | 30 | 177 |
| 39 4741 | MYOEPITHELIOMA/ADENOMAS | 21 | 62 | 177 |
| 40 632 | SYNDROMITIS/TENDOSYNOVITIS | 80 | 6 | 177 |
| 41 3050 | DRUG ABUSE, ALCOHOL | 57 | 33 | 177 |
| 42 6424 | MILD/UNSPEC PREECLAMPSIA | 28 | 33 | 177 |
| 43 6424 | VARICELLA W/O COMPLICATIONS | 64 | 28 | 177 |
| 44 605 | REDUNDANT PREPUCE/PHIMOSIS | 49 | 44 | 177 |
| 45 600 | HYPERPLASIA OF PROSTATE | 76 | 19 | 177 |
| 46 600 | AFTERCARE MGMT CHEMOTHERAPY | 16 | 80 | 177 |
| 47 7242 | LUMBAGO | 62 | 34 | 177 |
| 48 5301 | ESOPHAGITIS | 42 | 55 | 177 |
| 49 4740 | CHRONIC TONSILLITIS | 46 | 52 | 177 |
| 50 6501 | OTH PLASTIC SURG, COSMETIC APP | 51 | 47 | 177 |
| 51 6563 | FETAL DISTRESS | 47 | 51 | 177 |
| 52 6349 | SPONTANEOUS ABORTION | 88 | 18 | 177 |
| 53 6349 | VIRAL INFECT, NOS | 32 | 79 | 177 |
| 54 6146 | PELVIC/PERITON ADHESIONS, FEM | 35 | 77 | 177 |
| 55 6621 | DIVERTICULA OF COLON | 68 | 45 | 177 |
| 56 6642 | 3RD DEGREE LACERATION PERINEUM | 36 | 78 | 177 |
| 57 105 | CANCER, PROSTATE | 77 | 39 | 177 |
| 58 6717 | OBSERVATION SUSP CARDIOVASC DIS | 52 | 64 | 177 |
| 59 7159 | OSTEOARTHRITIS | 33 | 83 | 177 |
| 60 6540 | REMOVAL FX PLATE/FIXTN DEVICE | 94 | 23 | 177 |
| 61 650 | DELIVERY IN NORMAL CASE | 26 | 87 | 177 |
| 62 6641 | 2ND DEGREE LACERATION PERINEUM | 40 | 82 | 177 |
| 63 2189 | LEIOMYOMA, UTERUS, NOS | 40 | 82 | 177 |
| 64 6259 | SYMPTOMS/PAIN FEM GENITAL | 43 | 86 | 177 |
| 65 4111 | INTERMEDIATE CORONARY SYNDROME | 41 | 86 | 177 |
| 66 5921 | CALCULUS OF UFFER | 86 | 41 | 177 |
| 67 7274 | CHEST PAIN | 58 | 70 | 177 |
| 68 706 | BRONCHITIS | 59 | 75 | 177 |
| 69 490 | BRONCHITIS | 65 | 71 | 177 |
| 70 498 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 71 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 72 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 73 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 74 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 75 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 76 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 77 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 78 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 79 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 80 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 81 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 82 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 83 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 84 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 85 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 86 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 87 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 88 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 89 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 90 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 91 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 92 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 93 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 94 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 95 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 96 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 97 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 98 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 99 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |
| 100 4280 | CONJUNCTIVITIS | 97 | 40 | 177 |

DIRECT CARE: CHIEF NURSES

DIRECT CARE: CHIEF NURSES

| RANKINGS | | RANKINGS | | RANKINGS | | RANKINGS | |
|-------------------|--------|-------------------|--------------------------------|-------------------|----------|-------------------|----------------------------------|
| DISP/10K AVG DAYS | | DISP/10K AVG DAYS | | DISP/10K AVG DAYS | | DISP/10K AVG DAYS | |
| SUM | 1 | SUM | 1 | SUM | 1 | SUM | 1 |
| 1 | US01 | 1 | OTH PLASTIC SURG. COSMETIC APP | 1 | 76 6631 | 1 | UMBILICAL CORD AROUND NECK |
| 2 | U717 | 2 | OBSERVATION SUSP. CARDIAC DIS | 2 | 77 0799 | 2 | VIRAL INFECT., NOS |
| 3 | U981 | 3 | ARTERIAL BURN CHRONIC DYS | 3 | 78 4939 | 3 | ASTHMA NOS |
| 4 | U566 | 4 | EXCESSIVE FEET GROWTH | 4 | 79 6221 | 4 | DYSPLASIA OF CERVIX |
| 5 | U565 | 5 | POOR FEET GROWTH | 5 | 80 6349 | 5 | SPONTANEOUS ABORTION |
| 6 | U410 | 6 | CORONARY ARTERIO SCLEROSIS | 6 | 81 6542 | 6 | 3RD DEGREE LACERATION PERINEUM |
| 7 | U670 | 7 | FOLLOW-UP EXAM. SURGERY | 7 | 82 5409 | 7 | ACUTE APPENDICITIS W/O PERITON |
| 8 | U419 | 8 | MTLV-III/LAV NOS | 8 | 83 6501 | 8 | DELIVERY IN NORMAL CASE |
| 9 | U675 | 9 | F/U EXAM. OTHER TREATMENT | 9 | 84 6101 | 9 | DIFFUSE CYSTIC MASTOPATHY |
| 10 | U392 | 10 | ADJUST REACT W/ADIST OTH EMOT | 10 | 85 0080 | 10 | INTESTIN. L. INFECT. OTH ORG N/C |
| 11 | U288 | 11 | ANTENATAL SCREENING | 11 | 86 6612 | 11 | OTH/UNSPEC UTERINE INERTIA |
| 12 | U243 | 12 | ANOMALIES TOOTH POSITION | 12 | 87 6563 | 12 | FETAL DISTRESS |
| 13 | U3090 | 13 | ADJUST REACT. BRIEF DEPRESSIVE | 13 | 88 6640 | 13 | 1ST DEGREE LACERATION PERINEum |
| 14 | U4300 | 14 | MILD HYPEREMESIS GRAVIDARUM | 14 | 89 5789 | 14 | HEMORRHAIGE GI TRACT NOS |
| 15 | U5920 | 15 | CALCULUS OF KIDNEY | 15 | 90 6542 | 15 | PREVIOUS CESARIAN SECTION |
| 16 | U206 | 16 | DISTURB TOOTH ERUPTION | 16 | 91 6259 | 16 | SYMPTOMS/PAIN FEM GENITAL |
| 17 | U3050 | 17 | DRUG ABUSE, ALCOHOL | 17 | 92 6146 | 17 | PELVIC/PERITON ADHESIONS, FEM |
| 18 | U111 | 18 | INTERMEDIATE CORONARY SYNDROME | 18 | 93 5509 | 18 | INGUINAL HERNIA |
| 19 | U3039 | 19 | ALCOHOL DEPENDENCE | 19 | 94 5908 | 19 | PYELONEPHRITIS/PYONEPHROSIS |
| 20 | U429 | 20 | CONGESTIVE HEART FAILURE | 20 | 95 2189 | 20 | LEIOMYOMA, UTERUS, NOS |
| 21 | U463 | 21 | ACUTE TONSILLITIS | 21 | 96 0300 | 21 | SINGL INFANT BORN IN HOSP |
| 22 | U2221 | 22 | DISPLACEMENT INTERTEBRAL DISC | 22 | 97 0301 | 22 | CALCULUS GALLBLADDER W/OTH CHOL |
| 23 | U3270 | 23 | SYNOVITIS/TENOSYNOVITIS | 23 | 98 6440 | 23 | THREATENED PREM LABOR |
| 24 | U441 | 24 | THREATENED LABOR (>3HRS) | 24 | 99 6466 | 24 | INFECT GU TRACT IN PREGNANCY |
| 25 | U470 | 25 | DEVIATED NASAL SEPTUM | 25 | 100 5301 | 25 | ESOPHAGITIS |
| 26 | U790 | 26 | ABDOMINAL PAIN | 26 | | | |
| 27 | U265 | 27 | VOLUME DEPLETION | 27 | | | |
| 28 | U829 | 28 | VARICELLA W/O COMPLICATIONS | 28 | | | |
| 29 | U149 | 29 | CANCER, BREAST, FEM. NOS | 29 | | | |
| 30 | U419 | 30 | CHRONIC ISCHEMIC HEART DISEASE | 30 | | | |
| 31 | U1159 | 31 | OSTEOARTHRITIS | 31 | | | |
| 32 | U921 | 32 | CALCULUS OF URETER | 32 | | | |
| 33 | U3955 | 33 | GASTRITIS/GASTROENTERITIS NOS | 33 | | | |
| 34 | U1629 | 34 | CANCER, BRONCHUS/LUNG NOS | 34 | | | |
| 35 | U7242 | 35 | LUMBAGO | 35 | | | |
| 36 | U4741 | 36 | HYPERTROPHY TONSILS/ADENOIDS | 36 | | | |
| 37 | U7350 | 37 | HALLUX VALGUS | 37 | | | |
| 38 | U8540 | 38 | INTRACRANIAL INJURY, NEC/NOS | 38 | | | |
| 39 | U600 | 39 | DYSPLASIA OF PROSTATE | 39 | | | |
| 40 | U496 | 40 | CHRONIC AIRWAY OBSTRUCTION | 40 | | | |
| 41 | U632 | 41 | MISSED ABORTION | 41 | | | |
| 42 | U4139 | 42 | ANGINA, OTHER AND UNSPEC | 42 | | | |
| 43 | U408 | 43 | ABNL GLUC TOL TEST IN PREGN | 43 | | | |
| 44 | U3659 | 44 | CATARACT NO. | 44 | | | |
| 45 | U7802 | 45 | ACUTE UPPER RESP INFECT | 45 | | | |
| 46 | U2117 | 46 | SYNCOPE AND COLLAPSE | 46 | | | |
| 47 | U462 | 47 | BENIGN NEOPLASM, COLON | 47 | | | |
| 48 | U496 | 48 | PNEUMONIA, ORGANISM UNSPFO | 48 | | | |
| 49 | U6450 | 49 | PROLONGED PREGNANCY | 49 | | | |
| 50 | U10340 | 50 | STREPTOCOCCAL SORE THROAT | 50 | | | |
| 51 | U3252 | 51 | STERILIZATION | 51 | | | |
| 52 | U3195 | 52 | CANCER, PROSTATE | 52 | | | |
| 53 | U4718 | 53 | OBSERVATION OTH SPECIFIED COND | 53 | | | |
| 54 | U8950 | 54 | URINARY TRACT INFECTION | 54 | | | |
| 55 | U3589 | 55 | GASTROENTERITIS | 55 | | | |
| 56 | U7470 | 56 | CHRONIC TONSILLITIS | 56 | | | |
| 57 | U7176 | 57 | OTH SPEC INT DERANGEMENT KNEE | 57 | | | |
| 58 | U8273 | 58 | MILD FIBRILLATION/FLUTTER | 58 | | | |
| 59 | U8424 | 59 | MILD/UNSPEC REELECTRICAR | 59 | | | |
| 60 | U1626 | 60 | OSTEOARTHRITIS | 60 | | | |
| 61 | U1040 | 61 | RECURRENT PREGN/PAIN/DEGLS | 61 | | | |
| 62 | U1640 | 62 | RECURRENT FX PLATE/FXIM DEVICE | 62 | | | |
| 63 | U1642 | 63 | EARLY ONSET DELIVERY (<37WKS) | 63 | | | |
| 64 | U3540 | 64 | CARPAL TUNNEL SYNDROME | 64 | | | |
| 65 | U1683 | 65 | UMBILICAL CORD ENTANGLEMENT | 65 | | | |
| 66 | U7803 | 66 | CONVULSIONS | 66 | | | |
| 67 | U8522 | 67 | BREECH PRESENT W/O VERSION | 67 | | | |
| 68 | U3029 | 68 | OTITIS MEDIA NOS | 68 | | | |
| 69 | U7274 | 69 | GANGLION CYST | 69 | | | |
| 70 | U15621 | 70 | DIVERTICULA OF COLON | 70 | | | |
| 71 | U7865 | 71 | CHEST PAIN | 71 | | | |
| 72 | U3990 | 72 | BRONCHITIS | 72 | | | |
| 73 | U6641 | 73 | 2ND DEGREE LACERATION PERINEUM | 73 | | | |
| 74 | U5262 | 74 | EXCESSIVE/PERF MENSTRUATION | 74 | | | |

COLLECTION : COMPOSITE 14048 OF VARIATION

[illegible]

SECTION D, COMPOSITE INDEX OF VARIATION
TABLE 8. LARGE MEDDACS

LARGE MEDACS

**ENRAGE MEDICALS
DIRECT CARE AND CHAMPUS DATA COMBINED: ADJUSTED RATES**

| DIRECT CARE AND CHAIRPUS DATA COMBINED | | RANKINGS | | ADJUSTED RATES | | SUM | |
|--|--------------------------------|----------|----------|----------------|----------|----------|----------|
| | | DISP/10K | AUG DAYS | DISP/10K | AUG DAYS | DISP/10K | AUG DAYS |
| 0001 | OTH PLASTIC SURG, COSMETIC APP | 2 | 1 | 3 | 1 | 3 | 1 |
| 0002 | EXCESSIVE FETAL BIRTH | 3 | 13 | 16 | 16 | 16 | 13 |
| 0003 | OTITIS-MEDIA NOS | 1 | 3 | 13 | 16 | 13 | 3 |
| 0004 | OTITIS-MEDIA NOS | 1 | 17 | 18 | 13 | 18 | 17 |
| 0005 | OTITIS-MEDIA NOS | 16 | 13 | 23 | 23 | 23 | 13 |
| 0006 | OTITIS-MEDIA NOS | 16 | 12 | 23 | 23 | 23 | 12 |
| 0007 | OTITIS-MEDIA NOS | 15 | 8 | 26 | 26 | 26 | 8 |
| 0008 | CANCER, PROSTATE | 21 | 8 | 26 | 26 | 26 | 8 |
| 0009 | P/U EXAM, OTHER TREATMENT | 22 | 14 | 28 | 28 | 28 | 14 |
| 0010 | ADJUST REACT W/OIST OTH ENOT | 17 | 15 | 31 | 31 | 31 | 15 |
| 0011 | ADJUST REACT W/OIST OTH ENOT | 19 | 15 | 34 | 34 | 34 | 15 |
| 0012 | CHRONIC BILIRY OBSTRUCTION | 28 | 10 | 39 | 39 | 39 | 10 |
| 0013 | CHRONIC BILIRY OBSTRUCTION | 28 | 10 | 39 | 39 | 39 | 10 |
| 0014 | MILD HYPEREMESIS GRAVIDARUM | 12 | 28 | 40 | 40 | 40 | 28 |
| 0015 | HYPERPLASIA OF PROSTATE | 30 | 11 | 41 | 41 | 41 | 11 |
| 0016 | DISURB TOTH EUPHON | 5 | 37 | 42 | 42 | 42 | 37 |
| 0017 | CORONARY ARTERIOSCLEROSIS | 23 | 23 | 46 | 46 | 46 | 23 |
| 0018 | CATARACT NOS | 41 | 9 | 50 | 50 | 50 | 9 |
| 0019 | AFTERCARE MINT CHEMOTHERAPY | 36 | 20 | 56 | 56 | 56 | 20 |
| 0020 | SYNDROMITIS/TEMOSYNOSITIS | 55 | 2 | 57 | 57 | 57 | 2 |
| 0021 | CANCER, BREAST, FEM, NOS | 52 | 10 | 62 | 62 | 62 | 10 |
| 0022 | STREPTOCOCCAL SORE THROAT | 6 | 61 | 67 | 67 | 67 | 61 |
| 0023 | INTERMEDIATE CORONARY SYNDROME | 43 | 27 | 70 | 70 | 70 | 27 |
| 0024 | CANCER, BRONCHUS/LUNG NOS | 54 | 18 | 72 | 72 | 72 | 18 |
| 0025 | ACUTE PHARYNGITIS | 7 | 65 | 72 | 72 | 72 | 65 |
| 0026 | GASTRITIS/GASTROENTERITIS NOS | 31 | 41 | 72 | 72 | 72 | 41 |
| 0027 | ORAL ABUSE, ALCOHOL | 40 | 33 | 73 | 73 | 73 | 33 |
| 0028 | ADJUST REACT, BRIEF DEPRESSIVE | 19 | 26 | 75 | 75 | 75 | 26 |
| 0029 | VOLUME DEPLETION | 13 | 63 | 76 | 76 | 76 | 63 |
| 0030 | CHRONIC ISCHEMIC HEART DISEASE | 24 | 53 | 77 | 77 | 77 | 53 |
| 0031 | HYPERTRYPHY TONSILS/ADENOIDS | 18 | 59 | 77 | 77 | 77 | 59 |
| 0032 | CONGESTIVE HEART FAILURE | 77 | 4 | 81 | 81 | 81 | 4 |
| 0033 | ABNL GLUC TOL TEST IN PREGNACY | 60 | 22 | 82 | 82 | 82 | 22 |
| 0034 | MISSSED ABORTION | 47 | 36 | 83 | 83 | 83 | 36 |
| 0035 | THREATENED LABOR (+37KNS) | 11 | 72 | 83 | 83 | 83 | 72 |
| 0036 | ATRIAL FIBRILLATION/FLUTTER | 68 | 16 | 84 | 84 | 84 | 16 |
| 0037 | VARICELLA W/O COMPLICATIONS | 4 | 81 | 85 | 85 | 85 | 81 |
| 0038 | HALLUX VILGUS | 65 | 21 | 86 | 86 | 86 | 21 |
| 0039 | ABDOMINAL PAIN | 71 | 19 | 90 | 90 | 90 | 19 |
| 0040 | CALCULUS OF KIDNEY | 50 | 40 | 90 | 90 | 90 | 40 |
| 0041 | ACUTE TONSILLITIS | 14 | 80 | 94 | 94 | 94 | 80 |
| 0042 | URINARY TRACT INFECTION | 27 | 68 | 95 | 95 | 95 | 68 |
| 0043 | ACUTE UPPER RESP INFECT | 9 | 87 | 96 | 96 | 96 | 87 |
| 0044 | STERILIZATION | 45 | 52 | 97 | 97 | 97 | 52 |
| 0045 | OBSERVATION OTH SPECIFIED CONO | 31 | 71 | 105 | 105 | 105 | 71 |
| 0046 | HEMORRAGE GI TRACT NOS | 64 | 41 | 105 | 105 | 105 | 41 |
| 0047 | OTH SPEC INT DERRANGEMENT KNEE | 82 | 24 | 106 | 106 | 106 | 24 |
| 0048 | REMOVAL FK PLATE/FIXTN DEVICE | 75 | 32 | 107 | 107 | 107 | 32 |
| 0049 | REDUNDANT PREPUCE/PHIMOSIS | 63 | 45 | 108 | 108 | 108 | 45 |
| 0050 | DIFFUSE CYSTIC MASTOPATHY | 78 | 30 | 108 | 108 | | |

**SECTION D: COMPOSITE INDEX OF VARIATION
TABLE 9. MEDIUM MEDDACS**

| DIRECT CARE DATA: CRUDE RATES | | | RANKINGS | | DISP/10K AVG DAYS | | RANKINGS | | |
|-------------------------------|-----------------------------------|----|----------|-----|-------------------|------|--------------------------------|----------|----------|
| | | | | | | | | | |
| 0501 | OTH PLASTIC SURG, COSMETIC APP | 1 | 1 | SUM | 76 | US40 | REMOVAL FX PLATE/FIXTN DEVICE | DISP/10K | AVG DAYS |
| 0449 | MTLV-ITL/AM NOS | 3 | 3 | 6 | 77 | 4139 | ANGINA, OTHER AND UNSPEC | 95 | 41 |
| 0498 | ANTENATAL SCREENING | 9 | 6 | 15 | 78 | 6640 | 1ST DEGREE LACERATION PERINEUM | 56 | 82 |
| 3243 | ANDALCIES TOOTH POSITION | 2 | 13 | 15 | 79 | 6101 | SYNCOPE AND COLLAPSE | 83 | 55 |
| 0901 | ARTHERALGIA PAIN TREATMENT | 6 | 9 | 15 | 80 | 6102 | DIFFUSE CYSTITIS HISTOPATHY | 78 | 60 |
| 0473 | CAU EXAM, OTHER TREATMENT | 13 | 5 | 20 | 81 | 5829 | OTITIS MEDIA NOS | 76 | 73 |
| 0190 | CONJUNCTIVITIS/OPHTHALMOSCLEROSIS | 15 | 15 | 20 | 82 | 4300 | SINGL INFANT BORN IN HOSP | 65 | 65 |
| 0605 | EXCESSIVE TEAR PRODUCTION | 18 | 4 | 22 | 83 | 7274 | GRANGLION CYST | 82 | 61 |
| 0605 | EXCESSIVE TEAR PRODUCTION | 2 | 2 | 28 | 84 | 6026 | OTHER CELLULITIS/ABSCESS, LEG | 91 | 152 |
| 11 | OBSEVATION SUSP CARDIAC DLS | 22 | 9 | 30 | 85 | 0111 | INTERMEDIATE CORONARY SYNDROME | 71 | 83 |
| 11 | OBSEVATION SUSP CARDIAC DLS | 22 | 9 | 30 | 86 | 0111 | INTERMEDIATE CORONARY SYNDROME | 75 | 80 |
| 13 | CHRONIC ISCHEMIC HEART DISEASE | 13 | 20 | 31 | 87 | 0008 | INTESTINAL INFECT, OTH DRG NEC | 63 | 96 |
| 13 | CHRONIC ISCHEMIC HEART DISEASE | 13 | 20 | 31 | 88 | 5300 | PNEUMONIA, ORIGIN UNSPED | 90 | 63 |
| 13 | CHRONIC ISCHEMIC HEART DISEASE | 13 | 20 | 31 | 89 | 3300 | CEREBRAL TUMOR, M/OTH | 96 | 54 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 90 | 0252 | STERILIZATION | 85 | 75 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 91 | 0529 | VARICELLA | 87 | 97 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 92 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 93 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 94 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 95 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 96 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 97 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 98 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 99 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 100 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 101 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 102 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 103 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 104 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 105 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 106 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 107 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 108 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 109 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 110 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 111 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 112 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 113 | 4960 | URINARY TRACT INFECTION | 92 | 76 |
| 14 | BENIGN NEURALGIA COLON | 17 | 17 | 36 | 114 | 4960 | URINARY TRACT INFECTION | 92 | 76 |

SECTION D: COMPOSITE INDEX OF VARIATION
TABLE 11.

| SECTION D: COMPOSITE INDEX OF VARIATION TABLE 11. | DIRECT CARE AND CHAMPUS DATA COMBINED: CRUDE RATES | RANKINGS | | SUM |
|--|--|----------|----------|-----|
| | | DISP/10K | AVG DAYS | |
| 09001 | OTH PLASTIC SURG. COSMETIC APP | 1 | 1 | 2 |
| 09049 | HTLV-III/LAV NOS | 3 | 2 | 5 |
| 09053 | ANOMALIES TOOTH POSITION | 7 | 4 | 11 |
| 09088 | ANTENATAL SCREENING | 15 | 3 | 18 |
| 09088 | EXCESSIVE FETAL GROWTH | 15 | 3 | 18 |
| 09088 | CHRONIC ISCHEMIC HEART DISEASE | 15 | 3 | 18 |
| 09088 | FAU EXAM. OTHER TREATMENT | 15 | 3 | 18 |
| 09088 | FOLLOW-UP EXAM. SURGERY | 15 | 3 | 18 |
| 09088 | BEALON NEOPLASIA, COLON | 15 | 3 | 18 |
| 09088 | OBSEVATION SUSP CHROMOSC DIS | 15 | 3 | 18 |
| 09088 | POOR FETAL GROWTH | 15 | 3 | 18 |
| 09088 | ESOPHAGITIS | 15 | 3 | 18 |
| 09088 | CANCER, PROSTATE | 15 | 3 | 18 |
| 09088 | VOLUME DEPLETION | 15 | 3 | 18 |
| 09088 | DISTURB TOOTH ERUPTION | 15 | 3 | 18 |
| 09088 | POSTERIOR MAINT CHEROTHERAPY | 15 | 3 | 18 |
| 09088 | CATARACT NOS | 15 | 3 | 18 |
| 09088 | OSTEOARTHRITIS | 15 | 3 | 18 |
| 09088 | LUMBAGO | 15 | 3 | 18 |
| 09088 | VERTICAL OF COLON | 15 | 3 | 18 |
| 09088 | CANCER, BRONCHUS/LUNG NOS | 15 | 3 | 18 |
| 09088 | DEVIATED NASAL SEPTUM | 15 | 3 | 18 |
| 09088 | PREGNANCY | 15 | 3 | 18 |
| 09088 | CORONARY ARTERIOCLEROSIS | 15 | 3 | 18 |
| 09088 | CALCULUS OF KIDNEY | 15 | 3 | 18 |
| 09088 | OTH/UNSPEC UTERINE INERTIA | 15 | 3 | 18 |
| 09088 | SYMPTOMS/PAIN FEM GENITAL | 15 | 3 | 18 |
| 09088 | CALCULUS URETER | 15 | 3 | 18 |
| 09088 | HYPEREMIA TONSILS/ADENOIDS | 15 | 3 | 18 |
| 09088 | ACUTE UPPER RESP INFECT | 15 | 3 | 18 |
| 09088 | UTERINE INERTIA NOS | 15 | 3 | 18 |
| 09088 | DISPLACEMENT IN UTERINE DISC | 15 | 3 | 18 |
| 09088 | SYNOVITIS/TENDONITIS | 15 | 3 | 18 |
| 09088 | TISSUE ABORTION | 15 | 3 | 18 |
| 09088 | GASTRIC/GASTROENTERITIS NOS | 15 | 3 | 18 |
| 09088 | OTH SPEC INT DEBRANGEMENT KNEE | 15 | 3 | 18 |
| 09088 | ADJUST REACT M/DIST OTH ENOT | 15 | 3 | 18 |
| 09088 | ABML GLUC TOL TEST IN PREGN | 15 | 3 | 18 |
| 09088 | UMBILICAL CORD ENTANGLEMENT | 15 | 3 | 18 |
| 09088 | BRONCHITIS | 15 | 3 | 18 |
| 09088 | CHRONIC TONSILLITIS | 15 | 3 | 18 |
| 09088 | OBSERVATION OTH SPECIFIED COND | 15 | 3 | 18 |
| 09088 | CANCER, BREAST, FEM NOS | 15 | 3 | 18 |
| 09088 | HYPERPLASIA OF PROSTATE | 15 | 3 | 18 |
| 09088 | DRUG ABUSE, ALCOHOL | 15 | 3 | 18 |
| 09088 | INTRACRANIAL INJURY, NEC/NOS | 15 | 3 | 18 |
| 09088 | ACUTE TONSILLITIS | 15 | 3 | 18 |
| 09088 | REDUNDANT PREPUCE/PHIMOSIS | 15 | 3 | 18 |
| 09088 | UMBILICAL CORD AROUND NECK | 15 | 3 | 18 |
| 09088 | HALLUX VALGUS | 15 | 3 | 18 |
| 09088 | DYSPLASIA OF CERVIX | 15 | 3 | 18 |
| 09088 | OTITIS MEDIA NOS | 15 | 3 | 18 |
| 09088 | DIFFUSE CYSTIC MASTOPATHY | 15 | 3 | 18 |
| 09088 | REMOVAL FX PLATE/FIXTM DEVICE | 15 | 3 | 18 |
| 09088 | ANGINA, OTHER AND UNSPEC | 15 | 3 | 18 |
| 09088 | SYNCOPE AND COLLAPSE | 15 | 3 | 18 |
| 09088 | MEMORABLE OF TRACT NOS | 15 | 3 | 18 |
| 09088 | ACUTE PHARYNGITIS | 15 | 3 | 18 |
| 09088 | ADJUST REACT, BRIEF DEPRESSIVE | 15 | 3 | 18 |
| 09088 | PELVIC/PERITON ADHESIONS, FEM | 15 | 3 | 18 |
| 09088 | STREPTOCOCCAL SORE THROAT | 15 | 3 | 18 |
| 09088 | EXCESSIVE/FREQ MENSTRUATION | 15 | 3 | 18 |
| 09088 | FETAL DISTRESS | 15 | 3 | 18 |
| 09088 | MILD/UNSPEC PREECLAMPSIA | 15 | 3 | 18 |
| 09088 | ATRIAL FIBRILLATION/FLUTTER | 15 | 3 | 18 |
| 09088 | INTESTINAL INFECT, OTH ORG NEC | 15 | 3 | 18 |
| 09088 | GANGLION CYST | 15 | 3 | 18 |
| 09088 | PYLOPHAGITIS/PYLOPHOSIS | 15 | 3 | 18 |
| 09088 | CARPAL TUNNEL SYNDROME | 15 | 3 | 18 |
| 09088 | OTHER CELLULITIS/ABSCESS LEG | 15 | 3 | 18 |
| 09088 | ALCOHOL DEPENDENCE | 15 | 3 | 18 |
| 09088 | THREATENED LABOR (+37WKS) | 15 | 3 | 18 |
| 09088 | STERILIZATION | 15 | 3 | 18 |

| SECTION D: COMPOSITE INDEX OF VARIATION TABLE 11. | DIRECT CARE AND CHAMPUS DATA COMBINED: CRUDE RATES | RANKINGS | | SUM |
|--|--|----------|----------|-----|
| | | DISP/10K | AVG DAYS | |
| 76 2189 | LEIOMYOMA, UTERUS, NOS | 42 | 94 | 136 |
| 77 4280 | CONGESTIVE HEART FAILURE | 96 | 41 | 137 |
| 79 6641 | 2ND DEGREE LACERATION PERINEUM | 47 | 92 | 139 |
| 79 6430 | MILD HYPEREMESIS GRAVIDARUM | 60 | 82 | 142 |
| 80 6442 | 3RD DEGREE LACERATION PERINEUM | 49 | 95 | 144 |
| 81 6442 | EARLY UNSET DELIVERY (+37WKS) | 65 | 79 | 144 |
| 82 0329 | VARICELLA W/O COMPLICATIONS | 62 | 84 | 146 |
| 83 6440 | THREATENED PREN LABOR | 69 | 78 | 147 |
| 84 6466 | INFECT GU TRACT IN PREGNANCY | 77 | 73 | 150 |
| 85 3590 | URINARY TRACT INFECTION | 80 | 72 | 152 |
| 86 3509 | INGUINAL HERNIA | 79 | 61 | 160 |
| 87 6300 | DELIVERY IN NORMAL CASE | 75 | 87 | 162 |
| 88 4111 | INTERMITTENT CORDARY SYNDROME | 91 | 71 | 162 |
| 89 6319 | SPONTANEOUS ABORTION | 97 | 66 | 163 |
| 90 6322 | BREACH PRESENT W/O VERSION | 93 | 70 | 163 |
| 91 7890 | ABDOMINAL PAIN | 85 | 80 | 165 |
| 92 5409 | ACUTE APPENDICITIS W/O PERITON | 83 | 85 | 168 |
| 93 436 | 1ST DEGREE LACERATION PERINEUM | 95 | 76 | 171 |
| 94 6640 | CHRONIC ALPHARY OBSTRUCTION | 88 | 90 | 178 |
| 95 486 | PNEUMONIA, ORGANISM UNSPEC | 86 | 93 | 179 |
| 96 6342 | PREVIOUS CESARIAN SECTION | 89 | 96 | 185 |
| 97 5741 | CALCULUS GIBBLER H/O TH CHOL | 98 | 88 | 186 |
| 98 7865 | CHEST PAIN | 90 | 99 | 189 |
| 99 0300 | SINGL INFANT BORN IN HOSP | 94 | 100 | 194 |
| 100 4331 | ASTHMA NOS | 100 | 97 | 197 |

| RANKINGS | | DISP/10K AVG DAYS | | RANKINGS | | DISP/10K AVG DAYS | | RANKINGS | | DISP/10K AVG DAYS | | | |
|----------|------|-------------------|-----|----------|-----|-------------------|-----|----------|------------------------|-------------------|-----|-----|------|
| SUM | 100 | SUM | 100 | SUM | 100 | SUM | 100 | SUM | 100 | SUM | 100 | | |
| 1 | 0449 | HTLV-III/IV NOS | 1 | 3 | 1 | 3 | 76 | 3540 | CARPAL TUNNEL SYNDROME | 1 | 3 | 76 | 3540 |
| 2 | 0456 | EXCESSIVE EATING | 2 | 4 | 2 | 4 | 77 | 3541 | UMBRO | 2 | 4 | 77 | 3541 |
| 3 | 0502 | OTITIS MEDIA | 3 | 5 | 3 | 5 | 78 | 3542 | ACUTE PARONYCHITIS | 3 | 5 | 78 | 3542 |
| 4 | 0512 | OTITIS MEDIA | 4 | 6 | 4 | 6 | 79 | 3543 | GASTROENTERITIS | 4 | 6 | 79 | 3543 |
| 5 | 0513 | OTITIS MEDIA | 5 | 7 | 5 | 7 | 80 | 3544 | GASTROENTERITIS | 5 | 7 | 80 | 3544 |
| 6 | 0522 | POOR FEED | 6 | 8 | 6 | 8 | 81 | 3545 | GASTROENTERITIS | 6 | 8 | 81 | 3545 |
| 7 | 0522 | POOR FEED | 7 | 9 | 7 | 9 | 82 | 3546 | GASTROENTERITIS | 7 | 9 | 82 | 3546 |
| 8 | 0522 | POOR FEED | 8 | 10 | 8 | 10 | 83 | 3547 | GASTROENTERITIS | 8 | 10 | 83 | 3547 |
| 9 | 0522 | POOR FEED | 9 | 11 | 9 | 11 | 84 | 3548 | GASTROENTERITIS | 9 | 11 | 84 | 3548 |
| 10 | 0522 | POOR FEED | 10 | 12 | 10 | 12 | 85 | 3549 | GASTROENTERITIS | 10 | 12 | 85 | 3549 |
| 11 | 0522 | POOR FEED | 11 | 13 | 11 | 13 | 86 | 3550 | GASTROENTERITIS | 11 | 13 | 86 | 3550 |
| 12 | 0522 | POOR FEED | 12 | 14 | 12 | 14 | 87 | 3551 | GASTROENTERITIS | 12 | 14 | 87 | 3551 |
| 13 | 0522 | POOR FEED | 13 | 15 | 13 | 15 | 88 | 3552 | GASTROENTERITIS | 13 | 15 | 88 | 3552 |
| 14 | 0522 | POOR FEED | 14 | 16 | 14 | 16 | 89 | 3553 | GASTROENTERITIS | 14 | 16 | 89 | 3553 |
| 15 | 0522 | POOR FEED | 15 | 17 | 15 | 17 | 90 | 3554 | GASTROENTERITIS | 15 | 17 | 90 | 3554 |
| 16 | 0522 | POOR FEED | 16 | 18 | 16 | 18 | 91 | 3555 | GASTROENTERITIS | 16 | 18 | 91 | 3555 |
| 17 | 0522 | POOR FEED | 17 | 19 | 17 | 19 | 92 | 3556 | GASTROENTERITIS | 17 | 19 | 92 | 3556 |
| 18 | 0522 | POOR FEED | 18 | 20 | 18 | 20 | 93 | 3557 | GASTROENTERITIS | 18 | 20 | 93 | 3557 |
| 19 | 0522 | POOR FEED | 19 | 21 | 19 | 21 | 94 | 3558 | GASTROENTERITIS | 19 | 21 | 94 | 3558 |
| 20 | 0522 | POOR FEED | 20 | 22 | 20 | 22 | 95 | 3559 | GASTROENTERITIS | 20 | 22 | 95 | 3559 |
| 21 | 0522 | POOR FEED | 21 | 23 | 21 | 23 | 96 | 3560 | GASTROENTERITIS | 21 | 23 | 96 | 3560 |
| 22 | 0522 | POOR FEED | 22 | 24 | 22 | 24 | 97 | 3561 | GASTROENTERITIS | 22 | 24 | 97 | 3561 |
| 23 | 0522 | POOR FEED | 23 | 25 | 23 | 25 | 98 | 3562 | GASTROENTERITIS | 23 | 25 | 98 | 3562 |
| 24 | 0522 | POOR FEED | 24 | 26 | 24 | 26 | 99 | 3563 | GASTROENTERITIS | 24 | 26 | 99 | 3563 |
| 25 | 0522 | POOR FEED | 25 | 27 | 25 | 27 | 100 | 3564 | GASTROENTERITIS | 25 | 27 | 100 | 3564 |
| 26 | 0522 | POOR FEED | 26 | 28 | 26 | 28 | 101 | 3565 | GASTROENTERITIS | 26 | 28 | 101 | 3565 |
| 27 | 0522 | POOR FEED | 27 | 29 | 27 | 29 | 102 | 3566 | GASTROENTERITIS | 27 | 29 | 102 | 3566 |
| 28 | 0522 | POOR FEED | 28 | 30 | 28 | 30 | 103 | 3567 | GASTROENTERITIS | 28 | 30 | 103 | 3567 |
| 29 | 0522 | POOR FEED | 29 | 31 | 29 | 31 | 104 | 3568 | GASTROENTERITIS | 29 | 31 | 104 | 3568 |
| 30 | 0522 | POOR FEED | 30 | 32 | 30 | 32 | 105 | 3569 | GASTROENTERITIS | 30 | 32 | 105 | 3569 |
| 31 | 0522 | | | | | | | | | | | | |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES
TABLE 1. DISPOSITION RATES PER 10K ARRANGED BY VARIABILITY RANKING
DIRECT CARE DATA: CRUDE RATES

| | | HSC RATE/10K | MEDCEN RATE/10K | LGE MEDDAC RATE/10K | MED MEDDAC RATE/10K | SML MEDDAC RATE/10K |
|----------|---------------------------------|-----------------|--------------------|------------------------|------------------------|------------------------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 4.33 | 13.43 | 0.59 | 4.27 | 0.75 |
| 2 V581 | AFTERCARE MAINT CHEMOTHERAPY | 8.22 | 27.85 | 2.84 | 7.82 | 0.10 |
| 3 6565 | POOR FETAL GROWTH | 3.20 | 6.01 | 2.91 | 15.74 | 0.45 |
| 4 0449 | HTLV-III/LAV NOS | 3.62 | 16.17 | 0.92 | 7.47 | 0.12 |
| 5 V501 | OTH PLASTIC SURG. COSMETIC APP | 4.07 | 14.67 | 0.73 | 9.36 | 0.50 |
| 6 5243 | ANOMALIES TOOTH POSITION | 3.36 | 3.49 | 1.17 | 7.63 | 0.51 |
| 7 4149 | CHRONIC ISCHEMIC HEART DISEASE | 4.82 | 18.68 | 2.59 | 5.53 | 0.38 |
| 8 6442 | EARLY ONSET DELIVERY (<37WKS) | 5.99 | 7.28 | 7.41 | 11.61 | 1.36 |
| 9 4741 | HYPERTROPHY TONSILS/ADENOIDS | 3.45 | 4.82 | 4.25 | 4.69 | 4.59 |
| 10 6633 | UMBILICAL CORD ENTANGLEMENT | 3.75 | 2.65 | 6.43 | 13.75 | 1.87 |
| 11 5206 | DISTURB TOOTH ERUPTION | 11.13 | 19.22 | 18.65 | 26.81 | 8.80 |
| 12 0340 | STREPTOCOCCAL SORE THROAT | 11.06 | 3.37 | 30.64 | 13.79 | 5.21 |
| 13 4140 | CORONARY ARTERIOSCLEROSIS | 11.01 | 47.75 | 3.64 | 4.68 | 1.32 |
| 14 2765 | VOLUME DEPLETION | 6.24 | 8.86 | 10.02 | 3.32 | 7.39 |
| 15 V670 | FOLLOW-UP EXAM. SURGERY | 10.79 | 33.45 | 10.14 | 6.14 | 1.98 |
| 16 V717 | OBSERVATION SUSP CARDVASC DIS | 3.73 | 7.76 | 2.61 | 10.21 | 1.99 |
| 17 4659 | ACUTE UPPER RESP INFECT | 21.28 | 13.86 | 62.20 | 9.67 | 3.16 |
| 18 V288 | ANTENATAL SCREENING | 15.52 | 9.18 | 45.39 | 4.90 | 0.00 |
| 19 V675 | F/U EXAM. OTHER TREATMENT | 3.83 | 9.87 | 1.52 | 3.19 | 0.77 |
| 20 6441 | THREATENED LABOR (<37WKS) | 3.85 | 7.40 | 3.99 | 2.52 | 0.62 |
| 21 5920 | CALCULUS OF KIDNEY | 3.06 | 7.82 | 2.43 | 1.92 | 1.52 |
| 22 7159 | OSTEOARTHRITIS | 3.59 | 9.91 | 1.47 | 3.02 | 1.88 |
| 23 6430 | MILD HYPEREMESIS GRAVIDARUM | 3.29 | 10.17 | 5.35 | 4.58 | 1.08 |
| 24 6450 | PROLONGED PREGNANCY | 5.88 | 9.48 | 5.97 | 3.99 | 1.01 |
| 25 6631 | UMBILICAL CORD AROUND NECK | 6.77 | 5.12 | 11.40 | 7.61 | 2.03 |
| 26 V718 | OBSERVATION OTH SPECIFIED COND | 10.13 | 27.34 | 5.90 | 1.99 | 4.72 |
| 27 6612 | OTH/UNSPEC UTERINE INERTIA | 3.22 | 5.60 | 2.73 | 5.98 | 0.16 |
| 28 6641 | 2ND DEGREE LACERATION PERINEUM | 6.41 | 4.50 | 7.44 | 4.78 | 1.50 |
| 29 462 | ACUTE PHARYNGITIS | 7.64 | 4.81 | 20.37 | 8.13 | 5.85 |
| 30 6221 | DYSPLASIA OF CERVIX | 4.16 | 9.87 | 3.56 | 5.38 | 2.53 |
| 31 5355 | GASTRITIS/GASTROENTERITIS NOS | 4.56 | 10.87 | 5.53 | 11.88 | 2.73 |
| 32 3092 | ADJUST REACT W/DIST OTH EMOT | 4.87 | 5.94 | 12.95 | 25.98 | 0.46 |
| 33 5921 | CALCULUS OF URETER | 3.21 | 5.94 | 4.15 | 3.49 | 2.19 |
| 34 6642 | 3RD DEGREE LACERATION PERINEUM | 5.22 | 4.96 | 5.54 | 3.17 | 2.42 |
| 35 6486 | ABNL GLUC TOL TEST IN PREGNCT | 5.06 | 5.34 | 8.88 | 14.67 | 1.58 |
| 36 1623 | CANCER, BRONCHUS/LUNG NOS | 3.48 | 11.35 | 1.83 | 4.92 | 0.45 |
| 37 632 | MISSED ABORTION | 3.22 | 4.40 | 4.15 | 5.25 | 1.18 |
| 38 6424 | MILD/UNSPEC PREECLAMPSIA | 3.65 | 4.55 | 2.71 | 5.10 | 0.99 |
| 39 2113 | BENIGN NEOPLASM, COLON | 8.99 | 28.10 | 2.37 | 11.31 | 2.29 |
| 40 600 | HYPERPLASIA OF PROSTATE | 5.54 | 13.12 | 3.02 | 3.83 | 2.76 |
| 41 6563 | FETAL DISTRESS | 12.35 | 12.90 | 11.57 | 7.11 | 5.15 |
| 42 7221 | DISPLACEMENT INTVERTBRAL DISC | 5.18 | 15.07 | 5.05 | 2.60 | 2.14 |
| 43 463 | ACUTE TONSILLITIS | 4.40 | 1.83 | 8.77 | 3.24 | 2.15 |
| 44 6440 | THREATENED PREM LABOR | 22.64 | 31.35 | 20.41 | 7.65 | 4.50 |
| 45 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 6.21 | 12.73 | 6.33 | 5.19 | 1.84 |
| 46 0799 | VIRAL INFECT. NOS | 21.83 | 12.05 | 32.52 | 4.28 | 11.31 |
| 47 4139 | ANGINA, OTHER AND UNSPEC | 3.69 | 6.36 | 4.30 | 4.99 | 1.90 |
| 48 470 | DEVIATED NASAL SEPTUM | 4.95 | 7.90 | 6.64 | 3.37 | 2.59 |
| 49 650 | DELIVERY IN NORMAL CASE | 23.22 | 26.47 | 41.86 | 3.13 | 7.80 |
| 50 4740 | CHRONIC TONSILLITIS | 4.82 | 5.50 | 8.31 | 4.95 | 4.24 |
| 51 490 | BRONCHITIS | 4.65 | 2.22 | 9.68 | 3.67 | 3.01 |
| 52 6146 | PELVIC/PERITON ADHESIONS, FEM | 3.94 | 4.82 | 3.79 | 5.08 | 2.46 |
| 53 3669 | CATARACT NOS | 10.22 | 26.04 | 7.10 | 4.39 | 1.77 |
| 54 0529 | VARICELLA W/O COMPLICATIONS | 3.74 | 2.24 | 10.65 | 5.45 | 2.93 |
| 55 3050 | DRUG ABUSE, ALCOHOL | 4.37 | 7.22 | 8.33 | 5.59 | 2.03 |
| 56 185 | CANCER, PROSTATE | 3.19 | 9.15 | 1.98 | 4.30 | 0.43 |
| 57 2189 | LEIOMYOMA, UTERUS, NOS | 3.79 | 7.18 | 2.96 | 16.56 | 1.79 |
| 58 3039 | ALCOHOL DEPENDENCE | 9.65 | 20.29 | 3.24 | 10.41 | 4.59 |
| 59 6262 | EXCESSIVE/FREQ MENSTRUATION | 3.55 | 4.68 | 3.74 | 7.10 | 6.25 |
| 60 6640 | 1ST DEGREE LACERATION PERINEUM | 6.15 | 4.27 | 8.85 | 3.22 | 3.02 |
| 61 4111 | INTERMEDIATE CORONARY SYNDROME | 4.58 | 7.66 | 4.33 | 137.63 | 1.37 |
| 62 7242 | LUMBAGO | 4.44 | 7.72 | 5.42 | 2.83 | 3.26 |
| 63 6542 | PREVIOUS CESARIAN SECTION | 6.80 | 5.03 | 12.03 | 7.61 | 2.66 |
| 64 6101 | DIFFUSE CYSTIC MASTOPATHY | 4.54 | 5.73 | 5.27 | 5.34 | 4.34 |
| 65 4273 | ATRIAL FIBRILLATION/FLUTTER | 5.12 | 13.09 | 2.97 | 3.35 | 2.30 |
| 66 6466 | INFECT GU TRACT IN PREGNANCY | 3.31 | 3.33 | 4.39 | 4.23 | 0.98 |
| 67 5589 | GASTROENTERITIS | 16.72 | 11.04 | 29.47 | 3.26 | 14.38 |
| 68 3301 | ESOPHAGITIS | 5.69 | 12.22 | 3.94 | 3.78 | 2.90 |
| 69 1749 | CANCER, BREAST, FEM, NOS | 3.50 | 8.41 | 1.81 | 8.43 | 1.44 |
| 70 4280 | CONGESTIVE HEART FAILURE | 5.52 | 11.19 | 4.46 | 4.15 | 3.29 |
| 71 7803 | CONVULSIONS | 4.60 | 7.95 | 6.42 | 3.08 | 1.94 |
| 72 6259 | SYMPTOMS/PAIN FEM GENITAL | 4.07 | 5.98 | 5.00 | 5.54 | 2.35 |
| 73 6522 | BREECH PRESENT W/O VERSION | 3.26 | 3.76 | 4.13 | 31.08 | 1.05 |
| 74 496 | CHRONIC AIRWAY OBSTRUCTION | 5.99 | 11.56 | 4.74 | 5.34 | 2.15 |
| 75 7350 | HALLUX VALGUS | 3.57 | 4.18 | 4.69 | 6.27 | 3.32 |
| 76 7865 | CHEST PAIN | 13.25 | 26.17 | 14.75 | 9.36 | 7.01 |
| 77 7270 | SYNOVITIS/TENOSYNOVITIS | 3.81 | 4.64 | 3.80 | 1.71 | 3.51 |
| 78 5621 | DIVERTICULA OF COLON | 5.28 | 9.92 | 3.07 | 18.64 | 2.88 |
| 79 V300 | SINGL INFANT BORN IN HOSP | 126.37 | 134.40 | 164.69 | 9.76 | 46.62 |
| 80 605 | REDUNDANT PREPUCE/PHIMOSIS | 4.07 | 4.39 | 5.35 | 3.84 | 3.90 |
| 81 486 | PHARYNGITIS, ORGANISM UNSPFD | 14.70 | 16.18 | 30.70 | 5.95 | 9.09 |
| 82 3540 | CARPAL TUNNEL SYNDROME | 4.47 | 7.48 | 4.09 | 3.42 | 4.18 |
| 83 0088 | INTESTINAL INFECT, OTH ORG NEC | 8.05 | 9.43 | 7.67 | 23.10 | 7.46 |
| 84 6826 | OTHER CELLULITIS/ABSCESS LEG | 3.81 | 4.35 | 7.67 | 3.03 | 2.09 |
| 85 8540 | INTRACRANIAL INJURY, NEC/NOS | 5.32 | 6.04 | 13.14 | 10.15 | 1.74 |
| 86 6349 | SPONTANEOUS ABORTION | 10.88 | 12.07 | 14.86 | 2.90 | 5.48 |
| 87 5789 | HEMORRHAGE GI TRACT NOS | 3.67 | 7.77 | 3.07 | 8.88 | 0.81 |
| 88 3829 | OTITIS MEDIA NOS | 7.61 | 9.40 | 10.52 | 7.10 | 3.25 |
| 89 7178 | OTH SPEC INT DERANGEMENT KNEE | 4.71 | 5.02 | 5.18 | 35.51 | 2.81 |
| 90 7802 | SYNCOPE AND COLLAPSE | 3.32 | 5.55 | 4.61 | 2.99 | 1.63 |
| 91 5990 | URINARY TRACT INFECTION | 4.46 | 7.13 | 5.47 | 2.17 | 2.85 |
| 92 V252 | STERILIZATION | 20.82 | 19.56 | 19.78 | 3.80 | 21.18 |
| 93 7890 | ABDOMINAL PAIN | 8.29 | 11.77 | 10.39 | 42.94 | 5.78 |
| 94 7274 | GAMBLION CYST | 3.78 | 3.28 | 4.70 | 4.25 | 5.27 |
| 95 4939 | ASTHMA NOS | 12.57 | 12.45 | 18.97 | 2.70 | 9.76 |
| 96 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 7.17 | 8.95 | 6.97 | 3.49 | 7.04 |
| 97 V940 | ABDOMINAL FX PLATE/FIXTH DEVICE | 5.36 | 6.98 | 6.80 | 7.99 | 2.06 |
| 98 8988 | PERITONITIS/PYOPNEUMOSIS | 3.72 | 4.47 | 3.99 | 3.77 | 2.68 |
| 99 8488 | INTRAUTERINE DEATH NOS | 4.77 | 5.60 | 4.73 | 3.86 | 3.16 |
| 100 5909 | INTRAUTERINE DEATH NOS | 20.51 | 28.38 | 21.41 | 9.50 | 16.53 |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES
TABLE 2. DISPOSITION RATES PER 10K ARRANGED BY VARIABILITY RANKING
DIRECT CARE DATA: ADJUSTED RATES

| | | MEDCEN RATE/10K | LGE MEDDAC RATE/10K | MEDCEN RATE/10K | MEDDAC RATE/10K | SML MEDDAC RATE/10K |
|----------|----------------------------------|--------------------|------------------------|--------------------|--------------------|------------------------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 13.30 | 0.56 | 0.29 | 0.79 | |
| 2 0581 | AFTERCARE MAINT CHEMOTHERAPY | 23.07 | 3.77 | 3.46 | 0.13 | |
| 3 6565 | POOR FETAL GROWTH | 5.92 | 2.81 | 1.78 | 0.48 | |
| 4 0449 | MTLV-III/LAV NOS | 17.71 | 0.85 | 3.48 | 0.11 | |
| 5 0501 | OTH PLASTIC SURG, COSMETIC APP | 13.66 | 0.84 | 1.99 | 0.45 | |
| 6 5243 | ANOMALIES TOOTH POSITION | 4.66 | 0.90 | 11.50 | 0.44 | |
| 7 4741 | HYPERTROPHY TONSILS/ADENOIDS | 6.20 | 4.44 | 4.28 | 4.52 | |
| 8 5206 | DISTURB TOOTH ERUPTION | 32.91 | 15.01 | 15.07 | 7.59 | |
| 9 4149 | CHRONIC ISCHEMIC HEART DISEASE | 13.58 | 3.98 | 7.44 | 0.84 | |
| 10 0717 | OBSERVATION SUSP CARDIOVASC DIS | 7.02 | 2.93 | 3.68 | 2.52 | |
| 11 6633 | UMBILICAL CORD ENTANGLEMENT | 2.81 | 6.28 | 4.13 | 1.98 | |
| 12 0620 | FOLLOW-UP EXAM, SURGERY | 26.76 | 12.23 | 10.63 | 2.41 | |
| 13 4140 | CORONARY ARTERIOSCLEROSIS | 32.43 | 4.93 | 9.82 | 1.39 | |
| 14 2765 | VOLUME DEPLETION | 9.05 | 8.47 | 7.43 | 6.79 | |
| 15 4659 | ACUTE UPPER RESP INFECT | 16.48 | 49.42 | 33.80 | 2.59 | |
| 16 6442 | EARLY ONSET DELIVERY (<37WKS) | 7.56 | 7.11 | 4.88 | 1.45 | |
| 17 6430 | MILD HYPEREMESIS GRAVIDARUM | 8.92 | 5.18 | 3.99 | 1.05 | |
| 18 6631 | UMBILICAL CORD AROUND NECK | 5.23 | 12.40 | 9.73 | 2.14 | |
| 19 0288 | ANTENATAL SCREENING | 8.98 | 45.06 | 7.01 | 0.00 | |
| 20 6641 | 2ND DEGREE LACERATION PERINEUM | 4.53 | 7.25 | 8.77 | 1.58 | |
| 21 3092 | ADJUST REACT W/DIST OTH EMOT | 7.88 | 9.09 | 4.87 | 0.66 | |
| 22 0675 | F/U EXAM, OTHER TREATMENT | 9.24 | 1.58 | 3.12 | 0.85 | |
| 23 6612 | OTH/UNSPEC UTERINE INERTIA | 5.53 | 2.83 | 2.49 | 0.17 | |
| 24 0340 | STREPTOCOCCAL SORE THROAT | 11.80 | 22.52 | 12.88 | 3.30 | |
| 25 6441 | THREATENED LABOR (<37WKS) | 7.55 | 4.33 | 2.77 | 0.63 | |
| 26 0718 | OBSERVATION OTH SPECIFIED CONDO | 25.02 | 6.69 | 10.49 | 4.86 | |
| 27 463 | ACUTE TONSILLITIS | 2.76 | 6.41 | 9.10 | 1.65 | |
| 28 6642 | 3RD DEGREE LACERATION PERINEUM | 4.86 | 5.39 | 6.43 | 2.56 | |
| 29 6450 | PROLONGED PREGNANCY | 9.28 | 5.76 | 5.62 | 1.05 | |
| 30 7159 | OSTEOARTHRITIS | 7.74 | 1.74 | 2.83 | 1.90 | |
| 31 6488 | ABNL GLUC TOL TEST IN PREGNVC | 5.54 | 9.25 | 4.60 | 1.65 | |
| 32 5920 | CALCULUS OF KIDNEY | 6.83 | 2.30 | 4.04 | 1.79 | |
| 33 5355 | GASTRITIS/GASTROENTERITIS NOS | 9.44 | 5.79 | 6.56 | 2.75 | |
| 34 462 | ACUTE PHARYNGITIS | 6.36 | 15.44 | 11.27 | 4.06 | |
| 35 6621 | DYSPLASIA OF CERVIX | 9.24 | 3.72 | 2.87 | 2.50 | |
| 36 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 16.16 | 4.14 | 6.92 | 1.52 | |
| 37 5921 | CALCULUS OF URETER | 5.62 | 3.66 | 3.14 | 2.26 | |
| 38 6421 | MILD/UNSPEC PREECLAMPSIA | 4.73 | 2.70 | 2.16 | 1.05 | |
| 39 632 | MISSD ABORTION | 4.36 | 4.12 | 3.26 | 1.25 | |
| 40 650 | DELIVERY IN NORMAL CASE | 27.30 | 44.19 | 27.08 | 7.78 | |
| 41 0799 | VIRAL INFECT, NOS | 14.65 | 26.91 | 39.74 | 9.16 | |
| 42 6440 | THREATENED PREM LABOR | 32.20 | 20.35 | 19.88 | 4.75 | |
| 43 2113 | BENIGN NEOPLASM, COLON | 20.59 | 3.64 | 10.70 | 2.51 | |
| 44 4740 | CHRONIC TONSILLITIS | 6.59 | 7.22 | 4.79 | 3.94 | |
| 45 600 | HYPERPLASIA OF PROSTATE | 9.48 | 6.56 | 5.32 | 3.89 | |
| 46 6563 | FETAL DISTRESS | 12.77 | 11.60 | 15.11 | 5.43 | |
| 47 7221 | DISPLACEMENT INTVERTBRAL DISC | 16.69 | 3.69 | 3.19 | 2.02 | |
| 48 3669 | CATARACT NOS | 17.99 | 13.17 | 9.26 | 2.30 | |
| 49 6542 | PREVIOUS CESARIAN SECTION | 5.43 | 13.11 | 10.42 | 2.81 | |
| 50 185 | CANCER, PROSTATE | 6.25 | 4.88 | 3.41 | 0.65 | |
| 51 1629 | CANCER, BRONCHUS/LUNG NOS | 7.74 | 2.96 | 3.90 | 0.58 | |
| 52 6146 | PELVIC/PERITON ROMESIONS, FEM | 4.91 | 3.85 | 3.09 | 2.37 | |
| 53 3050 | DRUG ABUSE, ALCOHOL | 8.78 | 5.55 | 3.93 | 1.95 | |
| 54 6466 | INFECT GU TRACT IN PREGNANCY | 3.62 | 4.52 | 3.57 | 0.97 | |
| 55 6640 | 1ST DEGREE LACERATION PERINEUM | 4.38 | 8.94 | 8.23 | 3.19 | |
| 56 490 | BRONCHITIS | 2.49 | 8.19 | 7.22 | 2.62 | |
| 57 470 | DEVIATED NASAL SEPTUM | 9.46 | 4.95 | 4.25 | 2.73 | |
| 58 2189 | LEIOMYOMA, UTERUS, NOS | 6.73 | 3.40 | 4.38 | 1.80 | |
| 59 4111 | INTERMEDIATE CORONARY SYNDROME | 5.79 | 6.43 | 4.07 | 2.06 | |
| 60 6262 | EXCESSIVE/FREQ MENSTRUATION | 4.58 | 4.35 | 2.09 | 6.63 | |
| 61 4139 | ANGINA, OTHER AND UNSPEC | 4.51 | 6.23 | 4.48 | 2.16 | |
| 62 496 | CHRONIC AIRWAY OBSTRUCTION | 8.86 | 7.36 | 7.20 | 2.77 | |
| 63 0529 | VARICELLA W/O COMPLICATIONS | 3.18 | 7.40 | 4.80 | 1.96 | |
| 64 7242 | LUMBAGO | 8.67 | 4.44 | 5.49 | 2.91 | |
| 65 5589 | GASTROENTERITIS | 12.51 | 24.83 | 31.32 | 13.02 | |
| 66 6101 | DIFFUSE CYSTIC MASTOPATHY | 5.52 | 7.71 | 5.58 | 4.06 | |
| 67 6522 | BREECH PRESENT W/O VERSION | 3.84 | 4.33 | 3.72 | 1.11 | |
| 68 0300 | SINGL INFANT BORN IN HOSP | 153.94 | 180.35 | 122.70 | 50.29 | |
| 69 3039 | ALCOHOL DEPENDENCE | 20.92 | 6.25 | 8.72 | 4.10 | |
| 70 7350 | HALLUX VALGUS | 4.40 | 4.37 | 3.53 | 3.22 | |
| 71 5621 | DIVERTICULA OF COLON | 8.11 | 4.95 | 6.80 | 3.38 | |
| 72 7863 | CHEST PAIN | 21.12 | 17.82 | 11.07 | 8.03 | |
| 73 7270 | SYNOVITIS/TENDOSYNOVITIS | 4.68 | 3.58 | 4.55 | 3.31 | |
| 74 7803 | CONVULSIONS | 8.83 | 6.22 | 3.86 | 1.93 | |
| 75 7178 | OTH SPEC INT DERANGEMENT KNEE | 6.79 | 3.98 | 5.31 | 2.94 | |
| 76 5301 | ESOPHAGITIS | 10.40 | 4.49 | 7.50 | 3.01 | |
| 77 6259 | SYMPTOMS/PAIN FEM GENITAL | 6.28 | 4.90 | 3.07 | 2.27 | |
| 78 605 | REDUNDANT PREPUCE/PHIMOSIS | 5.39 | 4.71 | 5.59 | 3.88 | |
| 79 0088 | INTESTINAL INFECT, OTH ORG NEC | 10.23 | 6.59 | 11.56 | 6.35 | |
| 80 3829 | OTITIS MEDIA NOS | 11.46 | 10.20 | 8.14 | 2.83 | |
| 81 3540 | CARPAL TUNNEL SYNDROME | 6.24 | 4.84 | 4.69 | 4.40 | |
| 82 486 | PNEUMONIA, ORGANISM UNSPFD | 16.45 | 29.17 | 16.32 | 9.40 | |
| 83 4273 | ATRIAL FIBRILLATION/FLUTTER | 9.34 | 4.25 | 4.26 | 2.35 | |
| 84 6349 | SPONTANEOUS ABORTION | 12.34 | 15.09 | 11.91 | 5.45 | |
| 85 8540 | INTRACRANIAL INJURY, NEC/NOS | 7.76 | 9.71 | 4.16 | 1.57 | |
| 86 5990 | URINARY TRACT INFECTION | 6.39 | 6.71 | 5.22 | 2.88 | |
| 87 5789 | HEMORRHAGE GI TRACT NOS | 5.96 | 4.02 | 4.06 | 1.07 | |
| 88 1749 | CANCER, BREAST, FEM, NOS | 6.50 | 2.54 | 3.75 | 1.60 | |
| 89 4280 | CONGESTIVE HEART FAILURE | 8.39 | 7.77 | 5.60 | 3.12 | |
| 90 6826 | OTHER CELLULITIS/ABSCESS LEG | 4.29 | 6.83 | 4.56 | 2.10 | |
| 91 0252 | STERILIZATION | 21.75 | 16.72 | 25.54 | 17.49 | |
| 92 7802 | SYNCOPE AND COLLAPSE | 5.00 | 4.68 | 3.28 | 1.71 | |
| 93 7274 | GANGLION CYST | 3.55 | 4.04 | 4.87 | 4.71 | |
| 94 7890 | ABDOMINAL PAIN | 11.84 | 9.90 | 8.40 | 5.59 | |
| 95 0340 | REMOVAL FX PLATE/FIXTN DEVICE | 7.90 | 5.69 | 4.74 | 2.00 | |
| 96 4939 | ASTHMA NOS | 12.90 | 19.55 | 13.66 | 9.69 | |
| 97 5741 | CALCULUS GALLBLDDR W/OTH CHOL | 8.34 | 8.40 | 8.27 | 7.14 | |
| 98 4988 | ACUTE APPENDICITIS W/O PERITON | 6.21 | 4.11 | 5.40 | 3.86 | |
| 99 4988 | CHRONIC APPENDICITIS/PYRERPHOSIS | 4.39 | 4.24 | 3.41 | 2.65 | |
| 100 5509 | INGUINAL HERNIA | 27.53 | 20.48 | 23.33 | 17.84 | |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES
TABLE 1: DISPOSITION RATES PER 10K ARRANGED BY VARIABILITY RANKING
DIRECT CARE AND CHAMPUS DATA COMBINED: CRUDE RATES

| | | MEDCEN | LGE MEDCEN | MED MEDCEN | MEDCEN | MEDCEN |
|-----|------|----------------------------------|------------|------------|----------|----------|
| | | RATE/10K | RATE/10K | RATE/10K | RATE/10K | RATE/10K |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 13.45 | 0.63 | 0.25 | 1.07 |
| 2 | 0449 | HIV-III/LAV NOS | 16.17 | 0.93 | 3.19 | 0.11 |
| 3 | 6565 | POOR FETAL GROWTH | 6.02 | 3.05 | 1.86 | 0.97 |
| 4 | 0501 | OTH PLASTIC SURG. COSMETIC APP | 11.68 | 0.73 | 1.97 | 0.45 |
| 5 | 5243 | ANOMALIES TOOTH POSITION | 3.49 | 1.17 | 10.19 | 0.44 |
| 6 | 5206 | DISTURB TOOTH ERUPTION | 19.22 | 18.65 | 15.66 | 1.59 |
| 7 | 0670 | FOLLOW-UP EXAM. SURGERY | 33.51 | 10.21 | 9.37 | 2.50 |
| 8 | 4659 | ACUTE UPPER RESP INFECT | 13.91 | 62.37 | 35.62 | 2.76 |
| 9 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 4.30 | 4.62 | 4.95 | 5.06 |
| 10 | 0340 | STREPTOCOCCAL SORE THROAT | 9.41 | 20.73 | 13.74 | 3.37 |
| 11 | 0675 | F/U EXAM. OTHER TREATMENT | 9.87 | 1.53 | 2.97 | 0.85 |
| 12 | 0717 | OBSERVATION SUSP CARDIOVASC DIS | 7.88 | 2.73 | 3.06 | 2.56 |
| 13 | 0581 | AFTERCARE MAINT CHEMOTHERAPY | 28.27 | 5.88 | 10.88 | 3.26 |
| 14 | 2765 | VOLUME DEPLETION | 3.25 | 11.01 | 8.34 | 9.09 |
| 15 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 18.73 | 2.67 | 6.18 | 1.06 |
| 16 | 0718 | OBSERVATION OTH SPECIFIED COND | 27.36 | 6.07 | 10.31 | 4.99 |
| 17 | 6631 | UMBILICAL CORD AROUND NECK | 5.17 | 11.60 | 9.72 | 3.00 |
| 18 | 0288 | ANTENATAL SCREENING | 9.18 | 45.39 | 4.81 | 0.00 |
| 19 | 462 | ACUTE PHARYNGITIS | 4.83 | 20.42 | 11.69 | 4.18 |
| 20 | 6271 | DYSPLASIA OF CERVIX | 9.89 | 3.73 | 3.25 | 2.70 |
| 21 | 4147 | CORONARY ARTERIOSCLEROSIS | 49.88 | 6.44 | 12.13 | 6.80 |
| 22 | 1629 | CANCER, BRONCHUS/LUNG NOS | 11.47 | 2.26 | 3.48 | 0.99 |
| 23 | 355 | GASTRITIS/GASTROENTERITIS NOS | 10.98 | 5.66 | 6.53 | 3.17 |
| 24 | 7159 | OSTEOARTHRITIS | 10.09 | 1.85 | 3.18 | 2.69 |
| 25 | 2113 | BENIGN NEOPLASM, COLON | 28.10 | 2.43 | 9.38 | 2.75 |
| 26 | 6642 | 3RD DEGREE LACERATION PERINEUM | 5.11 | 6.02 | 5.81 | 3.90 |
| 27 | 632 | MISSED ABORTION | 4.45 | 4.25 | 3.49 | 1.77 |
| 28 | 5920 | CALCULUS OF KIDNEY | 7.98 | 2.63 | 4.16 | 2.43 |
| 29 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 7.92 | 10.14 | 7.40 | 4.56 |
| 30 | 463 | ACUTE TONSILLITIS | 1.85 | 8.89 | 9.95 | 1.82 |
| 31 | 0799 | VIRAL INFECT. NOS | 12.16 | 33.00 | 43.21 | 10.16 |
| 32 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 10.20 | 5.46 | 4.22 | 1.67 |
| 33 | 5921 | CALCULUS OF URETER | 6.32 | 4.69 | 4.30 | 3.94 |
| 34 | 3092 | ADJUST REACT W/DIST OTH EMOT | 6.70 | 13.85 | 6.12 | 1.31 |
| 35 | 470 | DEVIATED NASAL SEPTUM | 7.96 | 5.83 | 4.70 | 1.35 |
| 36 | 6450 | PROLONGED PREGNANCY | 9.89 | 6.40 | 6.30 | 4.02 |
| 37 | 6488 | ABNL GLUC TOL TEST IN PREGNCL | 5.45 | 9.19 | 4.11 | 2.83 |
| 38 | 490 | BROMCHITIS | 2.31 | 10.06 | 7.75 | 2.81 |
| 39 | 3050 | DRUG ABUSE, ALCOHOL | 7.71 | 8.97 | 4.84 | 2.46 |
| 40 | 3669 | CATARACT NOS | 26.04 | 7.13 | 7.59 | 2.39 |
| 41 | 6441 | THREATENED LABOR (<37WKS) | 7.65 | 4.21 | 3.61 | 1.88 |
| 42 | 6563 | FETAL DISTRESS | 13.43 | 13.36 | 16.82 | 10.83 |
| 43 | 6424 | MILD/UNSPEC PREECLAMPSIA | 4.74 | 3.19 | 2.70 | 2.41 |
| 44 | 185 | CANCER, PROSTATE | 9.19 | 2.16 | 2.99 | 1.22 |
| 45 | 600 | HYPERPLASIA OF PROSTATE | 13.29 | 3.49 | 5.58 | 5.00 |
| 46 | 6633 | UMBILICAL CORD ENTANGLEMENT | 3.22 | 8.55 | 6.52 | 6.70 |
| 47 | 6641 | 2ND DEGREE LACERATION PERINEUM | 5.09 | 7.94 | 8.01 | 4.96 |
| 48 | 4740 | CHRONIC TONSILLITIS | 5.62 | 8.11 | 5.83 | 4.84 |
| 49 | 6440 | THREATENED PREM LABOR | 31.76 | 22.03 | 21.39 | 8.44 |
| 50 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 4.92 | 4.38 | 3.87 | 3.13 |
| 51 | 0529 | VARICELLA W/O COMPLICATIONS | 2.26 | 10.76 | 4.96 | 2.00 |
| 52 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 13.57 | 7.75 | 9.13 | 2.89 |
| 53 | 6612 | OTH/UNSPEC UTERINE INERTIA | 5.71 | 3.26 | 3.20 | 1.47 |
| 54 | 4139 | ANGINA, OTHER AND UNSPEC | 7.16 | 5.18 | 5.20 | 4.46 |
| 55 | 7221 | DISPLACEMENT INTERVERTEBRAL DISC | 15.54 | 6.92 | 4.59 | 4.76 |
| 56 | 7242 | LUMBAGO | 7.78 | 5.88 | 5.81 | 3.35 |
| 57 | 5589 | GASTROENTERITIS | 11.60 | 30.55 | 32.77 | 15.00 |
| 58 | 1749 | CANCER, BREAST, FEM. NOS | 8.47 | 1.96 | 3.86 | 2.00 |
| 59 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 5.79 | 5.49 | 5.36 | 4.31 |
| 60 | 7350 | HALLUX VALGUS | 4.19 | 4.92 | 3.81 | 3.35 |
| 61 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 6.10 | 5.21 | 3.29 | 2.71 |
| 62 | 7270 | SYNOVITIS/TENOSYNOVITIS | 4.67 | 3.83 | 4.77 | 3.45 |
| 63 | 496 | CHRONIC AIRWAY OBSTRUCTION | 11.79 | 5.17 | 5.82 | 3.24 |
| 64 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 4.71 | 4.30 | 2.48 | 7.17 |
| 65 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 4.39 | 5.35 | 6.14 | 3.93 |
| 66 | 2189 | LEIOMYOMA, UTERUS, NOS | 7.39 | 3.19 | 5.52 | 2.86 |
| 67 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 5.08 | 5.19 | 5.70 | 3.12 |
| 68 | 3540 | CARPAL TUNNEL SYNDROME | 7.48 | 4.09 | 4.38 | 4.47 |
| 69 | 5301 | ESOPHAGITIS | 12.42 | 4.72 | 7.68 | 3.88 |
| 70 | 3039 | ALCOHOL DEPENDENCE | 22.65 | 11.64 | 12.32 | 7.46 |
| 71 | 5621 | DIVERTICULA OF COLON | 10.10 | 3.52 | 6.45 | 4.40 |
| 72 | 6466 | INFECT GU TRACT IN PREGNANCY | 3.37 | 4.85 | 4.10 | 1.95 |
| 73 | 650 | DELIVERY IN NORMAL CASE | 28.04 | 48.39 | 37.98 | 27.69 |
| 74 | 5789 | HEMORRHAGE GI TRACT NOS | 0.02 | 3.42 | 3.89 | 1.65 |
| 75 | 7803 | CONVULSIONS | 8.43 | 7.45 | 5.37 | 3.93 |
| 76 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 4.40 | 7.92 | 4.83 | 2.55 |
| 77 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 13.51 | 3.38 | 4.49 | 3.65 |
| 78 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 6.27 | 13.43 | 4.74 | 2.28 |
| 79 | 486 | PNEUMONIA, ORGANISM UNSPEC | 17.16 | 32.71 | 18.85 | 13.41 |
| 80 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 8.58 | 8.09 | 12.24 | 7.33 |
| 81 | 6349 | SPONTANEOUS ABORTION | 12.23 | 15.18 | 12.36 | 7.36 |
| 82 | 0252 | STERILIZATION | 19.56 | 19.78 | 25.99 | 17.83 |
| 83 | 7274 | GANGLION CYST | 3.28 | 4.74 | 5.00 | 4.79 |
| 84 | 0540 | REMOVAL FX PLATE/FIXTN DEVICE | 6.99 | 6.85 | 5.03 | 2.19 |
| 85 | 3829 | OTITIS MEDIA NOS | 9.48 | 10.91 | 8.43 | 3.38 |
| 86 | 7865 | CHEST PAIN | 28.45 | 18.49 | 14.30 | 13.86 |
| 87 | 5990 | URINARY TRACT INFECTION | 7.36 | 5.95 | 5.53 | 3.68 |
| 88 | 4111 | INTERMEDIATE CORONARY SYNDROME | 9.25 | 6.87 | 5.43 | 6.45 |
| 89 | 6640 | 1ST DEGREE LACERATION PERINEUM | 4.99 | 9.99 | 8.63 | 8.46 |
| 90 | 7890 | ABDOMINAL PAIN | 12.12 | 11.07 | 9.31 | 7.27 |
| 91 | 6522 | BREECH PRESENT W/O VERSION | 4.05 | 5.02 | 4.34 | 2.86 |
| 92 | 7802 | SYNCOPE AND COLLAPSE | 5.96 | 5.19 | 3.94 | 2.65 |
| 93 | 4280 | CONGESTIVE HEART FAILURE | 11.95 | 5.43 | 5.76 | 4.71 |
| 94 | 0300 | SINGL INFANT BORN IN HOSP | 145.31 | 196.68 | 185.09 | 142.88 |
| 95 | 4939 | ASTHMA NOS | 13.48 | 21.17 | 16.44 | 14.13 |
| 96 | 5908 | PYELONEPHRITIS/PYONEPHROSIS | 4.56 | 4.30 | 3.60 | 2.91 |
| 97 | 5409 | ACUTE APPENDICITIS W/O PERITON | 5.89 | 5.17 | 6.07 | 4.42 |
| 98 | 5741 | CALCULUS GALLBLADDER W/OTH CHOL | 9.35 | 8.29 | 8.77 | 8.90 |
| 99 | 6542 | PREVIOUS CESARIAN SECTION | 5.87 | 14.40 | 13.26 | 9.68 |
| 100 | 5509 | INGUINAL HERNIA | 28.59 | 21.83 | 23.50 | 19.12 |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES
TABLE 4. DISPOSITION RATES PER 10K ARRANGED BY VARIABILITY RANKING
DIRECT CARE AND CHAMPUS DATA COMBINED: ADJUSTED RATES

| | | MEDCEN | LGE MEDDAC | MED MEDDAC | SHL MEDDAC |
|----------|----------------------------------|----------|------------|------------|------------|
| | | RATE/10K | RATE/10K | RATE/10K | RATE/10K |
| 1 6566 | EXCESSIVE FETAL GROWTH | 13.22 | 0.64 | 3.35 | 1.08 |
| 2 0449 | HLV-III/LAV NOS | 17.27 | 0.86 | 3.37 | 0.12 |
| 3 4149 | CHRONIC ISCHEMIC HEART DISEASE | 13.55 | 4.01 | 7.47 | 1.15 |
| 4 5243 | ANOMALIES TOOTH POSITION | 4.25 | 0.94 | 11.69 | 0.46 |
| 5 6565 | POOR FETAL GROWTH | 5.86 | 3.03 | 1.92 | 0.99 |
| 6 V501 | OTH PLASTIC SURG, COSMETIC APP | 13.58 | 0.83 | 1.96 | 0.50 |
| 7 5206 | DISTURB TOOTH ERUPTION | 32.44 | 15.02 | 14.79 | 8.70 |
| 8 4741 | HYPERTROPHY TONSILS/ADENOIDS | 6.23 | 4.83 | 4.96 | 5.07 |
| 9 V717 | OBSERVATION SUSP CARDVASC DIS | 7.14 | 3.05 | 3.61 | 2.24 |
| 10 V670 | FOLLOW-UP EXAM, SURGERY | 26.87 | 12.25 | 10.57 | 2.11 |
| 11 0340 | STREPTOCOCCAL SORE THROAT | 11.72 | 22.66 | 12.75 | 5.24 |
| 12 V581 | AFTERCARE MAINT CHEMOTHERAPY | 23.95 | 8.50 | 11.36 | 2.58 |
| 13 4659 | ACUTE UPPER RESP INFECT | 16.43 | 49.71 | 33.84 | 3.37 |
| 14 V675 | F/U EXAM, OTHER TREATMENT | 9.18 | 1.59 | 3.08 | 0.78 |
| 15 V718 | OBSERVATION OTH SPECIFIED COND | 25.15 | 6.86 | 10.59 | 4.90 |
| 16 6631 | UMBILICAL CORD AROUND NECK | 5.24 | 12.55 | 9.95 | 3.03 |
| 17 2765 | VOLUME DEPLETION | 9.49 | 9.62 | 8.09 | 9.84 |
| 18 463 | ACUTE TONSILLITIS | 2.55 | 6.82 | 9.51 | 2.27 |
| 19 V288 | ANTENATAL SCREENING | 8.96 | 45.01 | 6.91 | 0.00 |
| 20 462 | ACUTE PHARYNGITIS | 6.29 | 15.54 | 11.26 | 5.90 |
| 21 6642 | 3RD DEGREE LACERATION PERINEUM | 5.06 | 5.83 | 7.06 | 3.97 |
| 22 7159 | OSTEOARTHRITIS | 8.11 | 2.13 | 3.35 | 2.67 |
| 23 5355 | GASTRITIS/GASTROENTERITIS NOS | 9.68 | 5.98 | 6.72 | 3.12 |
| 24 6221 | DYSPLASIA OF CERVIX | 9.18 | 3.89 | 3.15 | 2.72 |
| 25 6488 | ABNL GLUC TOL TEST IN PREGNCT | 5.59 | 9.56 | 4.81 | 2.90 |
| 26 6430 | MILD HYPEREMESIS GRAVIDARUM | 8.91 | 5.24 | 4.37 | 1.79 |
| 27 0799 | VIRAL INFECT, NOS | 14.71 | 27.40 | 39.96 | 12.60 |
| 28 2113 | BENIGN NEOPLASM, COLON | 20.60 | 3.71 | 10.71 | 2.51 |
| 29 3092 | ADJUST REACT W/DIST OTH EMOT | 8.54 | 10.04 | 5.55 | 1.47 |
| 30 5920 | CALCULUS OF KIDNEY | 6.98 | 2.50 | 4.37 | 2.34 |
| 31 632 | MISSED ABORTION | 4.37 | 4.19 | 3.44 | 1.84 |
| 32 185 | CANCER, PROSTATE | 6.25 | 4.81 | 3.56 | 0.88 |
| 33 6641 | 2ND DEGREE LACERATION PERINEUM | 5.24 | 7.67 | 9.65 | 5.29 |
| 34 3669 | CATARACT NOS | 17.35 | 13.02 | 3.20 | 1.92 |
| 35 4140 | CORONARY ARTERIOSCLEROSIS | 34.55 | 8.42 | 14.26 | 5.34 |
| 36 600 | HYPERPLASIA OF PROSTATE | 9.58 | 8.99 | 6.19 | 3.79 |
| 37 5921 | CALCULUS OF URETER | 6.18 | 4.33 | 4.45 | 3.96 |
| 38 6450 | PROLONGED PREGNANCY | 9.67 | 6.31 | 6.62 | 4.29 |
| 39 490 | BRONCHITIS | 2.59 | 8.54 | 7.27 | 3.20 |
| 40 6442 | EARLY ONSET DELIVERY (<37WKS) | 8.24 | 9.61 | 7.15 | 4.82 |
| 41 6441 | THREATENED LABOR (<37WKS) | 7.72 | 4.52 | 3.65 | 2.04 |
| 42 1629 | CANCER, BRONCHUS/LUNG NOS | 7.77 | 3.46 | 4.25 | 0.74 |
| 43 4740 | CHRONIC TONSILLITIS | 6.53 | 7.91 | 5.58 | 5.02 |
| 44 0529 | VARICELLA W/O COMPLICATIONS | 3.03 | 7.57 | 4.73 | 2.82 |
| 45 6440 | THREATENED PREM LABOR | 32.56 | 21.89 | 22.58 | 8.65 |
| 46 6101 | DIFFUSE CYSTIC MASTOPATHY | 5.55 | 7.87 | 5.44 | 4.59 |
| 47 6424 | MILD/UNSPEC PREECLAMPSIA | 4.89 | 3.16 | 2.66 | 2.56 |
| 48 6146 | PELVIC/PERITON ADHESIONS, FEM | 4.94 | 4.43 | 3.72 | 3.26 |
| 49 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 16.77 | 5.57 | 8.40 | 3.46 |
| 50 6612 | OTH/UNSPEC UTERINE INERTIA | 5.58 | 3.31 | 3.24 | 1.60 |
| 51 6563 | FETAL DISTRESS | 13.38 | 13.24 | 17.27 | 11.34 |
| 52 7242 | LUMBAGO | 8.69 | 4.84 | 5.72 | 3.90 |
| 53 470 | DEVIATED NASAL SEPTUM | 9.46 | 5.12 | 4.34 | 3.41 |
| 54 6633 | UMBILICAL CORD ENTANGLEMENT | 3.48 | 8.14 | 6.45 | 6.97 |
| 55 3050 | DRUG ABUSE, ALCOHOL | 9.46 | 6.34 | 4.63 | 2.73 |
| 56 7350 | MALLUX VALGUS | 4.37 | 4.58 | 3.65 | 3.44 |
| 57 4139 | ANGINA, OTHER AND UNSPEC | 5.17 | 7.39 | 6.16 | 3.77 |
| 58 5589 | GASTROENTERITIS | 13.11 | 25.99 | 32.93 | 16.79 |
| 59 496 | CHRONIC AIRWAY OBSTRUCTION | 9.04 | 7.82 | 7.48 | 2.64 |
| 60 7221 | DISPLACEMENT INTERVERTEBRAL DISC | 17.18 | 5.56 | 4.67 | 5.54 |
| 61 7270 | SYNOVITIS/TENOSYNOVITIS | 4.68 | 3.60 | 4.60 | 3.63 |
| 62 6262 | EXCESSIVE/FREED MENSTRUATION | 4.57 | 4.87 | 2.52 | 6.74 |
| 63 650 | DELIVERY IN NORMAL CASE | 28.91 | 50.75 | 37.92 | 30.24 |
| 64 6466 | INFECT GU TRACT IN PREGNANCY | 3.62 | 4.88 | 4.21 | 2.08 |
| 65 7178 | OTH SPEC INT DERANGEMENT KNEE | 6.79 | 4.00 | 5.44 | 3.23 |
| 66 2189 | LEIOMYOMA, UTERUS, NOS | 6.89 | 3.60 | 5.48 | 2.83 |
| 67 6259 | SYMPTOMS/PAIN FEM GENITAL | 6.29 | 5.09 | 3.23 | 2.81 |
| 68 5301 | ESOPHAGITIS | 11.37 | 5.26 | 7.88 | 3.75 |
| 69 3540 | CARPAL TUNNEL SYNDROME | 6.22 | 4.80 | 4.75 | 4.25 |
| 70 5621 | DIVERTICULA OF COLON | 8.22 | 5.44 | 7.24 | 3.72 |
| 71 0088 | INTESTINAL INFECT, OTH ORG NEC | 10.34 | 7.01 | 11.84 | 8.56 |
| 72 6405 | REDUNDANT PREPUCE/PHIMOSIS | 5.34 | 4.68 | 5.75 | 4.02 |
| 73 7803 | CONVULSIONS | 9.59 | 7.28 | 5.25 | 4.19 |
| 74 6349 | SPONTANEOUS ABORTION | 12.36 | 15.54 | 12.83 | 7.83 |
| 75 5789 | HEMORRHAGE GI TRACT NOS | 6.24 | 4.35 | 4.38 | 1.41 |
| 76 4111 | INTERMEDIATE CORONARY SYNDROME | 7.09 | 9.84 | 6.55 | 5.02 |
| 77 V232 | STERILIZATION | 21.71 | 16.71 | 25.35 | 21.52 |
| 78 3829 | OTITIS MEDIA NOS | 11.48 | 10.56 | 8.40 | 3.55 |
| 79 7274 | GANGLION CYST | 3.52 | 4.06 | 4.80 | 5.36 |
| 80 486 | PNEUMONIA, ORGANISM UNSPEC | 17.54 | 31.45 | 18.58 | 13.65 |
| 81 6826 | OTHER CELLULITIS/ABSCESS LEG | 4.34 | 7.09 | 4.68 | 2.60 |
| 82 4273 | ATRIAL FIBRILLATION/FLUTTER | 9.74 | 4.66 | 4.87 | 3.39 |
| 83 6640 | 1ST DEGREE LACERATION PERINEUM | 5.21 | 9.93 | 9.76 | 9.02 |
| 84 1749 | CANCER, BREAST, FEM, NOS | 6.52 | 2.68 | 4.05 | 1.83 |
| 85 3039 | ALCOHOL DEPENDENCE | 25.08 | 9.07 | 12.86 | 9.54 |
| 86 7865 | CHEST PAIN | 23.41 | 22.49 | 15.38 | 12.98 |
| 87 5990 | URINARY TRACT INFECTION | 6.60 | 7.21 | 5.54 | 3.54 |
| 88 6522 | BREECH PRESENT W/O VERSION | 4.14 | 5.14 | 4.66 | 2.36 |
| 89 8540 | INTRACRANIAL INJURY, NEC/NOS | 8.03 | 10.22 | 4.63 | 2.70 |
| 90 6542 | PREVIOUS CESARIAN SECTION | 6.40 | 15.18 | 14.57 | 10.15 |
| 91 V300 | SINGL INFANT BORN IN HOSP | 168.11 | 210.12 | 171.98 | 149.96 |
| 92 4280 | CONGESTIVE HEART FAILURE | 9.01 | 8.73 | 6.92 | 4.59 |
| 93 V540 | REMOVAL FX PLATE/FIXTN DEVICE | 7.87 | 5.73 | 4.82 | 2.27 |
| 94 7890 | ABDOMINAL PAIN | 12.22 | 10.58 | 9.20 | 7.58 |
| 95 7802 | SYNCOPE AND COLLAPSE | 5.37 | 5.36 | 3.89 | 2.56 |
| 96 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 8.69 | 9.82 | 9.31 | 8.70 |
| 97 4939 | ASTHMA NOS | 14.11 | 21.84 | 16.26 | 14.52 |
| 98 5908 | PYELOPHRITIS/PYONEPHROSIS | 4.45 | 4.53 | 3.63 | 2.91 |
| 99 5409 | ACUTE APPENDICITIS W/O PERITON | 6.55 | 4.59 | 5.92 | 4.75 |
| 100 5509 | INGUINAL HERNIA | 27.75 | 20.95 | 23.69 | 18.88 |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES
TABLE 5. AVERAGE LENGTH OF STAY (DAYS) ARRANGED BY VARIABILITY RANKING
DIRECT CARE DATA: CRUDE RATES

| | | MEDCEN AVG DAYS | LGE MEDCEN AVG DAYS | MED MEDCEN AVG DAYS | MED MEDCEN AVG DAYS | MED MEDCEN AVG DAYS |
|----------|----------------------------------|--------------------|------------------------|------------------------|------------------------|------------------------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 6.06 | 1.59 | 2.02 | 0.40 | |
| 2 V501 | OTH PLASTIC SURG. COSMETIC APP | 4.66 | 0.56 | 1.39 | 0.15 | |
| 3 6565 | POOR FETAL GROWTH | 4.48 | 2.44 | 1.99 | 0.75 | |
| 4 0449 | HTLV-III/LAV NOS | 6.40 | 1.08 | 3.20 | 0.52 | |
| 5 7270 | SYNOVITIS/TENOSYNOVITIS | 5.11 | 6.75 | 3.07 | 3.23 | |
| 6 V675 | F/U EXAM, OTHER TREATMENT | 4.44 | 1.19 | 2.76 | 0.61 | |
| 7 3092 | ADJUST REACT W/DIST OTH EMOT | 9.01 | 9.79 | 6.39 | 0.48 | |
| 8 V670 | FOLLOW-UP EXAM, SURGERY | 3.29 | 1.71 | 1.99 | 1.80 | |
| 9 2113 | BENIGN NEOPLASIA, COLON | 2.06 | 1.89 | 1.98 | 0.78 | |
| 10 6488 | ABNL GLUC TOL TEST IN PREGNCT | 2.16 | 2.81 | 2.73 | 0.81 | |
| 11 5243 | ANOMALIES TOOTH POSITION | 1.35 | 1.98 | 1.06 | 0.98 | |
| 12 V581 | ADJUT CARE MAINT CHEMOTHERAPY | 4.33 | 2.39 | 2.17 | 0.59 | |
| 13 4149 | CHRONIC ISCHEMIC HEART DISEASE | 7.12 | 2.93 | 2.61 | 2.48 | |
| 14 6450 | PROLONGED PREGNANCY | 2.67 | 3.12 | 2.67 | 0.65 | |
| 15 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 8.80 | 9.67 | 6.53 | 1.90 | |
| 16 185 | CANCER, PROSTATE | 8.61 | 6.97 | 5.93 | 4.22 | |
| 17 6441 | THREATENED LABOR (>37WKS) | 2.92 | 1.59 | 1.50 | 0.88 | |
| 18 8540 | INTRACRANIAL INJURY, NEC/NOS | 9.79 | 2.33 | 2.86 | 1.09 | |
| 19 4140 | CORONARY ARTERIOSCLEROSIS | 8.01 | 3.44 | 5.57 | 2.88 | |
| 20 7178 | OTH SPEC INT DERANGEMENT KNEE | 9.14 | 12.63 | 8.81 | 3.61 | |
| 21 6612 | OTH/UNSPEC UTERINE INERTIA | 3.04 | 3.79 | 2.96 | 0.29 | |
| 22 470 | DEVIATED NASAL SEPTUM | 3.08 | 2.99 | 2.04 | 1.37 | |
| 23 1629 | CANCER, BRONCHUS/LUNG NOS | 14.38 | 6.70 | 7.88 | 5.81 | |
| 24 6522 | BREECH PRESENT W/O VERSION | 3.40 | 4.25 | 3.73 | 0.87 | |
| 25 3050 | DRUG ABUSE, ALCOHOL | 9.93 | 4.71 | 2.78 | 2.05 | |
| 26 V288 | ANTENATAL SCREENING | 0.73 | 0.83 | 0.92 | 0.00 | |
| 27 6424 | MILD/UNSPEC PREECLAMPSIA | 4.25 | 4.47 | 4.70 | 1.07 | |
| 28 V217 | OBSERVATION SUSP CARDVASC DIS | 3.62 | 1.76 | 1.26 | 1.84 | |
| 29 600 | HYPERPLASIA OF PROSTATE | 4.71 | 4.95 | 4.03 | 2.18 | |
| 30 3039 | ALCOHOL DEPENDENCE | 16.90 | 7.06 | 7.20 | 3.42 | |
| 31 7803 | CONVULSIONS | 5.91 | 3.53 | 3.95 | 2.79 | |
| 32 2765 | VOLUME DEPLETION | 6.20 | 2.95 | 3.95 | 2.55 | |
| 33 3669 | CATARACT NOS | 2.51 | 2.73 | 2.08 | 1.04 | |
| 34 7159 | OSTEOARTHRITIS | 11.25 | 3.28 | 4.74 | 3.54 | |
| 35 6633 | UMBILICAL CORD ENTANGLEMENT | 1.98 | 2.84 | 2.47 | 0.48 | |
| 36 6563 | FETAL DISTRESS | 3.83 | 3.83 | 3.26 | 0.78 | |
| 37 V540 | REMOVAL FX PLATE/FIXTN DEVICE | 4.72 | 3.90 | 3.18 | 2.17 | |
| 38 4111 | INTERMEDIATE CORONARY SYNDROME | 5.91 | 2.79 | 3.03 | 1.99 | |
| 39 6430 | MILD HYPEREMESIS GRAVIDARUM | 3.60 | 3.18 | 2.69 | 2.04 | |
| 40 6442 | EARLY ONSET DELIVERY (>37WKS) | 6.88 | 3.89 | 3.62 | 0.84 | |
| 41 6440 | THREATENED PREM LABOR | 3.25 | 2.25 | 2.03 | 0.60 | |
| 42 5621 | DIVERTICULA OF COLON | 4.38 | 4.31 | 5.50 | 4.02 | |
| 43 7802 | SYNCOPE AND COLLAPSE | 5.88 | 4.52 | 3.81 | 2.26 | |
| 44 6631 | UMBILICAL CORD AROUND NECK | 2.38 | 2.87 | 2.23 | 0.57 | |
| 45 4740 | CHRONIC TONSILLITIS | 2.99 | 2.36 | 1.74 | 1.42 | |
| 46 7350 | HALLUX VALGUS | 3.40 | 4.17 | 3.20 | 2.14 | |
| 47 6641 | 2ND DEGREE LACERATION PERINEUM | 2.33 | 2.70 | 2.42 | 0.49 | |
| 48 4280 | CONGESTIVE HEART FAILURE | 8.46 | 6.92 | 7.69 | 5.72 | |
| 49 5301 | ESOPHAGITIS | 3.04 | 2.48 | 3.53 | 2.20 | |
| 50 632 | MISSED ABORTION | 1.60 | 1.79 | 1.83 | 0.68 | |
| 51 6542 | PREVIOUS CESARIAN SECTION | 4.12 | 4.40 | 3.87 | 0.85 | |
| 52 6349 | SPONTANEOUS ABORTION | 1.86 | 1.49 | 1.73 | 1.26 | |
| 53 6466 | INFECT GU TRACT IN PREGNANCY | 3.15 | 3.39 | 3.37 | 1.93 | |
| 54 V300 | SINGL INFANT BORN IN HOSP | 3.68 | 3.15 | 2.58 | 0.64 | |
| 55 7242 | LUMBAGO | 10.38 | 6.57 | 7.11 | 6.18 | |
| 56 5920 | CALCULUS OF KIDNEY | 5.62 | 3.72 | 2.85 | 2.56 | |
| 57 4741 | HYPERTROPHY TONSILS/ADENOIDS | 2.31 | 2.24 | 1.28 | 1.14 | |
| 58 5206 | DISTURB TOOTH ERUPTION | 1.39 | 2.09 | 1.25 | 1.16 | |
| 59 6640 | 1ST DEGREE LACERATION PERINEUM | 2.17 | 2.70 | 2.35 | 0.59 | |
| 60 5355 | GASTRITIS/GASTROENTERITIS NOS | 2.16 | 2.44 | 2.22 | 0.06 | |
| 61 4139 | ANGINA, OTHER AND UNSPEC | 5.10 | 3.09 | 3.08 | 1.78 | |
| 62 6101 | DIFFUSE CYSTIC MASTOPATHY | 4.54 | 1.92 | 2.02 | 1.67 | |
| 63 6642 | 3RD DEGREE LACERATION PERINEUM | 2.85 | 2.96 | 2.70 | 0.65 | |
| 64 650 | DELIVERY IN NORMAL CASE | 2.42 | 2.76 | 2.37 | 0.56 | |
| 65 6221 | DYSPLASIA OF CERVIX | 2.90 | 2.34 | 3.28 | 1.48 | |
| 66 7221 | DISPLACEMENT INTERVERTEBRAL DISC | 14.62 | 6.51 | 9.09 | 11.95 | |
| 67 1749 | CANCER, BREAST, FEM, NOS | 9.02 | 6.02 | 6.76 | 6.52 | |
| 68 605 | REDUNDANT PREPUCE/PHIMOSIS | 1.47 | 1.64 | 1.52 | 1.41 | |
| 69 5921 | CALCULUS OF URETER | 4.95 | 3.40 | 4.01 | 2.24 | |
| 70 6262 | EXCESSIVE/FREQ MENSTRUATION | 3.97 | 3.50 | 3.39 | 3.08 | |
| 71 6259 | SYMPTOMS/PAIN FEM GENITAL | 3.64 | 2.86 | 3.08 | 3.53 | |
| 72 4273 | ATRIAL FIBRILLATION/FLUTTER | 5.01 | 4.86 | 4.21 | 2.85 | |
| 73 5789 | HEMORRHAGE GI TRACT NOS | 6.61 | 5.29 | 4.67 | 3.16 | |
| 74 7274 | GANGLION CYST | 2.50 | 1.97 | 2.05 | 1.49 | |
| 75 3829 | OTITIS MEDIA NOS | 1.95 | 2.38 | 2.01 | 1.73 | |
| 76 4659 | ACUTE UPPER RESP INFECT | 2.79 | 2.73 | 2.36 | 1.77 | |
| 77 5509 | INGUINAL HERNIA | 3.06 | 3.57 | 3.49 | 2.82 | |
| 78 7890 | ABDOMINAL PAIN | 3.95 | 3.88 | 3.12 | 2.28 | |
| 79 3540 | CARPAL TUNNEL SYNDROME | 2.29 | 2.04 | 2.09 | 1.49 | |
| 80 496 | CHRONIC AIRWAY OBSTRUCTION | 6.46 | 7.72 | 5.83 | 5.49 | |
| 81 V718 | OBSERVATION OTH SPECIFIED COND | 3.01 | 2.14 | 1.93 | 1.36 | |
| 82 6826 | OTHER CELLULITIS/ABSCESS LEG | 5.97 | 5.93 | 5.66 | 4.97 | |
| 83 V252 | STERILIZATION | 1.53 | 1.76 | 1.46 | 1.42 | |
| 84 5409 | ACUTE APPENDICITIS W/O PERITON | 4.26 | 5.01 | 4.32 | 3.76 | |
| 85 6146 | PELVIC/PERITON ADHESIONS, FEM | 3.87 | 3.58 | 3.56 | 1.91 | |
| 86 490 | BRONCHITIS | 3.97 | 3.29 | 3.11 | 2.59 | |
| 87 5589 | GASTROENTERITIS | 3.26 | 2.77 | 2.38 | 2.16 | |
| 88 5990 | URINARY TRACT INFECTION | 6.05 | 4.22 | 4.36 | 3.07 | |
| 89 0529 | VARICELLA W/O COMPLICATIONS | 5.53 | 5.97 | 5.17 | 6.71 | |
| 90 486 | PNEUMONIA, ORGANISM UNSPEC | 6.27 | 4.67 | 4.54 | 4.35 | |
| 91 462 | ACUTE PHARYNGITIS | 2.37 | 2.84 | 2.50 | 2.76 | |
| 92 5908 | PYELONEPHRITIS/PYONEPHROSIS | 4.97 | 4.41 | 4.70 | 4.20 | |
| 93 463 | ACUTE TONSILLITIS | 2.85 | 2.67 | 2.93 | 2.71 | |
| 94 7865 | CHEST PAIN | 3.39 | 2.70 | 2.40 | 2.16 | |
| 95 4434 | ASTHMA NOS | 3.25 | 3.50 | 3.09 | 2.39 | |
| 96 0799 | VIRAL INFECT, NOS | 2.61 | 2.82 | 2.65 | 2.40 | |
| 97 2189 | LEISHMANIA, UTERUS, NOS | 6.35 | 5.44 | 5.03 | 4.79 | |
| 98 0888 | INTESTINAL INFECT, OTH ORG NEC | 2.27 | 2.48 | 2.25 | 2.34 | |
| 99 0340 | STREPTOCOCCAL SORE THROAT | 2.73 | 2.90 | 2.69 | 2.72 | |
| 100 5741 | CALCULUS GALLBLDOER W/OTH CHOL | 7.41 | 6.15 | 6.76 | 5.49 | |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES
 TABLE 6: AVERAGE LENGTH OF STAY (DAYS) ARRANGED BY VARIABILITY RANKING
 DIRECT CARE DATA: ADJUSTED RATES

| | | HEDCCEN AVG DAYS | LGE AVG DAYS | HEDDAC AVG DAYS | HEDDAC AVG DAYS | HEDDAC AVG DAYS | HEDDAC AVG DAYS |
|-----|------|---------------------------------|-----------------|--------------------|--------------------|--------------------|--------------------|
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 6.36 | 1.55 | 2.52 | 0.38 | |
| 2 | 6565 | POOR FETAL GROWTH | 4.54 | 2.39 | 1.88 | 0.70 | |
| 3 | 6501 | OTH PLASTIC SURG, COSMETIC APP | 4.52 | 0.56 | 1.36 | 0.15 | |
| 4 | 7270 | SYNOVITIS/TENOSYNOVITIS | 5.11 | 5.97 | 3.04 | 3.55 | |
| 5 | 6675 | F/U EXAM, OTHER TREATMENT | 4.93 | 1.09 | 2.87 | 0.72 | |
| 6 | 0449 | HFLV-III/LAV NOS | 7.84 | 0.89 | 3.55 | 0.58 | |
| 7 | 2113 | BENIGN NEOPLASM, COLON | 1.96 | 2.73 | 2.72 | 0.77 | |
| 8 | 6488 | ABNL GLUC TOL TEST IN PREGN | 2.32 | 2.98 | 2.99 | 0.77 | |
| 9 | 3092 | ADJUST REACT W/DIST OTH EMOT | 12.86 | 7.89 | 5.74 | 0.34 | |
| 10 | 1629 | CANCER, BRONCHUS/LUNG NOS | 14.51 | 12.81 | 11.24 | 4.17 | |
| 11 | 6522 | BREECH PRESENT W/O VERSION | 3.55 | 4.36 | 4.35 | 0.82 | |
| 12 | 600 | HYPERTROPHY OF PROSTATE | 4.76 | 10.89 | 4.88 | 1.60 | |
| 13 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 13.21 | 7.72 | 5.91 | 2.64 | |
| 14 | 185 | CANCER, PROSTATE | 8.62 | 18.84 | 6.89 | 2.88 | |
| 15 | 4280 | CONGESTIVE HEART FAILURE | 7.70 | 20.58 | 9.92 | 7.12 | |
| 16 | 6581 | AFTERCARE MAINT CHEMOTHERAPY | 3.84 | 2.84 | 2.38 | 0.45 | |
| 17 | 5243 | ANOMALIES TOOTH POSITION | 1.88 | 1.68 | 1.04 | 1.13 | |
| 18 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 17.51 | 8.53 | 8.11 | 5.58 | |
| 19 | 6670 | FOLLOW-UP EXAM, SURGERY | 2.96 | 1.82 | 2.09 | 1.73 | |
| 20 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 15.25 | 1.80 | 2.83 | 1.38 | |
| 21 | 6450 | PROLONGED PREGNANCY | 2.80 | 3.11 | 2.76 | 0.62 | |
| 22 | 4140 | CORONARY ARTERIOSCLEROSIS | 7.77 | 4.44 | 6.48 | 2.56 | |
| 23 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 6.86 | 3.98 | 2.97 | 2.35 | |
| 24 | 6612 | OTH/UNSPEC UTERINE INERTIA | 3.17 | 3.87 | 3.22 | 0.28 | |
| 25 | 6633 | UMBILICAL CORD ENTANGLEMENT | 2.05 | 2.89 | 2.82 | 0.45 | |
| 26 | 3669 | CATARACT NOS | 2.24 | 6.21 | 2.79 | 0.77 | |
| 27 | 632 | MISSED ABORTION | 1.68 | 1.85 | 2.09 | 0.68 | |
| 28 | 6441 | THREATENED LABOR (>37WKS) | 3.19 | 1.53 | 1.59 | 0.84 | |
| 29 | 6300 | SINGL INFANT BORN IN HOSP | 3.98 | 3.80 | 2.46 | 0.61 | |
| 30 | 6424 | MILD/UNSPEC PREECLAMPSIA | 4.23 | 4.53 | 4.84 | 1.01 | |
| 31 | 6563 | FETAL DISTRESS | 3.98 | 3.96 | 3.48 | 0.74 | |
| 32 | 6288 | ANTENATAL SCREENING | 0.71 | 0.87 | 0.90 | 0.00 | |
| 33 | 6717 | OBSERVATION SUSP CARDVASC DIS | 3.49 | 2.00 | 1.43 | 1.61 | |
| 34 | 6542 | PREVIOUS CESARIAN SECTION | 4.38 | 4.54 | 4.42 | 0.80 | |
| 35 | 3039 | ALCOHOL DEPENDENCE | 20.04 | 5.79 | 7.06 | 4.59 | |
| 36 | 496 | CHRONIC AIRWAY OBSTRUCTION | 5.80 | 19.56 | 7.95 | 6.44 | |
| 37 | 2765 | VOLUME DEPLETION | 5.94 | 2.81 | 3.98 | 2.64 | |
| 38 | 3050 | DRUG ABUSE, ALCOHOL | 13.34 | 3.63 | 3.60 | 2.55 | |
| 39 | 6442 | EARLY ONSET DELIVERY (>37WKS) | 7.25 | 3.94 | 3.89 | 0.80 | |
| 40 | 6641 | 2ND DEGREE LACERATION PERINEUM | 2.39 | 2.78 | 2.68 | 0.46 | |
| 41 | 7221 | DISPLACEMENT INTVERTBRAL DISC | 22.97 | 5.40 | 8.87 | 14.50 | |
| 42 | 470 | DEVIATED NASAL SEPTUM | 4.24 | 2.32 | 1.91 | 1.58 | |
| 43 | 7803 | CONVULSIONS | 6.23 | 3.42 | 3.91 | 2.81 | |
| 44 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 3.73 | 3.22 | 2.68 | 2.24 | |
| 45 | 6440 | THREATENED PREM LABOR | 3.24 | 2.32 | 2.13 | 0.57 | |
| 46 | 6631 | UMBILICAL CORD AROUND NECK | 2.51 | 2.94 | 2.34 | 0.54 | |
| 47 | 4111 | INTERMEDIATE CORONARY SYNDROME | 5.70 | 3.67 | 3.82 | 1.64 | |
| 48 | 6640 | 1ST DEGREE LACERATION PERINEUM | 2.23 | 2.78 | 2.60 | 0.56 | |
| 49 | 6349 | SPONTANEOUS ABORTION | 1.81 | 1.52 | 1.83 | 1.45 | |
| 50 | 5621 | DIVERTICULA OF COLON | 3.86 | 5.93 | 7.04 | 4.06 | |
| 51 | 5206 | DISTURB TOOTH ERUPTION | 1.72 | 1.75 | 1.20 | 1.36 | |
| 52 | 6540 | REMOVAL FM PLATE/FIXTH DEVICE | 5.86 | 3.30 | 3.08 | 2.51 | |
| 53 | 7159 | OSTEOARTHRITIS | 9.56 | 4.12 | 5.48 | 3.51 | |
| 54 | 7242 | LUNARIGO | 13.72 | 5.38 | 6.85 | 7.40 | |
| 55 | 4740 | CHRONIC TONSILLITIS | 3.53 | 2.11 | 1.62 | 1.64 | |
| 56 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 2.64 | 2.11 | 1.18 | 1.25 | |
| 57 | 650 | DELIVERY IN NORMAL CASE | 2.50 | 2.83 | 2.53 | 0.53 | |
| 58 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 3.90 | 2.81 | 2.32 | 1.56 | |
| 59 | 7350 | HALLUX VALGUS | 3.71 | 3.67 | 3.11 | 2.33 | |
| 60 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 4.65 | 8.82 | 5.27 | 2.70 | |
| 61 | 6642 | 3RD DEGREE LACERATION PERINEUM | 2.94 | 3.00 | 2.85 | 0.62 | |
| 62 | 5301 | ESOPHAGITIS | 3.17 | 2.73 | 3.60 | 2.16 | |
| 63 | 5789 | HEMORRHAGE GI TRACT NOS | 6.08 | 7.70 | 5.53 | 3.38 | |
| 64 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 2.23 | 2.54 | 2.26 | 2.00 | |
| 65 | 6466 | INFECT GU TRACT IN PREGNANCY | 3.37 | 3.42 | 3.39 | 2.07 | |
| 66 | 7802 | SYNCOPE AND COLLAPSE | 5.57 | 4.59 | 3.93 | 2.15 | |
| 67 | 5920 | CALCULUS OF KIDNEY | 5.65 | 3.76 | 2.93 | 2.49 | |
| 68 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 2.07 | 1.43 | 1.48 | 1.57 | |
| 69 | 4659 | ACUTE UPPER RESP INFECT | 4.06 | 2.17 | 2.32 | 2.51 | |
| 70 | 4139 | ANGINA, OTHER AND UNSPEC | 4.38 | 4.62 | 3.77 | 1.38 | |
| 71 | 6221 | DYSPLASIA OF CERVIX | 2.88 | 2.49 | 3.32 | 1.51 | |
| 72 | 462 | ACUTE PHARYNGITIS | 3.63 | 2.23 | 2.44 | 3.69 | |
| 73 | 7274 | GANGLION CYST | 3.04 | 1.69 | 1.97 | 1.73 | |
| 74 | 0529 | VARICELLA W/O COMPLICATIONS | 10.52 | 4.49 | 5.05 | 9.44 | |
| 75 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 4.08 | 3.70 | 3.58 | 2.06 | |
| 76 | 3829 | OTITIS MEDIA NOS | 2.11 | 2.36 | 1.98 | 1.87 | |
| 77 | 463 | ACUTE TONSILLITIS | 4.10 | 2.11 | 2.89 | 3.70 | |
| 78 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 3.72 | 2.95 | 2.95 | 3.95 | |
| 79 | 1749 | CANCER, BREAST, FEM, NOS | 7.21 | 9.24 | 8.38 | 5.63 | |
| 80 | 5921 | CALCULUS OF URETER | 5.06 | 3.23 | 4.08 | 2.22 | |
| 81 | 0340 | STREPTOCOCCAL SORE THROAT | 4.55 | 2.20 | 2.65 | 3.87 | |
| 82 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 3.87 | 3.84 | 3.70 | 3.06 | |
| 83 | 5409 | ACUTE APPENDICITIS W/O PERITON | 4.83 | 4.55 | 4.22 | 4.14 | |
| 84 | 7890 | ABDOMINAL PAIN | 4.00 | 3.78 | 3.09 | 2.40 | |
| 85 | 6252 | STERILIZATION | 2.00 | 1.54 | 1.42 | 1.63 | |
| 86 | 3540 | CARPAL TUNNEL SYNDROME | 2.12 | 2.32 | 2.28 | 1.41 | |
| 87 | 5990 | URINARY TRACT INFECTION | 5.62 | 5.77 | 4.65 | 2.82 | |
| 88 | 6718 | OBSERVATION OTH SPECIFIED CONDO | 2.89 | 2.20 | 1.93 | 1.95 | |
| 89 | 7865 | CHEST PAIN | 3.12 | 3.26 | 2.68 | 2.04 | |
| 90 | 490 | BRONCHITIS | 4.53 | 2.81 | 2.99 | 2.93 | |
| 91 | 5509 | INGUINAL HERNIA | 3.43 | 3.40 | 3.49 | 2.74 | |
| 92 | 5908 | PYELOPHRITIS/PYONEPHROSIS | 4.76 | 5.00 | 4.70 | 4.20 | |
| 93 | 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 7.01 | 7.71 | 7.15 | 5.13 | |
| 94 | 4939 | ASTHMA NOS | 3.45 | 3.73 | 3.07 | 3.02 | |
| 95 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 5.08 | 5.90 | 5.86 | 4.86 | |
| 96 | 0799 | VIRAL INFECT, NOS | 3.31 | 2.34 | 2.55 | 3.11 | |
| 97 | 2189 | LEIOMYOMA, UTERUS, NOS | 5.92 | 6.12 | 5.24 | 4.82 | |
| 98 | 5889 | ENDOMETRITIS | 3.65 | 2.49 | 2.31 | 2.42 | |
| 99 | 486 | PNEUMONIA, ORGANISM UNSPFD | 6.29 | 4.95 | 4.60 | 4.21 | |
| 100 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 2.56 | 2.18 | 2.15 | 2.72 | |

SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES
 TABLE 7. AVERAGE LENGTH OF STAY (DAYS) ARRANGED BY VARIABILITY RANKING
 DIRECT CARE AND CHAMPUS DATA COMBINED: CRUDE RATES

| | | MEDCEN | LGE MEDCEN | MED MEDCEN | SHL MEDCEN |
|----------|---------------------------------|----------|------------|------------|------------|
| | | HVG DAYS | HVG DAYS | HVG DAYS | HVG DAYS |
| 1 6566 | EXCESSIVE FETAL GROWTH | 6.04 | 1.60 | 1.87 | 1.67 |
| 2 7270 | SYNOVITIS/TENOSYNOVITIS | 5.16 | 6.50 | 3.13 | 2.92 |
| 3 6675 | F/U EXAM, OTHER TREATMENT | 4.41 | 1.20 | 3.03 | 0.61 |
| 4 0449 | HTLV-III/LAV NOS | 6.25 | 1.08 | 3.12 | 0.52 |
| 5 0501 | OTH PLASTIC SURG, COSMETIC APP | 4.35 | 0.56 | 1.32 | 0.15 |
| 6 2113 | BENIGN NEOPLASM, COLON | 2.21 | 1.94 | 1.98 | 2.16 |
| 7 6565 | POOR FETAL GROWTH | 4.48 | 2.35 | 2.84 | 2.62 |
| 8 5243 | ANOMALIES TOOTH POSITION | 1.35 | 1.98 | 1.25 | 0.98 |
| 9 0670 | FOLLOW-UP EXAM, SURGERY | 3.42 | 1.75 | 2.29 | 1.60 |
| 10 4149 | CHRONIC ISCHEMIC HEART DISEASE | 7.90 | 2.84 | 2.51 | 2.87 |
| 11 7178 | OTH SPEC INT DERANGEMENT KNEE | 8.43 | 12.57 | 8.48 | 4.32 |
| 12 8540 | INTRACRANIAL INJURY, NEC/NOS | 9.87 | 2.46 | 4.45 | 5.82 |
| 13 3092 | ADJUST REACT W/DIST OTH ENOT | 13.65 | 13.29 | 10.28 | 20.94 |
| 14 3050 | DRUG ABUSE, ALCOHOL | 10.10 | 6.05 | 6.04 | 11.53 |
| 15 7350 | HALLUX VALGUS | 3.13 | 4.47 | 3.05 | 2.11 |
| 16 6441 | THREATENED LABOR (>37WKS) | 3.10 | 1.65 | 1.54 | 1.43 |
| 17 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 11.54 | 12.60 | 10.56 | 8.57 |
| 18 0540 | REMOVAL FX PLATE/FIXTH DEVICE | 4.16 | 3.87 | 3.14 | 2.31 |
| 19 185 | CANCER, PROSTATE | 10.32 | 7.06 | 6.53 | 5.89 |
| 20 3669 | CATARACT NOS | 2.72 | 2.73 | 2.13 | 0.92 |
| 21 0717 | OBSERVATION SUSP CARDVASC DIS | 3.73 | 2.15 | 1.32 | 1.84 |
| 22 470 | DEViated NASAL SEPTUM | 3.06 | 2.95 | 2.41 | 1.72 |
| 23 2765 | VOLUME DEPLETION | 6.30 | 3.03 | 4.25 | 3.31 |
| 24 1629 | CANCER, BRONCHUS/LUNG NOS | 15.57 | 6.86 | 8.95 | 8.22 |
| 25 0288 | ANTENATAL SCREENING | 0.73 | 0.83 | 1.15 | 0.00 |
| 26 7803 | CONVULSIONS | 5.88 | 3.64 | 4.83 | 3.35 |
| 27 7802 | SYNCOPE AND COLLAPSE | 5.70 | 4.38 | 4.08 | 2.73 |
| 28 6612 | OTH/UNSPEC UTERINE INERTIA | 2.64 | 3.83 | 3.15 | 2.97 |
| 29 632 | MISSED ABORTION | 1.46 | 1.80 | 2.17 | 1.12 |
| 30 5206 | DISTURB TOOTH ERUPTION | 1.39 | 2.09 | 1.27 | 1.16 |
| 31 5301 | ESOPHAGITIS | 3.19 | 2.85 | 3.51 | 2.67 |
| 32 7159 | OSTEOARTHRITIS | 11.40 | 4.69 | 5.97 | 6.73 |
| 33 4111 | INTERMEDIATE CORONARY SYNDROME | 6.71 | 3.25 | 3.92 | 3.43 |
| 34 6101 | DIFFUSE CYSTIC MASTOPATHY | 4.43 | 2.00 | 2.07 | 1.71 |
| 35 1749 | CANCER, BREAST, FEM, NOS | 8.98 | 5.60 | 6.69 | 5.83 |
| 36 7242 | LUMBAGO | 10.31 | 6.06 | 6.96 | 6.28 |
| 37 5621 | DIVERTICULA OF COLON | 4.75 | 4.36 | 5.33 | 4.30 |
| 38 0581 | AFTERCARE MAINT CHEMOTHERAPY | 4.33 | 2.30 | 3.55 | 2.97 |
| 39 6259 | SYMPTOMS/PAIN FEM GENITAL | 3.25 | 2.88 | 3.34 | 3.40 |
| 40 6450 | PROLONGED PREGNANCY | 2.91 | 3.08 | 3.17 | 2.71 |
| 41 4740 | CHRONIC TONSILLITIS | 2.91 | 2.29 | 2.06 | 1.47 |
| 42 6488 | ABNL GLUC TOL TEST IN PREGNANCY | 2.82 | 2.77 | 2.92 | 2.99 |
| 43 5355 | GASTRITIS/GASTROENTERITIS NOS | 2.18 | 2.45 | 2.34 | 2.59 |
| 44 6221 | DYSPLASIA OF CERVIX | 2.90 | 2.37 | 3.28 | 1.84 |
| 45 4140 | CORONARY ARTERIOSCLEROSIS | 8.41 | 4.50 | 5.45 | 4.68 |
| 46 5920 | CALCULUS OF KIDNEY | 5.64 | 3.12 | 3.07 | 2.65 |
| 47 605 | REDUNDANT PREPUCE/PHIMOSIS | 1.50 | 1.64 | 1.52 | 1.42 |
| 48 6349 | SPONTANEOUS ABORTION | 1.74 | 1.50 | 1.72 | 1.35 |
| 49 6430 | MILD HYPEREMESIS GRAVIDARUM | 3.08 | 3.21 | 2.78 | 2.61 |
| 50 7221 | DISPLACEMENT INTVERTIBRAL DISC | 14.10 | 5.65 | 8.32 | 8.47 |
| 51 7274 | GANGLION CYST | 2.52 | 2.02 | 2.06 | 1.49 |
| 52 3039 | ALCOHOL DEPENDENCE | 18.30 | 10.24 | 10.76 | 9.40 |
| 53 4139 | ANGINA, OTHER AND UNSPEC | 5.18 | 3.32 | 3.11 | 2.59 |
| 54 6262 | EXCESSIVE/FREQ MENSTRUATION | 3.87 | 3.58 | 3.69 | 3.33 |
| 55 4659 | ACUTE UPPER RESP INFECT | 2.90 | 2.78 | 2.33 | 2.13 |
| 56 6440 | THREATENED PREN LABOR | 3.27 | 2.43 | 2.67 | 2.56 |
| 57 6631 | UMBILICAL CORD AROUND NECK | 2.24 | 2.90 | 2.61 | 2.14 |
| 58 3829 | OTITIS MEDIA NOS | 1.93 | 2.41 | 2.02 | 1.87 |
| 59 3540 | CARPAL TUNNEL SYNDROME | 2.38 | 2.04 | 2.21 | 1.50 |
| 60 0718 | OBSERVATION OTH SPECIFIED CONDO | 2.74 | 2.16 | 2.04 | 1.96 |
| 61 6424 | MILD/UNSPEC PREECLAMPSIA | 4.56 | 4.52 | 5.32 | 3.53 |
| 62 0252 | STERILIZATION | 1.48 | 1.76 | 1.46 | 1.39 |
| 63 4741 | HYPERTROPHY TONSILS/ADENOIDS | 2.24 | 2.17 | 1.57 | 1.62 |
| 64 5921 | CALCULUS OF URETER | 4.82 | 3.27 | 3.68 | 2.60 |
| 65 4280 | CONGESTIVE HEART FAILURE | 9.11 | 7.44 | 7.73 | 7.78 |
| 66 4273 | ATRIAL FIBRILLATION/FLUTTER | 5.51 | 4.80 | 4.69 | 3.98 |
| 67 600 | HYPERPLASIA OF PROSTATE | 5.39 | 4.72 | 4.41 | 3.06 |
| 68 7890 | ABDOMINAL PAIN | 4.01 | 3.77 | 3.18 | 2.48 |
| 69 5509 | INGUINAL HERNIA | 3.38 | 3.55 | 3.47 | 2.70 |
| 70 6466 | INFECT GU TRACT IN PREGNANCY | 2.93 | 3.34 | 3.36 | 2.76 |
| 71 6633 | UMBILICAL CORD ENTANGLEMENT | 2.04 | 2.76 | 2.55 | 2.24 |
| 72 6146 | PELVIC/PERITON ADHESIONS, FEM | 3.74 | 3.64 | 3.58 | 2.68 |
| 73 6563 | FETAL DISTRESS | 3.93 | 3.81 | 3.80 | 3.46 |
| 74 6826 | OTHER CELLULITIS/ABSCESS LEG | 6.33 | 5.97 | 5.65 | 5.64 |
| 75 5990 | URINARY TRACT INFECTION | 6.68 | 4.52 | 4.42 | 3.37 |
| 76 6522 | BREECH PRESENT W/O VERSION | 3.68 | 4.33 | 4.41 | 3.95 |
| 77 5789 | HEMORRHAGE GI TRACT NOS | 7.31 | 5.44 | 5.64 | 4.01 |
| 78 490 | BRONCHITIS | 4.24 | 3.36 | 3.18 | 2.60 |
| 79 496 | CHRONIC AIRWAY OBSTRUCTION | 7.28 | 7.86 | 6.18 | 6.55 |
| 80 6442 | EARLY ONSET DELIVERY (>37WKS) | 7.18 | 4.08 | 4.12 | 3.62 |
| 81 0799 | VIRAL INFECT, NOS | 2.58 | 2.84 | 2.73 | 2.42 |
| 82 5409 | ACUTE APPENDICITIS W/O PERITON | 4.12 | 4.86 | 4.23 | 4.01 |
| 83 5908 | PYELONEPHRITIS/PYONEPHROSIS | 5.10 | 4.64 | 4.61 | 4.18 |
| 84 0529 | VARICELLA W/O COMPLICATIONS | 5.09 | 5.89 | 5.36 | 6.54 |
| 85 462 | ACUTE PHARYNGITIS | 2.28 | 2.85 | 2.55 | 2.84 |
| 86 5589 | GASTROENTERITIS | 3.27 | 2.78 | 2.53 | 2.40 |
| 87 6642 | 3RD DEGREE LACERATION PERINEUM | 2.90 | 2.98 | 3.04 | 2.25 |
| 88 463 | ACUTE TONSILLITIS | 2.74 | 2.78 | 2.85 | 2.76 |
| 89 2189 | LEIOMYOMA, UTERUS, NOS | 5.98 | 5.26 | 4.95 | 4.82 |
| 90 486 | PNEUMONIA, ORGANISM UNSPEC | 6.87 | 4.75 | 4.71 | 4.93 |
| 91 0888 | INTESTINAL INFECT, OTH ORG NEC | 2.25 | 2.49 | 2.33 | 2.40 |
| 92 6641 | 2ND DEGREE LACERATION PERINEUM | 2.41 | 2.70 | 2.77 | 2.15 |
| 93 0340 | STREPTOCOCCAL SORE THROAT | 2.39 | 2.90 | 2.71 | 2.72 |
| 94 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 7.40 | 5.96 | 6.56 | 5.34 |
| 95 6542 | PREVIOUS CESARIAN SECTION | 4.23 | 4.27 | 4.16 | 3.68 |
| 96 4939 | ASTHMA NOS | 3.29 | 3.52 | 3.29 | 3.36 |
| 97 7845 | CHEST PAIN | 3.55 | 2.63 | 2.47 | 2.35 |
| 98 0300 | SIMIL INFANT BORN IN HOSP | 4.12 | 3.42 | 3.33 | 3.26 |
| 99 630 | DELIVERY IN NORMAL CASE | 2.54 | 2.71 | 2.63 | 2.23 |
| 100 6640 | 1ST DEGREE LACERATION PERINEUM | 2.29 | 2.70 | 2.56 | 2.30 |

| SECTION E: PEER GROUP COMPARISONS BY AVERAGE RATES | | | | | |
|--|---------------------------------|----------|------------|------------|------------|
| TABLE B: AVERAGE LENGTH OF STAY (DAYS) ARRANGED BY VARIABILITY RANKING | | | | | |
| DIRECT CHRG AND CHAMPUS DATA COMBINED: ADJUSTED RATES | | | | | |
| | | MEDCEM | LGE MEDDAC | MED MEDDAC | SML MEDDAC |
| | | AVG DAYS | AVG DAYS | AVG DAYS | AVG DAYS |
| 1 6566 | EXCESSIVE FETAL GROWTH | 6.45 | 1.57 | 2.29 | 1.92 |
| 2 7270 | SYNOVITIS/TENOSYNOVITIS | 5.07 | 6.04 | 3.10 | 3.26 |
| 3 6675 | F/U EXAM, OTHER TREATMENT | 4.78 | 1.10 | 3.13 | 0.72 |
| 4 0449 | HTLV-III/LAV NOS | 7.05 | 0.89 | 3.46 | 0.58 |
| 5 2113 | BENIGN NEOPLASM, COLON | 1.95 | 3.14 | 2.74 | 1.81 |
| 6 6501 | OTH PLASTIC SURG, COSMETIC APP | 4.20 | 0.66 | 1.29 | 0.15 |
| 7 1629 | CANCER, BRONCHUS/LUNG NOS | 14.45 | 13.81 | 12.31 | 5.75 |
| 8 7178 | OTH SPEC INT DERANGEMENT KNEE | 14.08 | 8.48 | 7.79 | 6.93 |
| 9 3092 | ADJUST REACT W/DIST OTH EMOT | 20.28 | 10.97 | 10.43 | 31.65 |
| 10 6565 | POOR FETAL GROWTH | 4.79 | 2.35 | 2.80 | 2.89 |
| 11 185 | CANCER, PROSTATE | 8.58 | 18.99 | 7.84 | 4.16 |
| 12 5243 | ANOMALIES TOOTH POSITION | 1.56 | 1.68 | 1.22 | 1.13 |
| 13 4280 | CONGESTIVE HEART FAILURE | 7.80 | 21.90 | 10.04 | 8.48 |
| 14 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 17.80 | 10.22 | 10.86 | 11.72 |
| 15 3669 | CATARACT NOS | 2.23 | 6.45 | 2.82 | 0.69 |
| 16 6670 | FOLLOW-UP EXAM, SURGERY | 2.96 | 1.89 | 2.35 | 1.52 |
| 17 4149 | CHRONIC ISCHEMIC HEART DISEASE | 6.80 | 3.97 | 2.84 | 2.64 |
| 18 8540 | INTRACRANIAL INJURY, NEC/NOS | 14.74 | 1.94 | 4.43 | 7.94 |
| 19 3050 | DRUG ABUSE, ALCOHOL | 13.22 | 4.81 | 6.04 | 15.47 |
| 20 600 | HYPERPLASIA OF PROSTATE | 4.75 | 10.73 | 6.00 | 2.22 |
| 21 496 | CHRONIC AIRWAY OBSTRUCTION | 5.89 | 21.07 | 8.26 | 7.21 |
| 22 6717 | OBSERVATION SUSP CARDIOVASC DIS | 3.33 | 2.55 | 1.48 | 1.61 |
| 23 6540 | REMOVAL FX PLATE/FIXTN DEVICE | 4.92 | 3.30 | 3.03 | 2.70 |
| 24 2765 | VOLUME DEPLETION | 6.02 | 2.94 | 4.25 | 3.40 |
| 25 632 | MISSED ABORTION | 1.63 | 1.85 | 2.42 | 1.24 |
| 26 6441 | THREATENED LABOR (>37WKS) | 3.52 | 1.66 | 1.66 | 1.49 |
| 27 7350 | MALLUX VALGUS | 3.31 | 4.22 | 2.97 | 2.29 |
| 28 5206 | DISTURB TOOTH ERUPTION | 1.75 | 1.74 | 1.21 | 1.36 |
| 29 5621 | DIVERTICULA OF COLON | 3.91 | 6.87 | 6.93 | 4.15 |
| 30 6612 | OTH/UNSPEC UTERINE INERTIA | 2.80 | 3.93 | 3.36 | 3.36 |
| 31 6288 | ANTENATAL SCREENING | 0.71 | 0.86 | 1.13 | 0.00 |
| 32 4140 | CORONARY ARTERIOSCLEROSIS | 7.25 | 6.15 | 6.53 | 4.03 |
| 33 6101 | DIFFUSE CYSTIC MASTOPATHY | 3.80 | 3.59 | 2.37 | 1.61 |
| 34 6349 | SPONTANEOUS ABORTION | 1.76 | 1.52 | 1.83 | 1.53 |
| 35 7242 | LUMBAGO | 12.18 | 5.03 | 6.76 | 7.54 |
| 36 6581 | AFTERCARE MAINT CHEMOTHERAPY | 3.78 | 2.98 | 3.98 | 2.45 |
| 37 1749 | CANCER, BREAST, FEM, NOS | 7.18 | 14.10 | 8.17 | 4.92 |
| 38 4273 | ATRIAL FIBRILLATION/FLUTTER | 4.53 | 9.19 | 6.00 | 3.47 |
| 39 6430 | MILD HYPEREMESIS GRAVIDARUM | 3.28 | 3.32 | 2.90 | 2.93 |
| 40 470 | DEVIATED NASAL SEPTUM | 3.75 | 2.33 | 2.32 | 2.03 |
| 41 6488 | ABNL GLUC TOL TEST IN PREGNCT | 3.16 | 2.97 | 3.19 | 3.15 |
| 42 4111 | INTERMEDIATE CORONARY SYNDROME | 5.25 | 4.78 | 4.94 | 2.59 |
| 43 6259 | SYMPTOMS/PAIN FEM GENITAL | 3.41 | 2.98 | 3.18 | 3.79 |
| 44 7159 | OSTEOARTHRITIS | 9.35 | 6.56 | 6.74 | 5.96 |
| 45 4659 | ACUTE UPPER RESP INFECT | 3.95 | 2.21 | 2.28 | 3.02 |
| 46 5301 | ESOPHAGITIS | 2.91 | 3.20 | 3.57 | 2.56 |
| 47 5355 | GASTRITIS/GASTROENTERITIS NOS | 2.03 | 2.72 | 2.38 | 2.48 |
| 48 6450 | PROLONGED PREGNANCY | 3.25 | 3.11 | 3.28 | 2.99 |
| 49 3039 | ALCOHOL DEPENDENCE | 21.07 | 8.46 | 11.01 | 12.54 |
| 50 605 | REDUNDANT PREPUCE/PHIMOSIS | 1.82 | 1.43 | 1.48 | 1.58 |
| 51 7803 | CONVULSIONS | 6.09 | 3.52 | 4.78 | 3.40 |
| 52 5920 | CALCULUS OF KIDNEY | 5.33 | 3.27 | 3.16 | 2.58 |
| 53 6440 | THREATENED PREM LABOR | 3.45 | 2.50 | 2.79 | 2.78 |
| 54 7802 | SYNCOPE AND COLLAPSE | 5.17 | 4.62 | 4.21 | 2.63 |
| 55 7221 | DISPLACEMENT INTVERTBRAL DISC | 15.58 | 4.75 | 8.35 | 9.89 |
| 56 7274 | GANGLION CYST | 2.92 | 1.76 | 1.97 | 1.73 |
| 57 5522 | BREECH PRESENT W/O VERSION | 4.02 | 4.55 | 5.04 | 4.23 |
| 58 6631 | UMBILICAL CORD AROUND NECK | 2.37 | 2.97 | 2.75 | 2.30 |
| 59 4740 | CHRONIC TONSILLITIS | 3.52 | 1.99 | 1.96 | 1.71 |
| 60 6633 | UMBILICAL CORD ENTANGLEMENT | 2.19 | 2.85 | 2.88 | 2.42 |
| 61 5789 | HEMORRHAGE GI TRACT NOS | 6.03 | 8.31 | 6.52 | 4.00 |
| 62 6221 | DYSPLASIA OF CERVIX | 2.88 | 2.59 | 3.32 | 1.95 |
| 63 6563 | FETAL DISTRESS | 4.32 | 3.91 | 4.03 | 3.80 |
| 64 462 | ACUTE PHARYNGITIS | 3.35 | 2.24 | 2.47 | 3.78 |
| 65 0340 | STREPTOCOCCAL SORE THROAT | 3.60 | 2.22 | 2.67 | 3.86 |
| 66 6424 | MILD/UNSPEC PREECLAMPSIA | 4.97 | 4.57 | 5.49 | 3.84 |
| 67 463 | ACUTE TONSILLITIS | 3.89 | 2.19 | 2.78 | 3.74 |
| 68 3829 | OTITIS MEDIA NOS | 2.21 | 2.29 | 1.99 | 2.03 |
| 69 6542 | PREVIOUS CESARIAN SECTION | 4.67 | 4.45 | 4.66 | 3.96 |
| 70 6146 | PELVIC/PERITON ADHESIONS, FEM | 3.96 | 3.80 | 3.56 | 2.86 |
| 71 4741 | HYPERTROPHY TONSILS/ADENOIDS | 2.68 | 2.06 | 1.50 | 1.81 |
| 72 0529 | VARICELLA W/O COMPLICATIONS | 7.73 | 4.41 | 5.24 | 9.20 |
| 73 6300 | SINGL INFANT BORN IN HOSP | 5.01 | 3.68 | 3.30 | 3.54 |
| 74 4139 | ANGINA, OTHER AND UNSPEC | 4.19 | 5.25 | 3.79 | 2.01 |
| 75 6252 | STERILIZATION | 1.79 | 1.55 | 1.43 | 1.60 |
| 76 6442 | EARLY ONSET DELIVERY (>37WKS) | 7.90 | 4.15 | 4.39 | 3.93 |
| 77 6466 | INFECT GU TRACT IN PREGNANCY | 3.17 | 3.36 | 3.35 | 3.07 |
| 78 6262 | EXCESSIVE/FREQ MENSTRUATION | 3.77 | 4.07 | 4.04 | 3.35 |
| 79 6641 | 2ND DEGREE LACERATION PERINEUM | 2.61 | 2.79 | 3.06 | 2.33 |
| 80 3540 | CARPAL TUNNEL SYNDROME | 2.11 | 2.53 | 2.39 | 1.42 |
| 81 6642 | 3RD DEGREE LACERATION PERINEUM | 3.16 | 3.03 | 3.21 | 2.46 |
| 82 7890 | ABDOMINAL PAIN | 4.00 | 3.84 | 3.15 | 2.59 |
| 83 6718 | OBSERVATION OTH SPECIFIED CONDO | 2.64 | 2.24 | 2.04 | 1.94 |
| 84 5409 | ACUTE APPENDICITIS W/O PERITON | 4.58 | 4.41 | 4.14 | 4.43 |
| 85 5509 | INGUINAL HERNIA | 3.29 | 3.40 | 3.47 | 2.62 |
| 86 6640 | 1ST DEGREE LACERATION PERINEUM | 2.49 | 2.79 | 2.85 | 2.45 |
| 87 7865 | CHEST PAIN | 3.07 | 3.51 | 2.76 | 2.18 |
| 88 0799 | VIRAL INFECT, NOS | 3.10 | 2.34 | 2.62 | 3.12 |
| 89 5921 | CALCULUS OF URETER | 4.58 | 3.20 | 3.78 | 2.57 |
| 90 490 | BRONCHITIS | 4.47 | 3.04 | 3.07 | 2.95 |
| 91 5908 | PYELONEPHRITIS/Pyonephrosis | 4.85 | 5.34 | 4.62 | 4.17 |
| 92 6826 | OTHER CELLULITIS/ABSCESS LEG | 5.85 | 6.15 | 5.85 | 5.51 |
| 93 650 | DELIVERY IN NORMAL CASE | 2.78 | 2.79 | 2.82 | 2.41 |
| 94 5990 | URINARY TRACT INFECTION | 5.48 | 6.25 | 4.72 | 3.05 |
| 95 2189 | LEIOMYOMA, UTERUS, NOS | 5.58 | 6.34 | 5.16 | 4.85 |
| 96 5741 | CALCULUS GALLBLDGR W/OTH CHOL | 6.53 | 7.90 | 6.95 | 4.99 |
| 97 5589 | GASTROENTERITIS | 3.49 | 2.84 | 2.45 | 2.68 |
| 98 4888 | INTESTINAL INFECT, OTH ORG NEC | 2.52 | 2.24 | 2.23 | 2.79 |
| 99 4939 | ASTHMA NOS | 3.31 | 3.80 | 3.28 | 3.38 |
| 100 486 | PNEUMONIA, ORGANISM UNSPFD | 6.33 | 5.13 | 4.77 | 4.75 |

SECTION F: PEER GROUP COMPARISONS BY RANKINGS
 TABLE 7: AVERAGE LENGTH OF STAY (DAYS)
 DIRECT CARE AND CHAMPIUS DATA COMBINED: CRUDE RATES

| | | RANKINGS | | | | | SUM | AVG |
|-----|------|--------------------------------|-----|--------|-----|--------|-----|-------|
| | | MEDCEN | LGE | MEDDAC | MED | MEDDAC | | |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 2 | 7 | 7 | 4 | 20 | 5.00 |
| 2 | 7270 | SYNOVITIS/TENOSYNOVITIS | 3 | 2 | 10 | 7 | 22 | 5.50 |
| 3 | 6675 | F/U EXAM, OTHER TREATMENT | 5 | 3 | 5 | 11 | 24 | 6.00 |
| 4 | 0449 | HTLV-III/LAV NOS | 19 | 4 | 2 | 2 | 27 | 6.75 |
| 5 | 0501 | OTH PLASTIC SURG, COSMETIC APP | 29 | 1 | 1 | 1 | 32 | 8.00 |
| 6 | 2113 | BENIGN NEOPLASM, COLON | 4 | 18 | 11 | 3 | 41 | 10.25 |
| 7 | 6565 | POOR FETAL GROWTH | 11 | 6 | 17 | 17 | 51 | 12.75 |
| 8 | 5243 | ANOMALIES TOOTH POSITION | 26 | 10 | 4 | 12 | 52 | 13.00 |
| 9 | 6670 | FOLLOW-UP EXAM, SURGERY | 18 | 5 | 19 | 15 | 57 | 14.25 |
| 10 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 22 | 21 | 14 | 21 | 78 | 19.50 |
| 11 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 40 | 9 | 12 | 19 | 80 | 20.00 |
| 12 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 4 | 57 | 16 | 5 | 86 | 21.50 |
| 13 | 3092 | ADJUST REACT W/DIST OTH EMOT | 16 | 21 | 46 | 27 | 100 | 25.00 |
| 14 | 3050 | DRUG ABUSE, ALCOHOL | 41 | 28 | 24 | 1 | 101 | 25.25 |
| 15 | 7350 | HALLUX VALGUS | 30 | 13 | 28 | 24 | 105 | 26.25 |
| 16 | 6441 | THREATENED LABOR (<37WKS) | 1 | 41 | 52 | 14 | 108 | 27.00 |
| 17 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 15 | 22 | 48 | 26 | 111 | 27.75 |
| 18 | 0540 | REMOVAL FX PLATE/FIXTN DEVICE | 20 | 33 | 22 | 36 | 111 | 27.75 |
| 19 | 185 | CANCER, PROSTATE | 54 | 34 | 20 | 10 | 118 | 29.50 |
| 20 | 3669 | CATARACT NOS | 72 | 17 | 26 | 4 | 119 | 29.75 |
| 21 | 0717 | OBSERVATION SUSP CARDVASC DIS | 87 | 8 | 8 | 18 | 121 | 30.25 |
| 22 | 470 | DEVIATED NASAL SEPTUM | 25 | 30 | 25 | 43 | 123 | 30.75 |
| 23 | 2765 | VOLUME DEPLETION | 4 | 63 | 7 | 50 | 124 | 31.00 |
| 24 | 1629 | CANCER, BRONCHUS/LUNG NOS | 45 | 43 | 32 | 9 | 129 | 32.25 |
| 25 | 0288 | ANTENATAL SCREENING | 6 | 20 | 6 | 100 | 132 | 33.00 |
| 26 | 7803 | CONVULSIONS | 23 | 45 | 27 | 54 | 149 | 37.25 |
| 27 | 7802 | SYNCOPE AND COLLAPSE | 55 | 19 | 35 | 42 | 151 | 37.75 |
| 28 | 6612 | OTH/UNSPEC UTERINE INERTIA | 21 | 75 | 28 | 29 | 153 | 38.25 |
| 29 | 632 | MISSED ABORTION | 65 | 35 | 30 | 25 | 155 | 38.75 |
| 30 | 5206 | DISTURB TOOTH ERUPTION | 89 | 36 | 18 | 13 | 156 | 39.00 |
| 31 | 5301 | ESOPHAGITIS | 37 | 78 | 4 | 33 | 157 | 39.25 |
| 32 | 7159 | OSTEOARTHRITIS | 68 | 29 | 23 | 39 | 159 | 39.75 |
| 33 | 4111 | INTERMEDIATE CORONARY SYNDROME | 15 | 16 | 71 | 38 | 160 | 40.00 |
| 34 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 17 | 52 | 44 | 46 | 164 | 41.00 |
| 35 | 1749 | CANCER, BREAST, FEM, NOS | 23 | 31 | 44 | 16 | 164 | 41.00 |
| 36 | 7242 | LUMBAGO | 44 | 59 | 13 | 44 | 165 | 41.25 |
| 37 | 5621 | DIVERTICULA OF COLON | 44 | 26 | 33 | 63 | 166 | 41.50 |
| 38 | 0581 | AFTERCARE MAINT CHEMOTHERAPY | 92 | 12 | 39 | 23 | 166 | 41.50 |
| 39 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 34 | 87 | 15 | 35 | 171 | 42.75 |
| 40 | 6450 | PROLONGED PREGNANCY | 31 | 55 | 21 | 67 | 174 | 43.50 |
| 41 | 4740 | CHRONIC TONSILLITIS | 51 | 60 | 31 | 32 | 174 | 43.50 |
| 42 | 6488 | ABNL GLUC TOL TEST IN PREGNACY | 47 | 25 | 34 | 69 | 175 | 43.75 |
| 43 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 14 | 42 | 68 | 53 | 177 | 44.25 |
| 44 | 6221 | DYSPLASIA OF CERVIX | 32 | 67 | 59 | 22 | 180 | 45.00 |
| 45 | 4140 | CORONARY ARTERIOSCLEROSIS | 53 | 14 | 55 | 59 | 181 | 45.25 |
| 46 | 5920 | CALCULUS OF KIDNEY | 63 | 32 | 60 | 28 | 183 | 45.75 |
| 47 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 39 | 39 | 29 | 77 | 184 | 46.00 |
| 48 | 6349 | SPONTANEOUS ABORTION | 7 | 50 | 66 | 74 | 197 | 49.25 |
| 49 | 6430 | MILD HYPERTENSIS GRAVIDARUM | 10 | 24 | 82 | 82 | 198 | 49.50 |
| 50 | 7221 | DISPLACEMENT INTVERTBRAL DISC | 59 | 74 | 50 | 20 | 203 | 50.75 |
| 51 | 7274 | GAMBLION CYST | 48 | 46 | 54 | 56 | 204 | 51.00 |
| 52 | 3039 | ALCOHOL DEPENDENCE | 52 | 44 | 62 | 47 | 205 | 51.25 |
| 53 | 4139 | ANGINA, OTHER AND UNSPEC | 42 | 53 | 65 | 45 | 205 | 51.25 |
| 54 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 36 | 66 | 43 | 64 | 209 | 52.25 |
| 55 | 4659 | ACUTE UPPER RESP INFECT | 33 | 89 | 58 | 30 | 210 | 52.50 |
| 56 | 6440 | THREATENED PREN LABOR | 12 | 65 | 78 | 45 | 210 | 52.50 |
| 57 | 6631 | UMBILICAL CORD AROUND NECK | 27 | 97 | 47 | 41 | 212 | 53.00 |
| 58 | 3829 | OTITIS MEDIA NOS | 74 | 40 | 40 | 58 | 217 | 54.25 |
| 59 | 3540 | CARPAL TUNNEL SYNDROME | 50 | 77 | 37 | 62 | 226 | 56.50 |
| 60 | 0718 | OBSERVATION OTH SPECIFIED CONO | 41 | 47 | 83 | 57 | 228 | 57.00 |
| 61 | 6424 | MILD/UNSPEC PREECLAMPSIA | 58 | 49 | 74 | 48 | 229 | 57.25 |
| 62 | 0252 | STERILIZATION | 77 | 38 | 56 | 61 | 232 | 58.00 |
| 63 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 66 | 48 | 51 | 68 | 233 | 58.25 |
| 64 | 5921 | CALCULUS OF URETER | 64 | 54 | 36 | 79 | 233 | 58.25 |
| 65 | 4280 | CONGESTIVE HEART FAILURE | 96 | 27 | 41 | 71 | 235 | 58.75 |
| 66 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 99 | 37 | 69 | 34 | 239 | 59.75 |
| 67 | 600 | HYPERPLASIA OF PROSTATE | 60 | 61 | 64 | 37 | 242 | 60.50 |
| 68 | 7890 | ABDOMINAL PAIN | 71 | 15 | 80 | 76 | 242 | 60.50 |
| 69 | 5509 | INGUINAL HERNIA | 61 | 73 | 61 | 52 | 247 | 61.75 |
| 70 | 6466 | INFECT GU TRACT IN PREGNANCY | 13 | 100 | 73 | 72 | 258 | 64.50 |
| 71 | 6633 | UMBILICAL CORD ENTANGLEMENT | 28 | 94 | 42 | 94 | 258 | 64.50 |
| 72 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 78 | 79 | 77 | 31 | 265 | 66.25 |
| 73 | 6563 | FETAL DISTRESS | 38 | 56 | 86 | 90 | 270 | 67.50 |
| 74 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 83 | 58 | 67 | 65 | 273 | 68.25 |
| 75 | 5990 | URINARY TRACT INFECTION | 46 | 72 | 72 | 83 | 273 | 68.25 |
| 76 | 6522 | BREECH PRESENT W/O VERSION | 90 | 23 | 70 | 91 | 274 | 68.50 |
| 77 | 3789 | HEMORRHOGE GI TRACT NOS | 98 | 82 | 53 | 51 | 284 | 71.00 |
| 78 | 490 | BRONCHITIS | 75 | 88 | 57 | 70 | 290 | 72.50 |
| 79 | 496 | CHRONIC AIRWAY OBSTRUCTION | 97 | 70 | 76 | 48 | 292 | 73.00 |
| 80 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 24 | 96 | 79 | 93 | 292 | 73.00 |
| 81 | 0799 | VIRAL INFECT, NOS | 67 | 85 | 63 | 78 | 293 | 73.25 |
| 82 | 5409 | ACUTE APPENDICITIS W/O PERITON | 69 | 64 | 85 | 75 | 293 | 73.25 |
| 83 | 5908 | PYELONEPHRITIS/PYONEPHOSIS | 74 | 83 | 45 | 96 | 298 | 74.50 |
| 84 | 0529 | VARICELLA W/O COMPLICATIONS | 56 | 71 | 84 | 88 | 299 | 74.75 |
| 85 | 462 | ACUTE PHARYNGITIS | 60 | 99 | 81 | 66 | 306 | 76.50 |
| 86 | 5589 | GASTROENTERITIS | 84 | 62 | 89 | 73 | 308 | 77.00 |
| 87 | 6642 | 3RD DEGREE LACERATION PERINEUM | 81 | 93 | 95 | 40 | 309 | 77.25 |
| 88 | 463 | ACUTE TONSILLITIS | 86 | 51 | 91 | 92 | 320 | 80.00 |
| 89 | 2189 | LEIOMYOMA, UTERUS, NOS | 70 | 98 | 94 | 60 | 322 | 80.50 |
| 90 | 486 | PNEUMONIA, ORGANISM UNSPEC | 62 | 81 | 93 | 87 | 323 | 80.75 |
| 91 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 94 | 80 | 75 | 80 | 329 | 82.25 |
| 92 | 6641 | 2ND DEGREE LACERATION PERINEUM | 85 | 68 | 92 | 85 | 330 | 82.50 |
| 93 | 0340 | STREPTOCOCCAL SORE THROAT | 57 | 91 | 98 | 84 | 335 | 83.75 |
| 94 | 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 82 | 95 | 88 | 84 | 349 | 87.25 |
| 95 | 6542 | PREVIOUS CESARIAN SECTION | 76 | 84 | 96 | 95 | 351 | 87.75 |
| 96 | 4939 | ASTHMA NOS | 88 | 69 | 97 | 98 | 352 | 88.00 |
| 97 | 7863 | CHEST PAIN | 95 | 76 | 99 | 86 | 356 | 89.00 |
| 98 | 0300 | SIMIL INFANT BORN IN HOSP | 93 | 90 | 100 | 81 | 364 | 91.00 |
| 99 | 650 | DELIVERY IN NORMAL CASE | 91 | 92 | 87 | 97 | 367 | 91.75 |
| 100 | 6640 | 1ST DEGREE LACERATION PERINEUM | 100 | 86 | 90 | 99 | 375 | 93.75 |

SECTION F: PEER GROUP COMPARISONS BY RANKINGS

TABLE F.1: AVERAGE LENGTH OF STAY (DAYS)

DIRECT CARE AND CHAMPUS DATA COMBINED: ADJUSTED RATES

| | | RANKINGS | | | | | SUM | AVG |
|---------|-----------------------------------|----------|------------|------------|------------|--------|-------|-----|
| | | MEDCEN | LGE MEDCEN | MED MEDCEN | SML MEDCEN | MEDCEN | | |
| 1 6566 | EXCESSIVE FETAL GROWTH | 2 | 13 | 2 | 6 | 23 | 5.75 | |
| 2 7270 | SYNOVITIS/TENOSYNOVITIS | 6 | 2 | 10 | 10 | 28 | 7.00 | |
| 3 0675 | F/U EXAM, OTHER TREATMENT | 11 | 6 | 4 | 11 | 32 | 8.00 | |
| 4 0449 | HTLV-III/LAV NOS | 32 | 3 | 3 | 4 | 40 | 10.00 | |
| 5 2113 | BENIGN NEOPLASM, COLON | 4 | 34 | 5 | 3 | 47 | 11.75 | |
| 6 0501 | OTH PLASTIC SURG, COSMETIC APP | 47 | 1 | 1 | 1 | 50 | 12.50 | |
| 7 1629 | CANCER, BRONCHUS/LUNG NOS | 10 | 18 | 17 | 20 | 65 | 16.25 | |
| 8 7178 | OTH SPEC INT DERANGEMENT KNEE | 9 | 24 | 24 | 12 | 69 | 17.25 | |
| 9 3092 | ADJUST REACT W/OIST OTH EMOT | 9 | 15 | 31 | 22 | 76 | 19.00 | |
| 10 6565 | POOR FETAL GROWTH | 14 | 12 | 24 | 18 | 78 | 19.50 | |
| 11 185 | CANCER, PROSTATE | 39 | 5 | 22 | 13 | 79 | 19.75 | |
| 12 5243 | ANOMALIES TOOTH POSITION | 43 | 14 | 5 | 17 | 79 | 19.75 | |
| 13 4280 | CONGESTIVE HEART FAILURE | 40 | 4 | 29 | 9 | 82 | 20.50 | |
| 14 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 5 | 26 | 25 | 28 | 84 | 21.00 | |
| 15 3669 | CATARACT NOS | 54 | 9 | 21 | 4 | 88 | 22.00 | |
| 16 0670 | FOLLOW-UP EXAM, SURGERY | 36 | 8 | 32 | 16 | 92 | 23.00 | |
| 17 4149 | CHRONIC ISCHEMIC HEART DISEASE | 17 | 53 | 11 | 14 | 95 | 23.75 | |
| 18 0540 | INTRACRANIAL INJURY, NEC/NOS | 3 | 77 | 13 | 5 | 98 | 24.50 | |
| 19 3050 | DRUG ABUSE, ALCOHOL | 33 | 33 | 27 | 7 | 100 | 25.00 | |
| 20 600 | HYPERPLASIA OF PROSTATE | 19 | 11 | 39 | 40 | 109 | 27.25 | |
| 21 496 | CHRONIC AIRWAY OBSTRUCTION | 71 | 7 | 30 | 8 | 116 | 29.00 | |
| 22 0717 | OBSERVATION SUSP CARDIOVASC DIS | 64 | 17 | 0 | 31 | 120 | 30.00 | |
| 23 0540 | REMOVAL FX PLATE/FIXTN DEVICE | 23 | 32 | 28 | 37 | 120 | 30.00 | |
| 24 2765 | VOLUME DEPLETION | 7 | 63 | 7 | 53 | 130 | 32.50 | |
| 25 632 | MISSED ABORTION | 53 | 36 | 14 | 30 | 133 | 33.25 | |
| 26 6441 | THREATENED LABOR (<37WKS) | 1 | 72 | 38 | 23 | 134 | 33.50 | |
| 27 7350 | HALLUX VALGUS | 30 | 21 | 60 | 27 | 138 | 34.50 | |
| 28 5206 | DISTURB TOOTH ERUPTION | 65 | 37 | 20 | 19 | 141 | 35.25 | |
| 29 5621 | DIVERTICULA OF COLON | 45 | 43 | 19 | 36 | 143 | 35.75 | |
| 30 6612 | OTH/UNSPEC UTERINE INERTIA | 24 | 60 | 37 | 25 | 146 | 36.50 | |
| 31 0288 | ANTENATAL SCREENING | 13 | 29 | 9 | 100 | 151 | 37.75 | |
| 32 4140 | CORONARY ARTERIOSCLEROSIS | 22 | 23 | 49 | 69 | 163 | 40.75 | |
| 33 6101 | DIFFUSE CYSTIC MASTOPATHY | 25 | 30 | 57 | 51 | 163 | 40.75 | |
| 34 6349 | SPONTANEOUS ABORTION | 18 | 55 | 42 | 56 | 171 | 42.75 | |
| 35 7242 | LUMBAGO | 34 | 78 | 16 | 43 | 171 | 42.75 | |
| 36 0581 | AFTERCARE MAINT CHEMOTHERAPY | 80 | 20 | 43 | 29 | 172 | 43.00 | |
| 37 1749 | CANCER, BREAST, FEM, NOS | 95 | 10 | 36 | 33 | 174 | 43.50 | |
| 38 4273 | ATRIAL FIBRILLATION/FLUTTER | 67 | 16 | 47 | 47 | 177 | 44.25 | |
| 39 6430 | MILD HYPEREMESIS GRAVIDARUM | 12 | 28 | 63 | 75 | 178 | 44.50 | |
| 40 470 | DEVIATED NASAL SEPTUM | 26 | 66 | 41 | 49 | 182 | 45.50 | |
| 41 6488 | ABNL GLUC TOL TEST IN PREGNCT | 48 | 22 | 35 | 79 | 184 | 46.00 | |
| 42 4111 | INTERMEDIATE CORONARY SYNDROME | 56 | 27 | 62 | 41 | 186 | 46.50 | |
| 43 6259 | SYMPTOMS/PAIN FEM GENITAL | 57 | 67 | 23 | 44 | 191 | 47.75 | |
| 44 7159 | OSTEOARTHRITIS | 83 | 35 | 26 | 48 | 192 | 48.00 | |
| 45 4659 | ACUTE UPPER RESP INFECT | 20 | 87 | 61 | 24 | 192 | 48.00 | |
| 46 5301 | ESOPHAGITIS | 55 | 96 | 12 | 34 | 197 | 49.25 | |
| 47 5355 | GASTRITIS/GASTROENTERITIS NOS | 16 | 41 | 85 | 61 | 203 | 50.75 | |
| 48 6450 | PROLONGED PREGNANCY | 42 | 70 | 40 | 52 | 204 | 51.00 | |
| 49 3039 | ALCOHOL DEPENDENCE | 81 | 38 | 46 | 39 | 204 | 51.00 | |
| 50 605 | REDUNDANT PREPUCE/PHIMOSIS | 44 | 45 | 33 | 89 | 211 | 52.75 | |
| 51 7803 | CONVULSIONS | 35 | 62 | 45 | 70 | 212 | 53.00 | |
| 52 5920 | CALCULUS OF KIDNEY | 69 | 40 | 72 | 32 | 213 | 53.25 | |
| 53 6440 | THREATENED PREM LABOR | 29 | 51 | 84 | 50 | 214 | 53.50 | |
| 54 7802 | SYNCOPE AND COLLAPSE | 74 | 31 | 59 | 54 | 218 | 54.50 | |
| 55 7221 | DISPLACEMENT INTVERTBRAL DISC | 72 | 69 | 64 | 15 | 220 | 55.00 | |
| 56 7274 | GANGLION CYST | 41 | 42 | 76 | 62 | 221 | 55.25 | |
| 57 6522 | BRECH PRESENT W/O VERSION | 88 | 25 | 15 | 93 | 221 | 55.25 | |
| 58 6631 | UMBILICAL CORD AROUND NECK | 36 | 83 | 56 | 45 | 222 | 55.50 | |
| 59 4740 | CHRONIC TONSILLITIS | 52 | 94 | 53 | 35 | 224 | 56.00 | |
| 60 6633 | UMBILICAL CORD ENTANGLEMENT | 46 | 73 | 18 | 88 | 225 | 56.25 | |
| 61 5789 | MEMORRHAGE GI TRACT NOS | 98 | 44 | 66 | 21 | 229 | 57.25 | |
| 62 6221 | DYSPLASIA OF CERVIX | 50 | 76 | 79 | 26 | 231 | 57.75 | |
| 63 6563 | FETAL DISTRESS | 51 | 48 | 67 | 76 | 242 | 60.50 | |
| 64 462 | ACUTE PHARYNGITIS | 21 | 65 | 80 | 80 | 246 | 61.50 | |
| 65 0340 | STREPTOCOCCAL SORE THROAT | 27 | 61 | 87 | 71 | 246 | 61.50 | |
| 66 6424 | MILD/UNSPEC PREECLAMPSIA | 63 | 57 | 73 | 55 | 248 | 62.00 | |
| 67 463 | ACUTE TONSILLITIS | 37 | 80 | 77 | 59 | 253 | 63.25 | |
| 68 3829 | OTITIS MEDIA NOS | 85 | 46 | 52 | 73 | 256 | 64.00 | |
| 69 6542 | PREVIOUS CESARIAN SECTION | 73 | 47 | 50 | 87 | 257 | 64.25 | |
| 70 6146 | PELVIC/PERITON ADHESIONS, FEM | 77 | 49 | 90 | 42 | 258 | 64.50 | |
| 71 4741 | HYPERTROPHY TONSILS/ADENOIDS | 62 | 59 | 82 | 58 | 261 | 65.25 | |
| 72 0529 | VARICELLA W/O COMPLICATIONS | 28 | 81 | 74 | 78 | 261 | 65.25 | |
| 73 0300 | SINGL INFANT BORN IN HOSP | 68 | 39 | 91 | 64 | 262 | 65.50 | |
| 74 4139 | ANGINA, OTHER AND UNSPEC | 58 | 95 | 65 | 46 | 264 | 66.00 | |
| 75 0252 | STERILIZATION | 49 | 52 | 81 | 84 | 266 | 67.00 | |
| 76 6442 | EARLY ONSET DELIVERY (<37WKS) | 31 | 89 | 51 | 97 | 269 | 67.25 | |
| 77 6466 | INFECT GI TRACT IN PREGNANCY | 15 | 99 | 95 | 68 | 272 | 68.00 | |
| 78 6262 | EXCESSIVE/FREQ MENSTRUATION | 60 | 100 | 44 | 44 | 272 | 68.00 | |
| 79 6441 | 2ND DEGREE LACERATION PERINEUM | 94 | 50 | 58 | 72 | 274 | 68.50 | |
| 80 3540 | CARPAL TUNNEL SYNDROME | 59 | 92 | 48 | 82 | 281 | 70.25 | |
| 81 6442 | 3RD DEGREE LACERATION PERINEUM | 78 | 90 | 75 | 38 | 281 | 70.25 | |
| 82 7890 | ABDOMINAL PAIN | 84 | 19 | 96 | 86 | 285 | 71.25 | |
| 83 0718 | OBSERVATION OTH SPECIFIED CONO | 61 | 71 | 93 | 63 | 288 | 72.00 | |
| 84 5409 | ACUTE APPENDICITIS W/O PERITON | 66 | 54 | 94 | 85 | 299 | 74.75 | |
| 85 5509 | INGUINAL HERNIA | 76 | 85 | 86 | 57 | 304 | 76.00 | |
| 86 6440 | 1ST DEGREE LACERATION PERINEUM | 100 | 56 | 55 | 96 | 307 | 76.75 | |
| 87 7865 | CHEST PAIN | 70 | 74 | 88 | 77 | 309 | 77.25 | |
| 88 0799 | VIRAL INFECT, NOS | 79 | 98 | 71 | 65 | 313 | 78.25 | |
| 89 5921 | CALCULUS OF URETER | 86 | 86 | 54 | 90 | 316 | 79.00 | |
| 90 490 | BRONCHITIS | 75 | 97 | 78 | 67 | 317 | 79.25 | |
| 91 5908 | PYELONEPHRITIS/PYONEPHROSIS | 89 | 64 | 69 | 98 | 320 | 80.00 | |
| 92 6026 | OTHER CELLULITIS/ABSCESS LEG | 97 | 88 | 70 | 66 | 321 | 80.25 | |
| 93 650 | DELIVERY IN NORMAL CASE | 87 | 75 | 68 | 92 | 322 | 80.50 | |
| 94 5990 | URINARY TRACT INFECTION | 91 | 68 | 83 | 95 | 337 | 84.25 | |
| 95 2189 | LEIOMYOMA, UTERUS, NOS | 82 | 93 | 92 | 74 | 341 | 85.25 | |
| 96 3741 | CALCULUS GALLBLADDER W/OTH CHOL | 99 | 58 | 100 | 91 | 348 | 87.00 | |
| 97 5589 | GASTROENTERITIS | 93 | 82 | 98 | 83 | 356 | 89.00 | |
| 98 0888 | INAPPROPRIATE INFECT, OTH ORG NEC | 96 | 91 | 89 | 81 | 357 | 89.25 | |
| 99 4939 | ASTHMA NOS | 90 | 79 | 99 | 99 | 367 | 91.75 | |
| 100 496 | PNEUMONIA, ORGANISM UNSPFD | 92 | 94 | 97 | 94 | 377 | 94.25 | |

SECTION G: COMPOSITE INDEX OF VARIABILITY FOR THE 100 MOST COMMON MSC DIAGNOSTIC CODES
TABLE 1. DIRECT CARE DATA: CRUDE RATES

| | | SUMS OF OVERALL DISP/DAY RANKINGS FOR EACH PEER GROUP | | | | | |
|-----|------|---|--------|---------|----------|-----|-------|
| | | MEDCEN | LG MED | MED MED | SHLL MED | SUM | AVG |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 4 | 9 | 1 | 15 | 3.75 |
| 2 | 6565 | POOR FETAL GROWTH | 4 | 8 | 5 | 26 | 6.50 |
| 3 | 0449 | HTLV-III/LAV NOS | 15 | 8 | 2 | 27 | 6.75 |
| 4 | 0501 | OTH PLASTIC SURG, COSMETIC APP | 22 | 1 | 3 | 37 | 9.25 |
| 5 | 0581 | AFTERCARE MAINT CHEMOTHERAPY | 48 | 3 | 4 | 61 | 15.25 |
| 6 | 0675 | F/U EXAM, OTHER TREATMENT | 21 | 9 | 6 | 30 | 66 |
| 7 | 5243 | ANOMALIES TOOTH POSITION | 18 | 12 | 5 | 37 | 72 |
| 8 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 6 | 30 | 11 | 29 | 76 |
| 9 | 0670 | FOLLOW-UP EXAM, SURGERY | 17 | 7 | 14 | 49 | 87 |
| 10 | 3092 | ADJUST REACT W/OIST OTH EMOT | 42 | 10 | 32 | 7 | 91 |
| 11 | 6488 | ABNL GLUC TOL TEST IN PREGNCT | 11 | 43 | 38 | 8 | 100 |
| 12 | 4140 | CORONARY ARTERIOSCLEROSIS | 31 | 6 | 7 | 57 | 101 |
| 13 | 6450 | PROLONGED PREGNANCY | 13 | 50 | 24 | 17 | 104 |
| 14 | 2113 | BENIGN NEOPLASM, COLON | 10 | 47 | 12 | 38 | 107 |
| 15 | 6441 | THREATENED LABOR (>37WKS) | 4 | 24 | 57 | 24 | 109 |
| 16 | 2765 | VOLUME DEPLETION | 16 | 27 | 16 | 51 | 110 |
| 17 | 0288 | ANTENATAL SCREENING | 2 | 11 | 3 | 100 | 116 |
| 18 | 1629 | CANCER, BRONCHUS/LUNG NOS | 30 | 34 | 22 | 31 | 117 |
| 19 | 6633 | UMBILICAL CORD ENTANGLEMENT | 14 | 66 | 25 | 13 | 118 |
| 20 | 7159 | OSTEOARTHRITIS | 50 | 31 | 15 | 27 | 123 |
| 21 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 33 | 13 | 43 | 35 | 124 |
| 22 | 6612 | OTH/UNSPEC UTERINE INERTIA | 9 | 86 | 27 | 4 | 126 |
| 23 | 0717 | OBSERVATION SUSP CARDIOVASC DIS | 80 | 2 | 10 | 36 | 128 |
| 24 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 19 | 64 | 35 | 11 | 129 |
| 25 | 7270 | SYNOVITIS/TENOSYNOVITIS | 43 | 23 | 39 | 26 | 131 |
| 26 | 470 | DEVIATED NASAL SEPTUM | 44 | 25 | 21 | 44 | 134 |
| 27 | 6424 | MILD/UNSPEC PREECLAMPSIA | 28 | 60 | 40 | 10 | 138 |
| 28 | 600 | HYPERPLASIA OF PROSTATE | 51 | 39 | 19 | 34 | 143 |
| 29 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 49 | 36 | 13 | 45 | 143 |
| 30 | 5206 | DISTURB TOOTH ERUPTION | 55 | 16 | 26 | 48 | 145 |
| 31 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 7 | 14 | 73 | 54 | 148 |
| 32 | 6631 | UMBILICAL CORD AROUND NECK | 22 | 76 | 42 | 14 | 154 |
| 33 | 5920 | CALCULUS OF KIDNEY | 34 | 15 | 34 | 71 | 154 |
| 34 | 185 | CANCER, PROSTATE | 37 | 53 | 18 | 47 | 155 |
| 35 | 3056 | DRUG ABUSE, ALCOHOL | 24 | 17 | 64 | 53 | 158 |
| 36 | 6563 | FETAL DISTRESS | 25 | 87 | 37 | 12 | 161 |
| 37 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 3 | 33 | 45 | 81 | 162 |
| 38 | 632 | MISSED ABORTION | 62 | 41 | 46 | 14 | 168 |
| 39 | 6641 | 2ND DEGREE LACERATION PERINEUM | 29 | 74 | 56 | 4 | 168 |
| 40 | 3669 | CATARACT NOS | 68 | 44 | 33 | 23 | 168 |
| 41 | 3039 | ALCOHOL DEPENDENCE | 23 | 19 | 36 | 91 | 169 |
| 42 | 6440 | THREATENED PREM LABOR | 5 | 98 | 55 | 22 | 180 |
| 43 | 5921 | CALCULUS OF URETER | 67 | 32 | 20 | 64 | 183 |
| 44 | 4659 | ACUTE UPPER RESP INFECT | 26 | 45 | 44 | 68 | 183 |
| 45 | 6642 | 3RD DEGREE LACERATION PERINEUM | 38 | 81 | 52 | 15 | 186 |
| 46 | 6221 | DYSPLASIA OF CERVIX | 20 | 79 | 62 | 28 | 189 |
| 47 | 7221 | DISPLACEMENT INTVERTBRAL DISC | 81 | 22 | 30 | 58 | 191 |
| 48 | 4740 | CHRONIC TONSILLITIS | 58 | 57 | 28 | 50 | 193 |
| 49 | 7803 | CONVULSIONS | 35 | 67 | 23 | 74 | 199 |
| 50 | 4111 | INTERMEDIATE CORONARY SYNDROME | 54 | 18 | 85 | 43 | 200 |
| 51 | 4139 | ANGINA, OTHER AND UNSPEC | 47 | 42 | 78 | 33 | 200 |
| 52 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 52 | 38 | 50 | 61 | 201 |
| 53 | 0718 | OBSERVATION OTH SPECIFIED COND | 41 | 54 | 41 | 65 | 201 |
| 54 | 6522 | BREECH PRESENT W/O VERSION | 53 | 68 | 66 | 18 | 205 |
| 55 | 7242 | LUMBAGO | 65 | 35 | 29 | 78 | 207 |
| 56 | 650 | DELIVERY IN NORMAL CASE | 39 | 83 | 65 | 25 | 212 |
| 57 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 70 | 58 | 47 | 42 | 217 |
| 58 | 5301 | ESOPHAGITIS | 40 | 100 | 17 | 62 | 219 |
| 59 | 4280 | CONGESTIVE HEART FAILURE | 90 | 20 | 60 | 55 | 225 |
| 60 | 6466 | INFECT GU TRACT IN PREGNANCY | 27 | 99 | 70 | 32 | 228 |
| 61 | 5621 | DIVERTICULA OF COLON | 64 | 71 | 31 | 63 | 229 |
| 62 | 7350 | HALLUX VALGUS | 1 | 37 | 74 | 72 | 232 |
| 63 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 11 | 84 | 80 | 50 | 236 |
| 64 | 6542 | PREVIOUS CESARIAN SECTION | 59 | 90 | 75 | 16 | 240 |
| 65 | 0340 | STREPTOCOCCAL SORE THROAT | 36 | 51 | 69 | 84 | 240 |
| 66 | 462 | ACUTE PHARYNGITIS | 41 | 48 | 71 | 77 | 242 |
| 67 | 1749 | CANCER, BREAST, FEM, NOS | 74 | 29 | 67 | 73 | 243 |
| 68 | 6640 | 1ST DEGREE LACERATION PERINEUM | 56 | 88 | 79 | 21 | 244 |
| 69 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 78 | 75 | 51 | 41 | 245 |
| 70 | 7802 | SYNCOPE AND COLLAPSE | 79 | 46 | 77 | 56 | 258 |
| 71 | 463 | ACUTE TONSILLITIS | 88 | 21 | 53 | 87 | 259 |
| 72 | 0300 | SINGL INFANT BORN IN HOSP | 61 | 96 | 82 | 20 | 259 |
| 73 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 73 | 59 | 61 | 70 | 263 |
| 74 | 6349 | SPONTANEOUS ABORTION | 45 | 80 | 92 | 46 | 263 |
| 75 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 75 | 92 | 58 | 39 | 264 |
| 76 | 0529 | VARICELLA W/O COMPLICATIONS | 63 | 28 | 90 | 83 | 264 |
| 77 | 490 | BRONCHITIS | 76 | 73 | 59 | 97 | 275 |
| 78 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 57 | 62 | 63 | 94 | 276 |
| 79 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 91 | 77 | 49 | 92 | 278 |
| 80 | 0799 | VIRAL INFECT, NOS | 60 | 77 | 63 | 63 | 279 |
| 81 | 0540 | REMOVAL FX PLATE/FIXTN DEVICE | 92 | 40 | 93 | 59 | 284 |
| 82 | 496 | CHRONIC AIRWAY OBSTRUCTION | 66 | 89 | 48 | 90 | 293 |
| 83 | 5789 | HEMORRHAGE GI TRACT NOS | 72 | 65 | 88 | 76 | 301 |
| 84 | 3540 | CARPAL TUNNEL SYNDROME | 94 | 56 | 72 | 80 | 304 |
| 85 | 5589 | GASTROENTERITIS | 94 | 26 | 97 | 86 | 304 |
| 86 | 7890 | ABDOMINAL PAIN | 77 | 95 | 68 | 66 | 306 |
| 87 | 2189 | LEIOMYOMA, UTERUS, NOS | 82 | 69 | 81 | 75 | 307 |
| 88 | 3829 | OTITIS MEDIA NOS | 83 | 70 | 83 | 79 | 315 |
| 89 | 7274 | GANGLION CYST | 89 | 61 | 84 | 85 | 319 |
| 90 | 6826 | OTHER CELLULITIS/ABSCCESS IEC | 94 | 52 | 89 | 89 | 324 |
| 91 | 0252 | STERILIZATION | 85 | 72 | 96 | 72 | 325 |
| 92 | 7865 | CHEST PAIN | 87 | 49 | 98 | 96 | 330 |
| 93 | 486 | PNEUMONIA, ORGANISM UNSPFD | 99 | 55 | 91 | 95 | 340 |
| 94 | 5990 | URINARY TRACT INFECTION | 84 | 93 | 95 | 82 | 354 |
| 95 | 5509 | INGUINAL HERNIA | 93 | 85 | 87 | 93 | 358 |
| 96 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 98 | 82 | 94 | 87 | 361 |
| 97 | 5409 | ACUTE APPENDICITIS W/O PERITON | 86 | 78 | 100 | 99 | 363 |
| 98 | 4939 | ASTHMA NOS | 100 | 94 | 86 | 98 | 378 |
| 99 | 5908 | PYELONEPHRITIS/PYONEPHROSIS | 97 | 97 | 99 | 88 | 381 |
| 100 | 5741 | CALCULUS GALLBLDOR W/OTH CHOL | | | | | |

KENDALL COEFF OF CONCORDANCE = 0.57 / CHI SQUARE = 227 / P<0.001

SECTION 6: COMPOSITE INDEX OF VARIABILITY FOR THE 100 MOST COMMON HSC DIAGNOSTIC CODES
TABLE 2. DIRECT CARE DATA: ADJUSTED RATES

| | | MEDCEN | SUMS OF LG MED | DISP/DAY RANKINGS FOR EACH MED MED SMALL MED | SUM | PEER GROUP AVG |
|----------|--------------------------------|--------|----------------|--|-----|----------------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 1 | 4 | 2 | 3 | 2.75 |
| 2 6565 | POOR FETAL GROWTH | 5 | 6 | 10 | 5 | 6.50 |
| 3 V501 | OTH PLASTIC SURG, COSMETIC APP | 46 | 1 | 1 | 1 | 12.25 |
| 4 0449 | HTLV-III/LAV NOS | 40 | 5 | 2 | 2 | 12.75 |
| 5 V675 | F/U EXAM, OTHER TREATMENT | 21 | 4 | 7 | 28 | 16.25 |
| 6 V581 | AFTERCARE MAINT CHEMOTHERAPY | 50 | 2 | 6 | 9 | 16.75 |
| 7 5243 | ANOMALIES TOOTH POSITION | 7 | 12 | 9 | 41 | 17.25 |
| 8 6488 | ABNL GLUC TOL TEST IN PREGNCT | 13 | 33 | 31 | 7 | 21.00 |
| 9 3092 | ADJUST REACT W/DIST OTH EMOT | 34 | 11 | 36 | 6 | 21.75 |
| 10 4149 | CHRONIC ISCHEMIC HEART DISEASE | 8 | 29 | 11 | 45 | 23.25 |
| 11 V670 | FOLLOW-UP EXAM, SURGERY | 26 | 8 | 18 | 46 | 24.50 |
| 12 4140 | CORONARY ARTERIOSCLEROSIS | 20 | 10 | 12 | 62 | 26.00 |
| 13 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 10 | 18 | 50 | 32 | 27.50 |
| 14 6633 | UMBILICAL CORD ENTANGLEMENT | 17 | 61 | 19 | 13 | 27.50 |
| 15 6450 | PROLONGED PREGNANCY | 12 | 67 | 22 | 15 | 29.00 |
| 16 V717 | OBSERVATION SUSP CARDVASC DIS | 70 | 3 | 8 | 39 | 30.00 |
| 17 V288 | ANTENATAL SCREENING | 1 | 15 | 4 | 100 | 30.25 |
| 18 1629 | CANCER, BRONCHUS/LUNG NOS | 23 | 34 | 21 | 38 | 30.50 |
| 19 2765 | VOLUME DEPLETION | 15 | 40 | 16 | 52 | 30.75 |
| 20 2113 | BENIGN NEOPLASM, COLON | 11 | 78 | 5 | 29 | 30.75 |
| 21 6612 | OTH/UNSPEC UTERINE INERTIA | 14 | 79 | 26 | 4 | 30.75 |
| 22 5206 | DISTURB TOOTH ERUPTION | 33 | 16 | 29 | 50 | 32.00 |
| 23 4741 | HYPERTROPHY TONSILS/ADENOIDS | 32 | 35 | 15 | 48 | 32.50 |
| 24 600 | HYPERPLASIA OF PROSTATE | 56 | 14 | 14 | 47 | 32.75 |
| 25 6441 | THREATENED LABOR (>37WKS) | 3 | 42 | 64 | 23 | 33.00 |
| 26 6442 | EARLY ONSET DELIVERY (>37WKS) | 18 | 64 | 42 | 12 | 34.00 |
| 27 6631 | UMBILICAL CORD AROUND NECK | 23 | 49 | 49 | 16 | 34.25 |
| 28 6430 | MILD HYPEREMESIS GRAVIDARUM | 6 | 17 | 59 | 58 | 35.00 |
| 29 6641 | 2ND DEGREE LACERATION PERINEUM | 44 | 62 | 25 | 10 | 35.25 |
| 30 7270 | SYNOVITIS/TENOSYNOVITIS | 48 | 24 | 45 | 26 | 35.75 |
| 31 185 | CANCER, PROSTATE | 65 | 7 | 17 | 57 | 36.50 |
| 32 6424 | MILD/UNSPEC PREECLAMPSIA | 25 | 52 | 62 | 8 | 36.75 |
| 33 632 | MISSED ABORTION | 55 | 36 | 38 | 19 | 37.00 |
| 34 3669 | CATARACT NOS | 82 | 22 | 27 | 24 | 37.75 |
| 35 7159 | OSTEOARTHRITIS | 63 | 50 | 13 | 30 | 39.00 |
| 36 7221 | DISPLACEMENT INTVERTBRAL DISC | 35 | 30 | 35 | 61 | 40.25 |
| 37 6522 | BREECH PRESENT W/O VERSION | 60 | 56 | 30 | 17 | 40.75 |
| 38 6542 | PREVIOUS CESARIAN SECTION | 54 | 45 | 46 | 12 | 42.00 |
| 39 4659 | ACUTE UPPER RESP INFECT | 19 | 44 | 47 | 60 | 42.50 |
| 40 6563 | FETAL DISTRESS | 31 | 89 | 41 | 11 | 43.00 |
| 41 5920 | CALCULUS OF KIDNEY | 45 | 20 | 39 | 72 | 44.00 |
| 42 7178 | OTH SPEC INT DERANGEMENT KNEE | 38 | 53 | 60 | 27 | 44.50 |
| 43 3050 | DRUG ABUSE, ALCOHOL | 36 | 25 | 67 | 51 | 44.75 |
| 44 5355 | GASTRITIS/GASTROENTERITIS NOS | 4 | 38 | 52 | 88 | 45.50 |
| 45 6440 | THREATENED PREM LABOR | 9 | 96 | 57 | 22 | 46.00 |
| 46 0340 | STREPTOCOCCAL SORE THROAT | 24 | 26 | 61 | 78 | 47.25 |
| 47 6642 | 3RD DEGREE LACERATION PERINEUM | 49 | 71 | 37 | 14 | 47.75 |
| 48 4740 | CHRONIC TONSILLITIS | 52 | 69 | 34 | 37 | 48.00 |
| 49 650 | DELIVERY IN NORMAL CASE | 40 | 60 | 70 | 25 | 48.75 |
| 50 3039 | ALCOHOL DEPENDENCE | 41 | 28 | 44 | 83 | 49.00 |
| 51 463 | ACUTE TONSILLITIS | 27 | 39 | 40 | 90 | 49.50 |
| 52 496 | CHRONIC AIRWAY OBSTRUCTION | 77 | 13 | 74 | 34 | 49.75 |
| 53 462 | ACUTE PHARYNGITIS | 22 | 23 | 65 | 89 | 49.75 |
| 54 470 | DEVIATED NASAL SEPTUM | 47 | 86 | 24 | 44 | 50.25 |
| 55 4280 | CONGESTIVE HEART FAILURE | 73 | 21 | 54 | 54 | 50.50 |
| 56 V300 | SINGL INFANT BORN IN HOSP | 51 | 51 | 84 | 20 | 51.50 |
| 57 4111 | INTERMEDIATE CORONARY SYNDROME | 72 | 19 | 66 | 49 | 52.25 |
| 58 7242 | LUMBAGO | 58 | 37 | 33 | 81 | 52.25 |
| 59 5921 | CALCULUS OF URETER | 78 | 48 | 23 | 64 | 53.25 |
| 60 7803 | CONVULSIONS | 37 | 72 | 28 | 76 | 53.25 |
| 61 6101 | DIFFUSE CYSTIC MASTOPATHY | 16 | 47 | 82 | 71 | 54.00 |
| 62 6221 | DYSPLASIA OF CERVIX | 70 | 77 | 72 | 21 | 54.00 |
| 63 8540 | INTRACRANIAL INJURY, NEC/NOS | 29 | 75 | 48 | 56 | 54.50 |
| 64 6640 | 1ST DEGREE LACERATION PERINEUM | 67 | 88 | 43 | 21 | 54.75 |
| 65 6466 | INFECT GU TRACT IN PREGNANCY | 28 | 95 | 71 | 33 | 56.75 |
| 66 V718 | OBSERVATION OTH SPECIFIED COND | 53 | 55 | 51 | 70 | 57.25 |
| 67 5621 | DIVERTICULA OF COLON | 68 | 85 | 32 | 53 | 59.50 |
| 68 7350 | HALLUX VALGUS | 57 | 43 | 85 | 55 | 60.00 |
| 69 6146 | PELVIC/PERITON ADHESIONS, FEM | 66 | 83 | 58 | 40 | 61.75 |
| 70 5301 | ESOPHAGITIS | 61 | 99 | 20 | 68 | 62.00 |
| 71 4139 | ANGINA, OTHER AND UNSPEC | 74 | 70 | 72 | 36 | 63.00 |
| 72 4273 | ATRIAL FIBRILLATION/FLUTTER | 89 | 31 | 55 | 77 | 63.00 |
| 73 0529 | VARICELLA W/O COMPLICATIONS | 43 | 32 | 90 | 72 | 64.25 |
| 74 6349 | SPONTANEOUS ABORTION | 62 | 80 | 81 | 42 | 66.25 |
| 75 5789 | MEMORABLE GI TRACT NOS | 90 | 58 | 56 | 66 | 67.50 |
| 76 6262 | EXCESSIVE/FREQ MENSTRUATION | 81 | 84 | 63 | 43 | 67.75 |
| 77 605 | REDUNDANT PREPUCE/PHIMOSIS | 54 | 57 | 77 | 87 | 68.75 |
| 78 V540 | REMOVAL FX PLATE/FIXTN DEVICE | 83 | 59 | 80 | 59 | 70.25 |
| 79 0799 | VIRAL INFECT, NOS | 64 | 90 | 53 | 75 | 70.50 |
| 80 6259 | SYMPTOMS/PAIN FEM GENITAL | 87 | 93 | 79 | 35 | 73.50 |
| 81 7802 | SYNCOPE AND COLLAPSE | 85 | 63 | 83 | 63 | 73.50 |
| 82 490 | BRONCHITIS | 71 | 87 | 73 | 65 | 74.00 |
| 83 3629 | OTITIS MEDIA NOS | 69 | 81 | 76 | 84 | 77.50 |
| 84 7865 | CHEST PAIN | 79 | 71 | 91 | 69 | 77.50 |
| 85 2189 | LEIOMYOMA, UTERUS, NOS | 75 | 94 | 75 | 67 | 77.75 |
| 86 1749 | CANCER, BREAST, FEM, NOS | 95 | 66 | 68 | 82 | 77.75 |
| 87 5990 | URINARY TRACT INFECTION | 97 | 27 | 94 | 86 | 78.50 |
| 88 7274 | GANGLION CYST | 76 | 65 | 89 | 85 | 78.75 |
| 89 7890 | ABDOMINAL PAIN | 92 | 41 | 98 | 86 | 79.25 |
| 90 5589 | GASTROENTERITIS | 99 | 76 | 99 | 74 | 79.50 |
| 91 3540 | CARPAL TUNNEL SYNDROME | 84 | 68 | 88 | 79 | 79.75 |
| 92 V252 | STERILIZATION | 86 | 46 | 93 | 95 | 80.00 |
| 93 486 | PNEUMONIA, ORGANISM UNSPEC | 91 | 54 | 97 | 98 | 85.00 |
| 94 5409 | ACUTE APPENDICITIS W/O PERITON | 94 | 82 | 96 | 73 | 86.25 |
| 95 0088 | INTESTINAL INFECT, OTH ORG NEC | 80 | 98 | 87 | 91 | 89.00 |
| 96 6826 | OTHER CELLULITIS/ABSCESS LEG | 100 | 92 | 86 | 80 | 89.50 |
| 97 4939 | ASTHMA NOS | 88 | 74 | 100 | 99 | 90.25 |
| 98 5741 | CALCULUS GALLBLDDER W/OTH CHOL | 98 | 73 | 99 | 94 | 91.00 |
| 99 5509 | INGUINAL HERNIA | 93 | 100 | 95 | 93 | 95.25 |
| 100 5908 | PYELONEPHRITIS/PYONEPHOSIS | 96 | 97 | 92 | 97 | 95.50 |

KENDALL COEFF OF CONCORDANCE = 0.57 / CHI SQUARE = 226 / P<0.001

SECTION G: COMPOSITE INDEX OF VARIABILITY FOR THE 100 MOST COMMON HSC DIAGNOSTIC CODES
TABLE G. DIRECT CARE AND CHAMPUS DATA COMBINED: CRUDE RATES

| | | SUMS OF OVERALL DISP/DAY RANKINGS FOR EACH PEER GROUP | | | | | AUG |
|----------|---------------------------------|---|--------|---------|-----------|-----|-------|
| | | MEDCEN | LG MED | MED MED | SMALL MED | SUM | |
| 1 6566 | EXCESSIVE FETAL GROWTH | 1 | 3 | 6 | 3 | 13 | 3.25 |
| 2 0449 | HTLV-III/LAV NOS | 11 | 6 | 2 | 2 | 21 | 5.25 |
| 3 6565 | POOR FETAL GROWTH | 5 | 4 | 11 | 9 | 29 | 7.25 |
| 4 V501 | OTH PLASTIC SURG, COSMETIC APP | 29 | 1 | 1 | 1 | 32 | 8.00 |
| 5 V675 | F/U EXAM, OTHER TREATMENT | 19 | 7 | 7 | 5 | 38 | 9.50 |
| 6 5243 | ANOMALIES TOOTH POSITION | 13 | 9 | 3 | 14 | 39 | 9.75 |
| 7 V670 | FOLLOW-UP EXAM, SURGERY | 12 | 5 | 9 | 19 | 45 | 11.25 |
| 8 4149 | CHRONIC ISCHEMIC HEART DISEASE | 9 | 28 | 5 | 24 | 66 | 16.50 |
| 9 2113 | BENIGN NEOPLASM, COLON | 10 | 45 | 8 | 6 | 69 | 17.25 |
| 10 2765 | VOLUME DEPLETION | 17 | 26 | 14 | 29 | 86 | 21.50 |
| 11 5206 | DISTURB TOOTH ERUPTION | 50 | 13 | 15 | 17 | 95 | 23.75 |
| 12 7270 | SYNOVITIS/TENOSYNOVITIS | 40 | 20 | 34 | 7 | 101 | 25.25 |
| 13 1629 | CANCER, BRONCHUS/LUNG NOS | 32 | 25 | 21 | 25 | 103 | 25.75 |
| 14 3092 | ADJUST REACT W/DIST OTH EMOT | 42 | 8 | 38 | 16 | 104 | 26.00 |
| 15 V717 | OBSERVATION SUSP CARDIOVASC DIS | 83 | 2 | 10 | 11 | 106 | 26.50 |
| 16 3050 | DRUG ABUSE, ALCOHOL | 36 | 15 | 46 | 37 | 107 | 26.75 |
| 17 470 | DEVIATED NASAL SEPTUM | 35 | 18 | 22 | 37 | 112 | 28.00 |
| 18 V581 | AFTERCARE MAINT CHEMOTHERAPY | 56 | 17 | 16 | 23 | 112 | 28.00 |
| 19 V288 | ANTENATAL SCREENING | 2 | 10 | 4 | 100 | 116 | 29.00 |
| 20 632 | MISSED ABORTION | 38 | 38 | 35 | 13 | 124 | 31.00 |
| 21 4741 | HYPERTROPHY TONSILS/ADENOIDS | 43 | 21 | 30 | 30 | 124 | 31.00 |
| 22 4659 | ACUTE UPPER RESP INFECT | 18 | 50 | 31 | 26 | 125 | 31.25 |
| 23 7159 | OSTEOARTHRITIS | 46 | 30 | 18 | 33 | 127 | 31.75 |
| 24 5920 | CALCULUS OF KIDNEY | 28 | 23 | 27 | 55 | 133 | 33.25 |
| 25 6441 | THREATENED LABOR (+37WKS) | 4 | 16 | 74 | 39 | 133 | 33.25 |
| 26 6450 | PROLONGED PREGNANCY | 20 | 35 | 23 | 56 | 134 | 33.50 |
| 27 3669 | CATARACT NOS | 75 | 40 | 17 | 4 | 136 | 34.00 |
| 28 4140 | CORONARY ARTERIOSCLEROSIS | 37 | 12 | 24 | 65 | 138 | 34.50 |
| 29 185 | CANCER, PROSTATE | 54 | 52 | 13 | 21 | 140 | 35.00 |
| 30 5355 | GASTRITIS/GASTROENTERITIS NOS | 6 | 24 | 36 | 74 | 140 | 35.00 |
| 31 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 24 | 14 | 59 | 44 | 141 | 35.25 |
| 32 6221 | DYSPLASIA OF CERVIX | 16 | 68 | 52 | 12 | 148 | 37.00 |
| 33 7350 | HALLUX VALGUS | 44 | 37 | 51 | 20 | 152 | 38.00 |
| 34 7178 | OTH SPEC INT DERANGEMENT KNEE | 59 | 49 | 37 | 8 | 153 | 38.25 |
| 35 6488 | ABNL GLUC TOL TEST IN PREGNCT | 30 | 41 | 39 | 48 | 158 | 39.50 |
| 36 V718 | OBSERVATION OTH SPECIFIED COND | 23 | 44 | 43 | 49 | 159 | 39.75 |
| 37 6631 | UMBILICAL CORD AROUND NECK | 15 | 76 | 50 | 22 | 163 | 40.75 |
| 38 4740 | CHRONIC TONSILLITIS | 53 | 36 | 42 | 38 | 169 | 42.25 |
| 39 6612 | OTH/UNSPEC UTERINE INERTIA | 8 | 91 | 25 | 46 | 170 | 42.50 |
| 40 8540 | INTRACRANIAL INJURY, NEC/NOS | 52 | 42 | 47 | 31 | 172 | 43.00 |
| 41 6430 | MILD HYPEREMESIS GRAVIDARUM | 3 | 11 | 79 | 82 | 175 | 43.75 |
| 42 7242 | LUMBAGO | 57 | 46 | 19 | 57 | 179 | 44.75 |
| 43 5921 | CALCULUS OF URETER | 48 | 33 | 29 | 80 | 190 | 47.50 |
| 44 1749 | CANCER, BREAST, FEM, NOS | 67 | 31 | 44 | 53 | 195 | 48.75 |
| 45 0340 | STREPTOCOCCAL SORE THROAT | 25 | 47 | 62 | 66 | 200 | 50.00 |
| 46 5621 | DIVERTICULA OF COLON | 73 | 69 | 20 | 40 | 202 | 50.50 |
| 47 6101 | DIFFUSE CYSTIC MASTOPATHY | 14 | 83 | 53 | 52 | 202 | 50.50 |
| 48 5301 | ESOPHAGITIS | 34 | 94 | 12 | 62 | 202 | 50.50 |
| 49 6259 | SYMPTOMS/PAIN FEM GENITAL | 62 | 88 | 26 | 27 | 203 | 50.75 |
| 50 7221 | DISPLACEMENT INTVERTBRAL DISC | 69 | 75 | 33 | 28 | 205 | 51.25 |
| 51 6424 | MILD/UNSPEC PREECLAMPSIA | 41 | 57 | 66 | 43 | 207 | 51.75 |
| 52 4139 | ANGINA, OTHER AND UNSPEC | 51 | 61 | 55 | 41 | 208 | 51.75 |
| 53 6440 | THREATENED PREM LABOR | 7 | 85 | 83 | 34 | 209 | 52.25 |
| 54 463 | ACUTE TONSILLITIS | 79 | 19 | 48 | 68 | 214 | 53.50 |
| 55 0799 | VIRAL INFECT, NOS | 47 | 73 | 32 | 64 | 216 | 54.00 |
| 56 6633 | UMBILICAL CORD ENTANGLEMENT | 26 | 81 | 40 | 70 | 217 | 54.25 |
| 57 V540 | REMOVAL FX PLATE/FIXTN DEVICE | 64 | 62 | 56 | 35 | 217 | 54.25 |
| 58 6563 | FETAL DISTRESS | 27 | 79 | 65 | 47 | 218 | 54.50 |
| 59 7803 | CONVULSIONS | 31 | 71 | 28 | 88 | 218 | 54.50 |
| 60 600 | HYPERPLASIA OF PROSTATE | 78 | 54 | 45 | 42 | 219 | 54.75 |
| 61 605 | REDUNDANT PREPUCE/PHIMOSIS | 45 | 51 | 49 | 76 | 221 | 55.25 |
| 62 6442 | EARLY ONSET DELIVERY (+37WKS) | 22 | 65 | 80 | 59 | 226 | 56.50 |
| 63 3039 | ALCOHOL DEPENDENCE | 49 | 34 | 73 | 72 | 228 | 57.00 |
| 64 462 | ACUTE PHARYNGITIS | 33 | 59 | 60 | 77 | 229 | 57.25 |
| 65 490 | BRONCHITIS | 70 | 72 | 41 | 54 | 237 | 59.25 |
| 66 4111 | INTERMEDIATE CORONARY SYNDROME | 60 | 22 | 88 | 67 | 237 | 59.25 |
| 67 6642 | 3RD DEGREE LACERATION PERINEUM | 63 | 77 | 81 | 18 | 239 | 59.75 |
| 68 6262 | EXCESSIVE/FREQ MENSTRUATION | 66 | 78 | 64 | 32 | 240 | 60.00 |
| 69 6349 | SPONTANEOUS ABORTION | 39 | 70 | 90 | 45 | 244 | 61.00 |
| 70 6146 | PELVIC/PERITON ADHESIONS, FEM | 65 | 87 | 61 | 36 | 249 | 62.25 |
| 71 0529 | VARICELLA W/O COMPLICATIONS | 58 | 27 | 82 | 84 | 251 | 62.75 |
| 72 496 | CHRONIC AIRWAY OBSTRUCTION | 97 | 48 | 93 | 15 | 253 | 63.25 |
| 73 7802 | SYNCOPE AND COLLAPSE | 71 | 58 | 57 | 71 | 257 | 64.25 |
| 74 4280 | CONGESTIVE HEART FAILURE | 100 | 32 | 77 | 51 | 260 | 65.00 |
| 75 6466 | INFECT GU TRACT IN PREGNANCY | 21 | 97 | 84 | 60 | 262 | 65.50 |
| 76 3540 | CARPAL TUNNEL SYNDROME | 68 | 60 | 71 | 69 | 268 | 67.00 |
| 77 6641 | 2ND DEGREE LACERATION PERINEUM | 64 | 74 | 78 | 61 | 268 | 67.00 |
| 78 7274 | GANGLION CYST | 74 | 64 | 69 | 63 | 270 | 67.50 |
| 79 5789 | HEMORRHOGE GI TRACT NOS | 87 | 84 | 58 | 50 | 279 | 69.75 |
| 80 5589 | GASTROENTERITIS | 98 | 43 | 63 | 75 | 279 | 69.75 |
| 81 3829 | OTITIS MEDIA NOS | 77 | 66 | 54 | 86 | 283 | 70.75 |
| 82 4273 | ATRIAL FIBRILLATION/FLUTTER | 85 | 56 | 67 | 78 | 286 | 71.50 |
| 83 V252 | STERILIZATION | 84 | 39 | 75 | 92 | 290 | 72.50 |
| 84 7890 | ABDOMINAL PAIN | 88 | 29 | 91 | 85 | 293 | 73.25 |
| 85 6826 | OTHER CELLULITIS/ABSCESS LEG | 99 | 55 | 72 | 73 | 299 | 74.75 |
| 86 2189 | LEIOMYOMA, UTERUS, NOS | 61 | 99 | 76 | 79 | 315 | 78.75 |
| 87 5990 | URINARY TRACT INFECTION | 76 | 63 | 85 | 97 | 321 | 80.25 |
| 88 6522 | BREECH PRESENT W/O VERSION | 86 | 67 | 89 | 81 | 323 | 80.75 |
| 89 486 | PNEUMONIA, ORGANISM UNSPFD | 80 | 53 | 95 | 98 | 326 | 81.50 |
| 90 0088 | INTESTINAL INFECT, OTH ORG NEC | 91 | 89 | 68 | 87 | 335 | 83.75 |
| 91 650 | DELIVERY IN NORMAL CASE | 72 | 86 | 87 | 96 | 341 | 85.25 |
| 92 5509 | INGUINAL HERNIA | 82 | 92 | 86 | 83 | 343 | 85.75 |
| 93 7865 | CHEST PAIN | 81 | 82 | 98 | 90 | 351 | 87.75 |
| 94 V300 | SINGL INFANT BORN IN HOSP | 96 | 98 | 99 | 58 | 351 | 87.75 |
| 95 5908 | PYELONEPHRITIS/PYONEPHROSIS | 95 | 95 | 70 | 95 | 355 | 88.75 |
| 96 5409 | ACUTE APPENDICITIS W/O PERITON | 92 | 90 | 92 | 91 | 365 | 91.25 |
| 97 4939 | ASTHMA NOS | 89 | 80 | 100 | 99 | 368 | 92.00 |
| 98 6640 | 1ST DEGREE LACERATION PERINEUM | 93 | 93 | 94 | 89 | 369 | 92.25 |
| 99 6542 | PREVIOUS CESARIAN SECTION | 90 | 96 | 96 | 94 | 376 | 94.00 |
| 100 5741 | CALCULUS GALLBLDGER W/OTH CHOL | 94 | 100 | 97 | 93 | 384 | 96.00 |

KENDALL COEFF OF CONCORDANCE = 0.63 / CHI SQUARE = 248 / P<0.001

SECTION G: COMPOSITE INDEX OF VARIABILITY FOR THE 100 MOST COMMON HSC DIAGNOSTIC CODES
TABLE 4. DIRECT CARE AND CHAMPUS DATA COMBINED: ADJUSTED RATES

| | | SUMS OF OVERALL DISP/DAY RANKINGS FOR EACH PEER GROUP | | | | | AUG |
|----------|---------------------------------|---|--------|---------|-----------|-----|-------|
| | | MEDCEN | LG MED | MED MED | SMALL MED | SUM | |
| 1 6566 | EXCESSIVE FETAL GROWTH | 1 | 2 | 4 | 4 | 11 | 2.75 |
| 2 0449 | HTLV-III/LAV NOS | 21 | 4 | 3 | 2 | 29 | 7.25 |
| 3 5243 | ANOMALIES TOOTH POSITION | 16 | 4 | 3 | 11 | 39 | 9.75 |
| 4 6565 | POOR FETAL GROWTH | 6 | 5 | 21 | 9 | 41 | 10.25 |
| 5 0675 | F/U EXAM, OTHER TREATMENT | 22 | 8 | 6 | 5 | 43 | 10.75 |
| 6 4149 | CHRONIC ISCHEMIC HEART DISEASE | 5 | 29 | 6 | 12 | 52 | 13.00 |
| 7 0501 | OTH PLASTIC SURG, COSMETIC APP | 51 | 1 | 1 | 1 | 54 | 13.50 |
| 8 0670 | FOLLOW-UP EXAM, SURGERY | 19 | 6 | 10 | 24 | 59 | 14.75 |
| 9 5206 | DISTURB TOOTH ERUPTION | 24 | 15 | 16 | 14 | 74 | 18.50 |
| 10 1629 | CANCER, BRONCHUS/LUNG NOS | 26 | 24 | 14 | 15 | 79 | 19.75 |
| 11 0717 | OBSERVATION SUSP CARDIOVASC DIS | 59 | 3 | 9 | 8 | 79 | 19.75 |
| 12 3092 | ADJUST REACT W/DIST OTH ENOT | 28 | 10 | 26 | 17 | 81 | 20.25 |
| 13 2765 | VOLUME DEPLETION | 20 | 28 | 12 | 24 | 89 | 22.25 |
| 14 2113 | BENIGN NEOPLASM, COLON | 4 | 71 | 7 | 7 | 94 | 23.50 |
| 15 185 | CANCER, PROSTATE | 60 | 7 | 11 | 18 | 96 | 24.00 |
| 16 7270 | SYNOVITIS/TENOSYNOVITIS | 41 | 19 | 34 | 6 | 100 | 25.00 |
| 17 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 10 | 27 | 25 | 44 | 106 | 26.50 |
| 18 0581 | AFTERCARE MAINT CHEMOTHERAPY | 49 | 18 | 18 | 22 | 107 | 26.75 |
| 19 632 | MISSED ABORTION | 42 | 33 | 27 | 13 | 115 | 28.75 |
| 20 600 | HYPERPLASIA OF PROSTATE | 47 | 14 | 23 | 33 | 117 | 29.25 |
| 21 3669 | CATARACT NOS | 83 | 17 | 15 | 3 | 118 | 29.50 |
| 22 4659 | ACUTE UPPER RESP INFECT | 11 | 43 | 29 | 35 | 118 | 29.50 |
| 23 0288 | ANTENATAL SCREENING | 2 | 12 | 5 | 100 | 119 | 29.75 |
| 24 3050 | DRUG ABUSE, ALCOHOL | 43 | 26 | 44 | 16 | 129 | 32.25 |
| 25 6488 | ABNL GLUC TOL TEST IN PREGNCT | 34 | 32 | 24 | 41 | 131 | 32.75 |
| 26 7178 | OTH SPEC INT DERANGEMENT KNEE | 32 | 47 | 37 | 20 | 136 | 34.00 |
| 27 7159 | OSTEOARTHRITIS | 61 | 34 | 17 | 25 | 137 | 34.25 |
| 28 5355 | GASTRITIS/GASTROENTERITIS NOS | 7 | 23 | 48 | 62 | 140 | 35.00 |
| 29 6631 | UMBILICAL CORD AROUND NECK | 17 | 53 | 50 | 21 | 141 | 35.25 |
| 30 6441 | THREATENED LABOR (>37WKS) | 3 | 35 | 72 | 34 | 144 | 36.00 |
| 31 4140 | CORONARY ARTERIOSCLEROSIS | 27 | 16 | 22 | 81 | 146 | 36.50 |
| 32 4741 | HYPERTROPHY TONSILS/ADENOIDS | 40 | 30 | 46 | 39 | 155 | 38.75 |
| 33 5920 | CALCULUS OF KIDNEY | 33 | 39 | 33 | 54 | 159 | 39.75 |
| 34 6430 | MILD HYPEREMESIS GRAVIDARUM | 4 | 13 | 53 | 90 | 160 | 40.00 |
| 35 462 | ACUTE PHARYNGITIS | 15 | 25 | 62 | 54 | 161 | 40.25 |
| 36 0340 | STREPTOCOCCAL SORE THROAT | 12 | 21 | 64 | 66 | 163 | 40.75 |
| 37 6101 | DIFFUSE CYSTIC MASTOPATHY | 14 | 51 | 69 | 32 | 166 | 41.50 |
| 38 6612 | OTH/UNSPEC UTERINE INERTIA | 8 | 85 | 38 | 37 | 168 | 42.00 |
| 39 7350 | HALLUX VALGUS | 38 | 38 | 76 | 19 | 171 | 42.75 |
| 40 0718 | OBSERVATION OTH SPECIFIED COND | 39 | 46 | 51 | 38 | 174 | 43.50 |
| 41 6450 | PROLONGED PREGNANCY | 25 | 57 | 31 | 64 | 177 | 44.25 |
| 42 7242 | LUMBAGO | 48 | 54 | 20 | 55 | 177 | 44.25 |
| 43 470 | DEVIATED NASAL SEPTUM | 31 | 76 | 30 | 43 | 180 | 45.00 |
| 44 496 | CHRONIC AIRWAY OBSTRUCTION | 72 | 11 | 59 | 46 | 188 | 47.00 |
| 45 463 | ACUTE TONSILLITIS | 24 | 41 | 35 | 89 | 189 | 47.25 |
| 46 6221 | DYSPLASIA OF CERVIX | 23 | 75 | 82 | 10 | 190 | 47.50 |
| 47 6642 | 3RD DEGREE LACERATION PERINEUM | 58 | 77 | 45 | 23 | 203 | 50.75 |
| 48 4740 | CHRONIC TONSILLITIS | 53 | 56 | 61 | 36 | 206 | 51.50 |
| 49 8540 | INTRACRANIAL INJURY, NEC/NOS | 36 | 86 | 41 | 45 | 208 | 52.00 |
| 50 5621 | DIVERTICULA OF COLON | 57 | 81 | 19 | 58 | 215 | 53.75 |
| 51 6641 | 2ND DEGREE LACERATION PERINEUM | 64 | 52 | 28 | 71 | 215 | 53.75 |
| 52 6440 | THREATENED PREM LABOR | 13 | 84 | 77 | 42 | 216 | 54.00 |
| 53 6259 | SYMPTOMS/PAIN FEM GENITAL | 66 | 93 | 32 | 27 | 218 | 54.50 |
| 54 6633 | UMBILICAL CORD ENTANGLEMENT | 37 | 67 | 39 | 75 | 218 | 54.50 |
| 55 1749 | CANCER, BREAST, FEM, NOS | 95 | 20 | 56 | 49 | 220 | 55.00 |
| 56 0540 | REMOVAL FX PLATE/FIXTN DEVICE | 62 | 48 | 65 | 47 | 222 | 55.50 |
| 57 5301 | ESOPHAGITIS | 50 | 99 | 13 | 60 | 222 | 55.50 |
| 58 6442 | EARLY ONSET DELIVERY (>37WKS) | 30 | 58 | 74 | 61 | 223 | 55.75 |
| 59 4273 | ATRIAL FIBRILLATION/FLUTTER | 86 | 36 | 49 | 56 | 227 | 56.75 |
| 60 6424 | MILD/UNSPEC PREECLAMPSIA | 44 | 63 | 81 | 40 | 228 | 57.00 |
| 61 4111 | INTERMEDIATE CORONARY SYNDROME | 67 | 22 | 30 | 52 | 231 | 57.75 |
| 62 7221 | DISPLACEMENT INTVERTBRAL DISC | 75 | 88 | 42 | 26 | 231 | 57.75 |
| 63 4280 | CONGESTIVE HEART FAILURE | 73 | 31 | 67 | 63 | 234 | 58.50 |
| 64 6146 | PELVIC/PERITON ADHESIONS, FEM | 56 | 73 | 75 | 30 | 234 | 58.50 |
| 65 605 | REDUCED PREPUCE/PHIMOSIS | 46 | 49 | 57 | 87 | 239 | 59.75 |
| 66 7803 | CONVULSIONS | 35 | 87 | 47 | 70 | 239 | 59.75 |
| 67 0529 | VARICELLA W/O COMPLICATIONS | 45 | 37 | 83 | 74 | 239 | 59.75 |
| 68 6563 | FETAL DISTRESS | 52 | 80 | 55 | 53 | 240 | 60.00 |
| 69 6349 | SPONTANEOUS ABORTION | 54 | 66 | 71 | 50 | 241 | 60.25 |
| 70 5921 | CALCULUS OF URETER | 69 | 64 | 40 | 68 | 241 | 60.25 |
| 71 0799 | VIRAL INFECT, NOS | 55 | 79 | 36 | 77 | 247 | 61.75 |
| 72 4139 | ANGINA, OTHER AND UNSPEC | 76 | 95 | 60 | 28 | 259 | 64.75 |
| 73 490 | BRONCHITIS | 71 | 78 | 63 | 48 | 260 | 65.00 |
| 74 7274 | GANGLION CYST | 68 | 50 | 86 | 57 | 261 | 65.25 |
| 75 6262 | EXCESSIVE/FREQ MENSTRUATION | 80 | 90 | 70 | 31 | 271 | 67.75 |
| 76 0252 | STERILIZATION | 74 | 44 | 91 | 67 | 276 | 69.00 |
| 77 6522 | BREECH PRESENT W/O VERSION | 87 | 65 | 43 | 82 | 277 | 69.25 |
| 78 3039 | ALCOHOL DEPENDENCE | 79 | 62 | 58 | 79 | 278 | 69.50 |
| 79 6466 | INFECT GU TRACT IN PREGNANCY | 18 | 97 | 88 | 76 | 279 | 69.75 |
| 80 5789 | HEMORRHOGE GI TRACT NOS | 91 | 45 | 66 | 78 | 280 | 70.00 |
| 81 3540 | CARPAL TUNNEL SYNDROME | 82 | 70 | 78 | 51 | 281 | 70.25 |
| 82 3829 | OTITIS MEDIA NOS | 77 | 72 | 54 | 86 | 289 | 72.25 |
| 83 7802 | SYNCOPE AND COLLAPSE | 81 | 69 | 84 | 65 | 299 | 74.75 |
| 84 5589 | GASTROENTERITIS | 96 | 61 | 73 | 69 | 299 | 74.75 |
| 85 650 | DELIVERY IN NORMAL CASE | 63 | 60 | 87 | 92 | 302 | 75.50 |
| 86 6542 | PREVIOUS CESARIAN SECTION | 85 | 55 | 68 | 98 | 306 | 76.50 |
| 87 7890 | ABDOMINAL PAIN | 94 | 40 | 96 | 84 | 314 | 78.50 |
| 88 2189 | LEIOMYOMA, UTERUS, NOS | 65 | 96 | 85 | 73 | 319 | 79.75 |
| 89 6540 | 1ST DEGREE LACERATION PERINEUM | 93 | 83 | 52 | 95 | 323 | 80.75 |
| 90 0300 | SINGL INFANT BORN IN HOSP | 78 | 68 | 98 | 80 | 324 | 81.00 |
| 91 5990 | URINARY TRACT INFECTION | 98 | 42 | 92 | 93 | 325 | 81.25 |
| 92 7865 | CHEST PAIN | 74 | 74 | 95 | 94 | 334 | 83.25 |
| 93 6825 | OTHER CELLULITIS/ABSCESS LEG | 70 | 82 | 80 | 72 | 334 | 83.50 |
| 94 486 | PNEUMONIA, ORGANISM UNSPFD | 100 | 89 | 59 | 97 | 342 | 85.50 |
| 95 0088 | INTESTINAL INFECT, OTH ORG NEC | 84 | 98 | 79 | 88 | 349 | 87.25 |
| 96 5409 | ACUTE APPENDICITIS W/O PERITON | 88 | 91 | 93 | 91 | 363 | 90.75 |
| 97 5309 | INGUINAL HERNIA | 92 | 100 | 94 | 83 | 369 | 92.25 |
| 98 5741 | CALCULUS GALLBLADDER W/OTH CHOL | 97 | 89 | 100 | 85 | 371 | 92.75 |
| 99 0588 | PYELONEPHRITIS/PYONEPHROSIS | 99 | 94 | 89 | 96 | 378 | 94.80 |
| 100 4539 | ASTHMA NOS | 90 | 92 | 99 | 99 | 380 | 95.00 |

KENDALL COEFF OF CONCORDANCE = 0.62 / CHI SQUARE = 246 / P<0.001

SECTION H: OVERALL RANKINGS BY DATA SET: COMPOSITE VARIABILITY (DISPS/DAYS)
TABLE 1. DIRECT CARE DATA: BASED ON CRUDE RATE

| RANK | CODE | DIAGNOSES | RANK | CODE | DIAGNOSES |
|------|------|--------------------------------|------|------|--------------------------------|
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 74 | 463 | ACUTE TONSILLITIS |
| 2 | 6565 | POOR FETAL GROWTH | 75 | 6259 | SYMPTOMS/PAIN FEM GENITAL |
| 3 | V501 | OTH PLASTIC SURG. COSMETIC APP | 76 | V300 | SINGL INFANT BORN IN HOSP |
| 4 | 0449 | HTLV-III/LAV NOS | 77 | 7242 | LUMBAGO |
| 5 | V581 | AFTERCARE MAINT CHEMOTHERAPY | 78 | 3829 | OTITIS MEDIA NOS |
| 6 | V675 | F/U EXAM, OTHER TREATMENT | 79 | 7802 | SYNCOPE AND COLLAPSE |
| 7 | 2113 | BENIGN NEOPLASM, COLON | 80 | 0529 | VARICELLA W/O COMPLICATIONS |
| 8 | 6488 | ABNL GLUC TOL TEST IN PREGNCT | 81 | 2189 | LEIOMYOMA, UTERUS, NOS |
| 9 | 6450 | PROLONGED PREGNANCY | 82 | 496 | CHRONIC AIRWAY OBSTRUCTION |
| 10 | 5243 | ANOMALIES TOOTH POSITION | 83 | 490 | BRONCHITIS |
| 11 | V670 | FOLLOW-UP EXAM, SURGERY | 84 | 0799 | VIRAL INFECT, NOS |
| 12 | 6424 | MILD/UNSPEC PREECLAMPSIA | 85 | 7274 | GANGLION CYST |
| 13 | 3092 | ADJUST REACT W/DIST OTH EMOT | 86 | 3540 | CARPAL TUNNEL SYNDROME |
| 14 | 6563 | FETAL DISTRESS | 87 | 605 | REDUNDANT PREPUCE/PHIMOSIS |
| 15 | 4140 | CORONARY ARTERIOSCLEROSIS | 88 | V252 | STERILIZATION |
| 16 | V288 | ANTENATAL SCREENING | 89 | 5589 | GASTROENTERITIS |
| 17 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 90 | 7890 | ABDOMINAL PAIN |
| 18 | 7270 | SYNOVITIS/TENOSYNOVITIS | 91 | 486 | PNEUMONIA, ORGANISM UNSPEC |
| 19 | 6612 | OTH/UNSPEC UTERINE INERTIA | 92 | 0088 | INTESTINAL INFECT, OTH ORG NEC |
| 20 | 1629 | CANCER, BRONCHUS/LUNG NOS | 93 | 5509 | INGUINAL HERNIA |
| 21 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 94 | 6826 | OTHER CELLULITIS/ABSCESS LEG |
| 22 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 95 | 4939 | ASTHMA NOS |
| 23 | 6641 | 2ND DEGREE LACERATION PERINEUM | 96 | 5908 | PYELONEPHRITIS/PYONEPHOSIS |
| 24 | V717 | OBSERVATION SUSP CARDVASC DIS | 97 | 5409 | ACUTE APPENDICITIS W/O PERITON |
| 25 | 5206 | DISTURB TOOTH ERUPTION | 98 | 7865 | CHEST PAIN |
| 26 | 6633 | UMBILICAL CORD ENTANGLEMENT | 99 | 5741 | CALCULUS GALLBLDOR W/OTH CHOL |
| 27 | 6440 | THREATENED PREN LABOR | 100 | 5990 | URINARY TRACT INFECTION |
| 28 | 6221 | DYSPLASIA OF CERVIX | | | |
| 29 | 600 | HYPERPLASIA OF PROSTATE | | | |
| 30 | 5920 | CALCULUS OF KIDNEY | | | |
| 31 | 6631 | UMBILICAL CORD AROUND NECK | | | |
| 32 | 7803 | CONVULSIONS | | | |
| 33 | 7159 | OSTEOARTHRITIS | | | |
| 34 | 6522 | BREECH PRESENT W/O VERSION | | | |
| 35 | 470 | DEVIATED NASAL SEPTUM | | | |
| 36 | 2765 | VOLUME DEPLETION | | | |
| 37 | 6441 | THREATENED LABOR (<37WKS) | | | |
| 38 | 7178 | OTH SPEC INT DERANGEMENT KNEE | | | |
| 39 | 185 | CANCER, PROSTATE | | | |
| 40 | 3050 | DRUG ABUSE, ALCOHOL | | | |
| 41 | 3669 | CATARACT NOS | | | |
| 42 | 4659 | ACUTE UPPER RESP INFECT | | | |
| 43 | 632 | MISSED ABORTION | | | |
| 44 | 4111 | INTERMEDIATE CORONARY SYNDROME | | | |
| 45 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | | | |
| 46 | 4139 | ANGINA, OTHER AND UNSPEC | | | |
| 47 | 5355 | GASTRITIS/GASTROENTERITIS NOS | | | |
| 48 | 3039 | ALCOHOL DEPENDENCE | | | |
| 49 | 5621 | DIVERTICULA OF COLON | | | |
| 50 | 6430 | MILD HYPEREMESIS GRAVIDARUM | | | |
| 51 | 6642 | 3RD DEGREE LACERATION PERINEUM | | | |
| 52 | 6466 | INFECT GU TRACT IN PREGNANCY | | | |
| 53 | 7350 | WALLUM VALVUS | | | |
| 54 | 6262 | EXCESSIVE/FREQ MENSTRUATION | | | |
| 55 | 4280 | CONGESTIVE HEART FAILURE | | | |
| 56 | 5301 | ESOPHAGITIS | | | |
| 57 | 7221 | DISPLACEMENT INTVERTBRAL DISC | | | |
| 58 | 650 | DELIVERY IN NORMAL CASE | | | |
| 59 | 4273 | ATRIAL FIBRILLATION/FLUTTER | | | |
| 60 | 6146 | PELVIC/PERITON ADHESIONS, FEM | | | |
| 61 | 4740 | CHRONIC TONSILLITIS | | | |
| 62 | V718 | OBSERVATION OTH SPECIFIED COND | | | |
| 63 | 6349 | SPONTANEOUS ABORTION | | | |
| 64 | 6542 | PREVIOUS CESARIAN SECTION | | | |
| 65 | 6101 | DIFFUSE CYSTIC MASTOPATHY | | | |
| 66 | 6640 | 1ST DEGREE LACERATION PERINEUM | | | |
| 67 | 0340 | STREPTOCOCCAL SORE THROAT | | | |
| 68 | 462 | ACUTE PHARYNGITIS | | | |
| 69 | 5921 | CALCULUS OF URETER | | | |
| 70 | 8540 | INTRACRANIAL INJURY, NEC/NOS | | | |
| 71 | 1749 | CANCER, BREAST, FEM, NOS | | | |
| 72 | V540 | REMOVAL FX PLATE/FIXTN DEVICE | | | |
| 73 | 5789 | HEMORRHAGE GI TRACT NOS | | | |

SECTION H: OVERALL RANKINGS BY DATA SET: COMPOSITE VARIABILITY (DISPS/DAYS)
TABLE 2. DIRECT CARE DATA: BASED ON ADJUSTED RATES

| RANK | CODE | DIAGNOSES | RANK | CODE | DIAGNOSES |
|------|------|--------------------------------|------|------|--------------------------------|
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 74 | 6349 | SPONTANEOUS ABORTION |
| 2 | 6565 | POOR FETAL GROWTH | 75 | 5789 | HEMORRAGE GI TRACT NOS |
| 3 | 6501 | OTH PLASTIC SURG, COSMETIC APP | 76 | 6262 | EXCESSIVE/FREQ MENSTRUATION |
| 4 | 0449 | HTLV-III/LAV NOS | 77 | 605 | REDUNDANT PREPUCE/PHIMOSIS |
| 5 | 6675 | F/U EXAM, OTHER TREATMENT | 78 | 6540 | REMOVAL FX PLATE/FIXTH DEVICE |
| 6 | 6581 | AFTERCARE MAINT CHEMOTHERAPY | 79 | 0799 | VIRAL INFECT, NOS |
| 7 | 5243 | ANOMALIES TOOTH POSITION | 80 | 6259 | SYMPTOMS/PAIN FEM GENITAL |
| 8 | 6488 | ABNL GLUC TOL TEST IN PREGNCT | 81 | 7802 | SYNCOPE AND COLLAPSE |
| 9 | 3092 | ADJUST REACT W/DIST OTH EMOT | 82 | 490 | BRONCHITIS |
| 10 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 83 | 3829 | OTITIS MEDIA NOS |
| 11 | 6670 | FOLLOW-UP EXAM, SURGERY | 84 | 7865 | CHEST PAIN |
| 12 | 4140 | CORONARY ARTERIOSCLEROSIS | 85 | 2189 | LEIOMYOMA, UTERUS, NOS |
| 13 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 86 | 1749 | CANCER, BREAST, FEM, NOS |
| 14 | 6633 | UMBILICAL CORD ENTANGLEMENT | 87 | 5990 | URINARY TRACT INFECTION |
| 15 | 6450 | PROLONGED PREGNANCY | 88 | 7274 | GANGLION CYST |
| 16 | 6717 | OBSERVATION SUSP CARDVASC DIS | 89 | 7890 | ABDOMINAL PAIN |
| 17 | 6288 | ANTENATAL SCREENING | 90 | 5589 | GASTROENTERITIS |
| 18 | 1629 | CANCER, BRONCHUS/LUNG NOS | 91 | 3540 | CARPAL TUNNEL SYNDROME |
| 19 | 2765 | VOLUME DEPLETION | 92 | 6252 | STERILIZATION |
| 20 | 2113 | BENIGN NEOPLASM, COLON | 93 | 486 | PNEUMONIA, ORGANISM UNSPEC |
| 21 | 6612 | OTH/UNSPEC UTERINE INERTIA | 94 | 5409 | ACUTE APPENDICITIS W/O PERITON |
| 22 | 5206 | DISTURB TOOTH ERUPTION | 95 | 0088 | INTESTINAL INFECT, OTH ORG NEC |
| 23 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 96 | 6826 | OTHER CELLULITIS/ABSCESS LEU |
| 24 | 600 | HYPERPLASIA OF PROSTATE | 97 | 4939 | ASTHMA NOS |
| 25 | 6441 | THREATENED LABOR (<37WKS) | 98 | 5741 | CALCULUS GALLBLDDR W/OTH CHOL |
| 26 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 99 | 5509 | INGUINAL HERNIA |
| 27 | 6631 | UMBILICAL CORD AROUND NECK | 100 | 5908 | PYELONEPHRITIS/PYONEPHOSIS |
| 28 | 6430 | MILD HYPEREMESIS GRAVIDARUM | | | |
| 29 | 6641 | 2ND DEGREE LACERATION PERINEUM | | | |
| 30 | 7270 | SYNOVITIS/TENOSYNOVITIS | | | |
| 31 | 185 | CANCER, PROSTATE | | | |
| 32 | 6424 | MILD/UNSPEC PREECLAMPSIA | | | |
| 33 | 632 | MISSED ABORTION | | | |
| 34 | 3669 | CATARACT NOS | | | |
| 35 | 7159 | OSTEOARTHRITIS | | | |
| 36 | 7221 | DISPLACEMENT INTVERTBRAL DISC | | | |
| 37 | 6522 | BREECH PRESENT W/O VERSION | | | |
| 38 | 6542 | PREVIOUS CESARIAN SECTION | | | |
| 39 | 4659 | ACUTE UPPER RESP INFECT | | | |
| 40 | 6563 | FETAL DISTRESS | | | |
| 41 | 5920 | CALCULUS OF KIDNEY | | | |
| 42 | 7178 | OTH SPEC INT DERANGEMENT KNEE | | | |
| 43 | 3050 | DRUG ABUSE, ALCOHOL | | | |
| 44 | 5355 | GASTRITIS/GASTROENTERITIS NOS | | | |
| 45 | 6440 | THREATENED PREM LABOR | | | |
| 46 | 0340 | STREPTOCOCCAL SORE THROAT | | | |
| 47 | 6642 | 3RD DEGREE LACERATION PERINEUM | | | |
| 48 | 4740 | CHRONIC TONSILLITIS | | | |
| 49 | 650 | DELIVERY IN NORMAL CASE | | | |
| 50 | 3039 | ALCOHOL DEPENDENCE | | | |
| 51 | 463 | ACUTE TONSILLITIS | | | |
| 52 | 496 | CHRONIC AIRWAY OBSTRUCTION | | | |
| 53 | 462 | ACUTE PHARYNGITIS | | | |
| 54 | 470 | DEVIATED NASAL SEPTUM | | | |
| 55 | 4280 | CONGESTIVE HEART FAILURE | | | |
| 56 | 6300 | SINGL INFANT BORN IN HOSP | | | |
| 57 | 4111 | INTERMEDIATE CORONARY SYNDROME | | | |
| 58 | 7242 | LUMBAGO | | | |
| 59 | 5921 | CALCULUS OF URETER | | | |
| 60 | 7803 | CONVULSIONS | | | |
| 61 | 6101 | DIFFUSE CYSTIC MASTOPATHY | | | |
| 62 | 6221 | DYSPLASIA OF CERVIX | | | |
| 63 | 8540 | INTRACRANIAL INJURY, NEC/NOS | | | |
| 64 | 6640 | 1ST DEGREE LACERATION PERINEUM | | | |
| 65 | 6466 | INFECT GU TRACT IN PREGNANCY | | | |
| 66 | 6718 | OBSERVATION OTH SPECIFIED COMD | | | |
| 67 | 5621 | DIVERTICULA OF COLON | | | |
| 68 | 7350 | HALLUX VALGUS | | | |
| 69 | 6146 | PELVIC/PERITON ADHESIONS, FEM | | | |
| 70 | 5301 | ESOPHAGITIS | | | |
| 71 | 4139 | ANGINA, OTHER AND UNSPEC | | | |
| 72 | 4273 | ATRIAL FIBRILLATION/FLUTTER | | | |
| 73 | 0529 | VARICELLA W/O COMPLICATIONS | | | |

SECTION H: OVERALL RANKINGS BY DATA SET: COMPOSITE VARIABILITY (DISPS/DAYS)
TABLE 3. DIRECT CARE PLUS CHAMPUS DATA COMBINED: BASED ON CRUDE RATES

| RANK CODE | DIAGNOSES | RANK CODE | DIAGNOSES |
|-----------|---------------------------------|-----------|--------------------------------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 74 4280 | CONGESTIVE HEART FAILURE |
| 2 0449 | HTLV-III/LAV NOS | 75 6466 | INFECT GU TRACT IN PREGNANCY |
| 3 6565 | POOR FETAL GROWTH | 76 3540 | CARPAL TUNNEL SYNDROME |
| 4 0501 | OTH PLASTIC SURG. COSMETIC APP | 77 6641 | 2ND DEGREE LACERATION PERINEUM |
| 5 0675 | F/U EXAM. OTHER TREATMENT | 78 7274 | GANGLION CYST |
| 6 5243 | ANOMALIES TOOTH POSITION | 79 5789 | HEMORRHOGE GI TRACT NOS |
| 7 0670 | FOLLOW-UP EXAM. SURGERY | 80 5589 | GASTROENTERITIS |
| 8 4149 | CHRONIC ISCHEMIC HEART DISEASE | 81 3829 | OTITIS MEDIA NOS |
| 9 2113 | BENIGN NEOPLASM, COLON | 82 4273 | ATRIAL FIBRILLATION/FLUTTER |
| 10 2765 | VOLUME DEPLETION | 83 0252 | STERILIZATION |
| 11 5206 | DISTURB TOOTH ERUPTION | 84 7890 | ABDOMINAL PAIN |
| 12 7270 | SYNOVITIS/TENOSYNOVITIS | 85 6826 | OTHER CELLULITIS/ABSCESS LEG |
| 13 1629 | CANCER, BRONCHUS/LUNG NOS | 86 2189 | LEIOMYOMA, UTERUS, NOS |
| 14 3092 | ADJUST REACT W/DIST OTH EMOT | 87 5990 | URINARY TRACT INFECTION |
| 15 0717 | OBSERVATION SUSP CARDVASC DIS | 88 6522 | BREECH PRESENT W/O VERSION |
| 16 3050 | DRUG ABUSE, ALCOHOL | 89 486 | PNEUMONIA, ORGANISM UNSPEC |
| 17 470 | DEVIATED NASAL SEPTUM | 90 0088 | INTESTINAL INFECT. OTH ORG NEC |
| 18 0581 | AFTERCARE MAINT CHEMOTHERAPY | 91 650 | DELIVERY IN NORMAL CASE |
| 19 0288 | ANTENATAL SCREENING | 92 5509 | INGUINAL HERNIA |
| 20 632 | MISSED ABORTION | 93 7865 | CHEST PAIN |
| 21 4741 | HYPERTROPHY TONSILS/ADENOIDS | 94 0300 | SINGL INFANT BORN IN HOSP |
| 22 4659 | ACUTE UPPER RESP INFECT | 95 5908 | PYELONEPHRITIS/PYONEPHOSIS |
| 23 7159 | OSTEOARTHRITIS | 96 5409 | ACUTE APPENDICITIS W/O PERITON |
| 24 5920 | CALCULUS OF KIDNEY | 97 4939 | ASTHMA NOS |
| 25 6441 | THREATENED LABOR (<37WKS) | 98 6640 | 1ST DEGREE LACERATION PERINEUM |
| 26 6450 | PROLONGED PREGNANCY | 99 6542 | PREVIOUS CESARIAN SECTION |
| 27 3669 | CATARACT NOS | 100 5741 | CALCULUS GALLBLDOR W/OTH CHOL |
| 28 4140 | CORONARY ARTERIOSCLEROSIS | | |
| 29 185 | CANCER, PROSTATE | | |
| 30 5355 | GASTRITIS/GASTROENTERITIS NOS | | |
| 31 3090 | ADJUST REACT, BRIEF DEPRESSIVE | | |
| 32 6221 | DYSPLASIA OF CERVIX | | |
| 33 7350 | HALLUX VALGUS | | |
| 34 7178 | OTH SPEC INT DERANGEMENT KNEE | | |
| 35 6488 | ABNL GLUC TOL TEST IN PREGNANCY | | |
| 36 0718 | OBSERVATION OTH SPECIFIED COND | | |
| 37 6631 | UMBILICAL CORD AROUND NECK | | |
| 38 4740 | CHRONIC TONSILLITIS | | |
| 39 6612 | OTH/UNSPEC UTERINE INERTIA | | |
| 40 8540 | INTRACRANIAL INJURY, NEC/NOS | | |
| 41 6430 | M.LD HYPEREMESIS GRAVIDARUM | | |
| 42 7242 | LUMBAGO | | |
| 43 5921 | CALCULUS OF URETER | | |
| 44 1749 | CANCER, BREAST, FEM, NOS | | |
| 45 0340 | STREPTOCOCCAL SORE THROAT | | |
| 46 5621 | DIVERTICULA OF COLON | | |
| 47 6101 | DIFFUSE CYSTIC MASTOPATHY | | |
| 48 5301 | ESOPHAGITIS | | |
| 49 6259 | SYMPTOMS/PAIN FEM GENITAL | | |
| 50 7221 | DISPLACEMENT INTVERTBRAL DISC | | |
| 51 6424 | MILD/UNSPEC PREECLAMPSIA | | |
| 52 4139 | ANGINA, OTHER AND UNSPEC | | |
| 53 6440 | THREATENED PREM LABOR | | |
| 54 463 | ACUTE TONSILLITIS | | |
| 55 0799 | VIRAL INFECT, NOS | | |
| 56 6633 | UMBILICAL CORD ENTANGLEMENT | | |
| 57 0540 | REMOVAL FX PLATE/FIXTN DEVICE | | |
| 58 6563 | FETAL DISTRESS | | |
| 59 7803 | CONVULSIONS | | |
| 60 600 | HYPERPLASIA OF PROSTATE | | |
| 61 605 | REDUNDANT PREPUCE/PHIMOSIS | | |
| 62 6442 | EARLY ONSET DELIVERY (<37WKS) | | |
| 63 3039 | ALCOHOL DEPENDENCE | | |
| 64 462 | ACUTE PHARYNGITIS | | |
| 65 490 | BRONCHITIS | | |
| 66 4111 | INTERMEDIATE CORONARY SYNDROME | | |
| 67 6642 | 3RD DEGREE LACERATION PERINEUM | | |
| 68 6262 | EXCESSIVE/FREQ MENSTRUATION | | |
| 69 6349 | SPONTANEOUS ABORTION | | |
| 70 6146 | PELVIC/PERITON ADHESIONS, FEM | | |
| 71 0529 | VARICELLA W/O COMPLICATIONS | | |
| 72 496 | CHRONIC AIRWAY OBSTRUCTION | | |
| 73 7802 | SYNCOPE AND COLLAPSE | | |

SECTION M: OVERALL RANKINGS BY DATA SET: COMPOSITE VARIABILITY (DISPS/DAYS)
TABLE 4. DIRECT CARE PLUS CHAMPUS DATA COMBINED: BASED ON ADJUSTED RATES

| RANK | CODE | DIAGNOSES | RANK | CODE | DIAGNOSES |
|------|------|--------------------------------|------|------|--------------------------------|
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 74 | 6349 | SPONTANEOUS ABORTION |
| 2 | 6565 | POOR FETAL GROWTH | 75 | 6146 | PELVIC/PERITON ADHESIONS, FEM |
| 3 | 0449 | HTLV-III/LAV NOS | 76 | 0529 | VARICELLA W/O COMPLICATIONS |
| 4 | 0501 | OTH PLASTIC SURG, COSMETIC APP | 77 | 490 | BRONCHITIS |
| 5 | 0581 | AFTERCARE MAINT CHEMOTHERAPY | 78 | 605 | REDUNDANT PREPUCE/PHIMOSIS |
| 6 | 0675 | F/U EXAM, OTHER TREATMENT | 79 | 6259 | SYMPTOMS/PAIN FEM GENITAL |
| 7 | 5243 | ANOMALIES TOOTH POSITION | 80 | 0799 | VIRAL INFECT, NOS |
| 8 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 81 | 0540 | REMOVAL FX PLATE/FIXTN DEVICE |
| 9 | 0670 | FOLLOW-UP EXAM, SURGERY | 82 | 496 | CHRONIC AIRWAY OBSTRUCTION |
| 10 | 3092 | ADJUST REACT W/DIST OTH EMOT | 83 | 5789 | HEMORRHAGE GI TRACT NOS |
| 11 | 6488 | ABNL GLUC TOL TEST IN PREGNCY | 84 | 3540 | CARPAL TUNNEL SYNDROME |
| 12 | 4140 | CORONARY ARTERIOSCLEROSIS | 85 | 5589 | GASTROENTERITIS |
| 13 | 6450 | PROLONGED PREGNANCY | 86 | 7890 | ABDOMINAL PAIN |
| 14 | 2113 | BENIGN NEOPLASM, COLON | 87 | 2189 | LEIOMYOMA, UTERUS, NOS |
| 15 | 6141 | THREATENED LABOR (>37WKS) | 88 | 3829 | OTITIS MEDIA NOS |
| 16 | 2765 | VOLUME DEPLETION | 89 | 7274 | GANGLION CYST |
| 17 | 0288 | ANTENATAL SCREENING | 90 | 6826 | OTHER CELLULITIS/ABSCESS LEG |
| 18 | 1629 | CANCER, BRONCHUS/LUNG NOS | 91 | 0252 | STERILIZATION |
| 19 | 6633 | UMBILICAL CORD ENTANGLEMENT | 92 | 7865 | CHEST PAIN |
| 20 | 7159 | OSTEOARTHRITIS | 93 | 486 | PNEUMONIA, ORGANISM UNSPEC |
| 21 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 94 | 5990 | URINARY TRACT INFECTION |
| 22 | 6612 | OTH/UNSPEC UTERINE INERTIA | 95 | 5509 | INGUINAL HERNIA |
| 23 | 0717 | OBSERVATION SUSP CARDVASC DIS | 96 | 0088 | INTESTINAL INFECT, OTH ORG NEC |
| 24 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 97 | 5409 | ACUTE APPENDICITIS W/O PERITON |
| 25 | 7270 | SYNOVITIS/TENOSYNOVITIS | 98 | 4939 | ASTHMA NOS |
| 26 | 470 | DEVIATED NASAL SEPTUM | 99 | 5908 | PYELONEPHRITIS/PYONEPHOSIS |
| 27 | 6421 | MILD/UNSPEC PREECLAMPSIA | 100 | 5741 | CALCULUS GALLBLDOR W/OTH CHOL |
| 28 | 600 | HYPERPLASIA OF PROSTATE | | | |
| 29 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | | | |
| 30 | 5206 | DISTURB TOOTH ERUPTION | | | |
| 31 | 6430 | MILD HYPEREMESIS GRAVIDARUM | | | |
| 32 | 6631 | UMBILICAL CORD AROUND NECK | | | |
| 33 | 5920 | CALCULUS OF KIDNEY | | | |
| 34 | 185 | CANCER, PROSTATE | | | |
| 35 | 3050 | DRUG ABUSE, ALCOHOL | | | |
| 36 | 6563 | FETAL DISTRESS | | | |
| 37 | 5355 | GASTRITIS/GASTROENTERITIS NOS | | | |
| 38 | 632 | MISSED ABORTION | | | |
| 39 | 6641 | 2ND DEGREE LACERATION PERINEUM | | | |
| 40 | 3669 | CATARACT NOS | | | |
| 41 | 3039 | ALCOHOL DEPENDENCE | | | |
| 42 | 6440 | THREATENED PREM LABOR | | | |
| 43 | 5921 | CALCULUS OF URETER | | | |
| 44 | 4659 | ACUTE UPPER RESP INFECT | | | |
| 45 | 6642 | 3RD DEGREE LACERATION PERINEUM | | | |
| 46 | 6221 | DYSPLASIA OF CERVIX | | | |
| 47 | 7221 | DISPLACEMENT INTVERTBRAL DISC | | | |
| 48 | 4740 | CHRONIC TONSILLITIS | | | |
| 49 | 7803 | CONVULSIONS | | | |
| 50 | 4111 | INTERMEDIATE CORONARY SYNDROME | | | |
| 51 | 4139 | ANGINA, OTHER AND UNSPEC | | | |
| 52 | 8540 | INTRACRANIAL INJURY, NEC/NOS | | | |
| 53 | 0718 | OBSERVATION OTH SPECIFIED COND | | | |
| 54 | 6522 | BREECH PRESENT W/O VERSION | | | |
| 55 | 7242 | LUMBAGO | | | |
| 56 | 650 | DELIVERY IN NORMAL CASE | | | |
| 57 | 7178 | OTH SPEC INT DERANGEMENT KNEE | | | |
| 58 | 5301 | ESOPHAGITIS | | | |
| 59 | 4280 | CONGESTIVE HEART FAILURE | | | |
| 60 | 6466 | INFECT GU TRACT IN PREGNANCY | | | |
| 61 | 5621 | DIVERTICULA OF COLON | | | |
| 62 | 7350 | HALLUX VALGUS | | | |
| 63 | 6101 | DIFFUSE CYSTIC MASTOPATHY | | | |
| 64 | 6542 | PREVIOUS CESARIAN SECTION | | | |
| 65 | 0340 | STREPTOCOCCAL SORE THROAT | | | |
| 66 | 462 | ACUTE PHARYNGITIS | | | |
| 67 | 1749 | CANCER, BREAST, FEM, NOS | | | |
| 68 | 6640 | 1ST DEGREE LACERATION PERINEUM | | | |
| 69 | 6262 | EXCESSIVE/FREQ MENSTRUATION | | | |
| 70 | 7802 | SYNCOPE AND COLLAPSE | | | |
| 71 | 463 | ACUTE TONSILLITIS | | | |
| 72 | 0300 | SINGL INFANT BORN IN HOSP | | | |
| 73 | 4273 | ATRIAL FIBRILLATION/FLUTTER | | | |

SECTION M: OVERALL RANKINGS BY DATA SET: COMPOSITE VARIABILITY (DISPS/DAYS)
TABLE 5. COMPOSITE RANKINGS ACROSS DATA GROUPS

| RANK | CODE | DIAGNOSES | DATA GROUPS | | | | SUM | AVG |
|------|------|---------------------------------|--------------|------------|----------------|--------------|-----|-------|
| | | | DIRECT CRUDE | DIRECT ADJ | DIR+CHAM CRUDE | DIR+CHAM ADJ | | |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 1 | 1 | 1 | 1 | 4 | |
| 2 | 6565 | POOR FETAL GROWTH | 2 | 2 | 2 | 2 | 11 | 2.75 |
| 3 | 0449 | HTLV-III/LAV NOS | 4 | 4 | 4 | 4 | 12 | 3 |
| 4 | V501 | OTH PLASTIC SURG. COSMETIC APP | 3 | 3 | 3 | 3 | 17 | 4.25 |
| 5 | V675 | F/U EXAM. OTHER TREATMENT | 6 | 5 | 5 | 5 | 21 | 5.25 |
| 6 | 5243 | ANOMALIES TOOTH POSITION | 10 | 7 | 6 | 3 | 26 | 6.5 |
| 7 | V670 | FOLLOW-UP EXAM. SURGERY | 11 | 11 | 7 | 8 | 37 | 9.25 |
| 8 | V149 | CHRONIC ISCHEMIC HEART DISEASE | 17 | 10 | 8 | 6 | 41 | 10.25 |
| 9 | V581 | AFTERCARE MAINT CHEMOTHERAPY | 5 | 6 | 18 | 18 | 47 | 11.75 |
| 10 | 3092 | ADJUST REACT W/DIST OTH EMOT | 13 | 9 | 14 | 12 | 48 | 12 |
| 11 | 2113 | BENIGN NEOPLASM, COLON | 7 | 20 | 9 | 14 | 50 | 12.5 |
| 12 | 1629 | CANCER, BRONCHUS/LUNG NOS | 20 | 13 | 13 | 10 | 61 | 15.25 |
| 13 | V717 | OBSERVATION SUSP CARDIOVASC DIS | 24 | 16 | 15 | 11 | 66 | 16.5 |
| 14 | 5206 | DISTURB TOOTH ERUPTION | 25 | 22 | 11 | 9 | 67 | 16.75 |
| 15 | V288 | ANTENATAL SCREENING | 16 | 17 | 19 | 23 | 75 | 18.75 |
| 16 | 7270 | SYNOVITIS/TENOSYNOVITIS | 18 | 30 | 12 | 16 | 76 | 19 |
| 17 | 6488 | ABNL GLUC TOL TEST IN PREGNCY | 8 | 8 | 35 | 25 | 76 | 19 |
| 18 | 2765 | VOLUME DEPLETION | 36 | 19 | 10 | 13 | 79 | 19.5 |
| 19 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 22 | 13 | 31 | 17 | 83 | 20.75 |
| 20 | 4140 | CORONARY ARTERIOSCLEROSIS | 15 | 12 | 31 | 31 | 86 | 21.5 |
| 21 | 6450 | PROLONGED PREGNANCY | 9 | 15 | 26 | 41 | 91 | 22.75 |
| 22 | 185 | CANCER, PROSTATE | 39 | 31 | 29 | 15 | 114 | 28.5 |
| 23 | 632 | MISSED ABORTION | 43 | 33 | 20 | 19 | 115 | 28.75 |
| 24 | 6612 | OTH/UNSPEC UTERINE INERTIA | 19 | 21 | 39 | 38 | 117 | 29.25 |
| 25 | 6441 | THREATENED LABOR (<37WKS) | 37 | 25 | 25 | 30 | 117 | 29.25 |
| 26 | 7159 | OSTEOARTHRITIS | 33 | 35 | 23 | 37 | 118 | 29.5 |
| 27 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 45 | 23 | 21 | 32 | 121 | 30.25 |
| 28 | 3669 | CATARACT NOS | 41 | 34 | 27 | 21 | 123 | 30.75 |
| 29 | 3050 | DRUG ABUSE, ALCOHOL | 40 | 43 | 16 | 24 | 123 | 30.75 |
| 30 | 6631 | UMBILICAL CORD AROUND NECK | 31 | 27 | 37 | 29 | 124 | 31 |
| 31 | 4659 | ACUTE UPPER RESP INFECT | 42 | 39 | 22 | 22 | 125 | 31.25 |
| 32 | 5920 | CALCULUS OF KIDNEY | 30 | 41 | 24 | 33 | 128 | 32 |
| 33 | 600 | HYPERPLASIA OF PROSTATE | 29 | 24 | 60 | 20 | 133 | 33.25 |
| 34 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 38 | 42 | 34 | 26 | 140 | 35 |
| 35 | 470 | DEVIATED NASAL SEPTUM | 35 | 54 | 17 | 43 | 149 | 37.25 |
| 36 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 47 | 44 | 30 | 28 | 149 | 37.25 |
| 37 | 6633 | UMBILICAL CORD ENTANGLEMENT | 26 | 14 | 56 | 54 | 150 | 37.5 |
| 38 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 50 | 28 | 41 | 34 | 153 | 38.25 |
| 39 | 6424 | MILD/UNSPEC PREECLAMPSIA | 12 | 32 | 51 | 60 | 155 | 38.75 |
| 40 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 21 | 26 | 62 | 58 | 167 | 41.75 |
| 41 | 6221 | DYSPLASIA OF CERVIX | 28 | 62 | 32 | 46 | 168 | 42 |
| 42 | 6440 | THREATENED PREM LABOR | 27 | 45 | 53 | 52 | 177 | 44.25 |
| 43 | 6641 | 2ND DEGREE LACERATION PERINEUM | 23 | 29 | 77 | 51 | 180 | 45 |
| 44 | 6563 | FETAL DISTRESS | 14 | 40 | 58 | 68 | 180 | 45 |
| 45 | 7350 | HALLUX VALGUS | 53 | 68 | 33 | 39 | 193 | 48.25 |
| 46 | 0340 | STREPTOCOCCAL SORE THROAT | 67 | 46 | 45 | 36 | 194 | 48.5 |
| 47 | 4740 | CHRONIC TONSILLITIS | 61 | 48 | 38 | 48 | 195 | 48.75 |
| 48 | V718 | OBSERVATION OTH SPECIFIED COND | 62 | 66 | 36 | 40 | 204 | 51 |
| 49 | 7221 | DISPLACEMENT INTVERTBRAL DISC | 57 | 36 | 50 | 62 | 205 | 51.25 |
| 50 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 65 | 61 | 47 | 37 | 210 | 52.5 |
| 51 | 5621 | DIVERTICULA OF COLON | 49 | 67 | 46 | 50 | 212 | 53 |
| 52 | 6642 | 3RD DEGREE LACERATION PERINEUM | 51 | 47 | 67 | 47 | 212 | 53 |
| 53 | 7803 | CONVULSIONS | 32 | 60 | 59 | 66 | 217 | 54.25 |
| 54 | 7242 | LUMBAGO | 77 | 58 | 42 | 42 | 219 | 54.75 |
| 55 | 462 | ACUTE PHARYNGITIS | 68 | 53 | 64 | 35 | 220 | 55 |
| 56 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 70 | 63 | 40 | 49 | 222 | 55.5 |
| 57 | 463 | ACUTE TONSILLITIS | 74 | 51 | 54 | 45 | 224 | 56 |
| 58 | 4111 | INTERMEDIATE CORONARY SYNDROME | 44 | 57 | 66 | 61 | 228 | 57 |
| 59 | 5304 | ESOPHAGITIS | 56 | 70 | 48 | 57 | 231 | 57.75 |
| 60 | 6522 | BREECH PRESENT W/O VERSION | 34 | 37 | 88 | 77 | 236 | 59 |
| 61 | 3039 | ALCOHOL DEPENDENCE | 48 | 50 | 63 | 78 | 239 | 59.75 |
| 62 | 4139 | ANGINA, OTHER AND UNSPEC | 46 | 71 | 52 | 72 | 241 | 60.25 |
| 63 | 5921 | CALCULUS OF URETER | 69 | 59 | 43 | 70 | 241 | 60.25 |
| 64 | 4280 | CONGESTIVE HEART FAILURE | 55 | 55 | 24 | 63 | 247 | 61.75 |
| 65 | 496 | CHRONIC AIRWAY OBSTRUCTION | 82 | 52 | 72 | 44 | 250 | 62.5 |
| 66 | 1749 | CANCER, BREAST, FEM, NOS | 71 | 46 | 44 | 55 | 256 | 64 |
| 67 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 75 | 80 | 49 | 53 | 257 | 64.25 |
| 68 | V540 | REMOVAL FX PLATE/FIXTN DEVICE | 72 | 78 | 57 | 56 | 263 | 65.75 |
| 69 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 60 | 69 | 70 | 64 | 263 | 65.75 |
| 70 | 6466 | INFECT GU TRACT IN PREGNANCY | 52 | 65 | 75 | 79 | 271 | 67.75 |
| 71 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 59 | 72 | 82 | 59 | 272 | 68 |
| 72 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 54 | 76 | 68 | 75 | 273 | 68.25 |
| 73 | 6349 | SPONTANEOUS ABORTION | 63 | 74 | 69 | 69 | 275 | 68.75 |
| 74 | 650 | DELIVERY IN NORMAL CASE | 58 | 49 | 91 | 85 | 283 | 70.75 |
| 75 | 6542 | PREVIOUS CESARIAN SECTION | 64 | 38 | 99 | 86 | 287 | 71.75 |
| 76 | 0799 | VIRAL INFECT, NOS | 84 | 79 | 55 | 71 | 289 | 72.25 |
| 77 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 87 | 77 | 61 | 65 | 290 | 72.5 |
| 78 | 0529 | VARICELLA W/O COMPLICATIONS | 80 | 73 | 71 | 67 | 291 | 72.75 |
| 79 | 490 | BRONCHITIS | 83 | 82 | 65 | 73 | 303 | 75.75 |
| 80 | 5789 | MEMORABLE GI TRACT NOS | 73 | 75 | 79 | 80 | 307 | 76.75 |
| 81 | V300 | SINGL INFANT BORN IN HOSP | 76 | 56 | 94 | 90 | 316 | 79 |
| 82 | 7802 | SYNCOPE AND COLLAPSE | 79 | 81 | 73 | 83 | 316 | 79 |
| 83 | 6640 | 1ST DEGREE LACERATION PERINEUM | 66 | 64 | 98 | 89 | 317 | 79.25 |
| 84 | 3829 | OTITIS MEDIA NOS | 78 | 83 | 81 | 82 | 324 | 81 |
| 85 | 7274 | GANGLION CYST | 85 | 88 | 76 | 74 | 325 | 81.25 |
| 86 | 3540 | CARPAL TUNNEL SYNDROME | 86 | 91 | 76 | 81 | 334 | 83.5 |
| 87 | V252 | STERILIZATION | 88 | 92 | 83 | 76 | 339 | 84.75 |
| 88 | 2189 | LEIOMYOMA, UTERUS, NOS | 81 | 85 | 86 | 88 | 340 | 85 |
| 89 | 5589 | GASTROENTERITIS | 89 | 90 | 84 | 84 | 343 | 85.75 |
| 90 | 7890 | ABDOMINAL PAIN | 90 | 89 | 87 | 87 | 350 | 87.5 |
| 91 | 5990 | URINARY TRACT INFECTION | 100 | 87 | 87 | 91 | 365 | 91.25 |
| 92 | 7865 | CHEST PAIN | 98 | 84 | 93 | 92 | 367 | 91.75 |
| 93 | 486 | PNEUMONIA, ORGANISM UNSPEC | 91 | 93 | 89 | 94 | 367 | 91.75 |
| 94 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 94 | 96 | 85 | 93 | 368 | 92 |
| 95 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 92 | 95 | 90 | 95 | 372 | 93 |
| 96 | 5509 | INGUINAL HERNIA | 93 | 99 | 92 | 97 | 381 | 95.25 |
| 97 | 5409 | ACUTE APPENDICITIS W/O PERITON | 97 | 94 | 96 | 96 | 383 | 95.75 |
| 98 | 4939 | ASTHMA NOS | 95 | 97 | 97 | 100 | 389 | 97.25 |
| 99 | 5908 | PYELONEPHRITIS/PYONEPHROSIS | 96 | 100 | 95 | 99 | 390 | 97.5 |
| 100 | 5741 | CALCULUS GALLBLDGR W/OTH CHOL | 99 | 98 | 100 | 98 | 395 | 98.75 |

OVERALL COEFF OF CONCURRENCE = 0.88 / CHI SQUARE = 350 / P<0.001

SECTION 1: OVERALL RANKINGS BY DATA SET: VARIABILITY IN DISPOSITION RATES
TABLE 1. DIRECT CARE: BASED ON CRUDE RATES

| | | RANKINGS | | | | | SUM | AVG |
|-----|------|----------------------------------|---------|-----|-------|-----|-----|-------|
| | | MEDCENS | LMEDCAC | MED | SMALL | MED | | |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 2 | 4 | 26 | 2 | 30 | 8.75 |
| 2 | V581 | AFTERCARE MAINT CHEMOTHERAPY | 17 | 3 | 6 | 14 | 30 | 8.75 |
| 3 | 6565 | POOR FETAL GROWTH | 11 | 11 | 10 | 4 | 40 | 11 |
| 4 | 0449 | HTLV-III/LAV NOS | 20 | 24 | 1 | 1 | 48 | 12 |
| 5 | V501 | OTH PLASTIC SURG, COSMETIC APP | 47 | 3 | 1 | 2 | 53 | 13.25 |
| 6 | 5243 | ANOMALIES TOOTH POSITION | 13 | 23 | 2 | 43 | 81 | 20.25 |
| 7 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 5 | 56 | 4 | 26 | 91 | 22.75 |
| 8 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 27 | 21 | 43 | 7 | 98 | 24.5 |
| 9 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 29 | 22 | 17 | 33 | 101 | 25.25 |
| 10 | 6633 | UMBILICAL CORD ENTANGLEMENT | 23 | 32 | 30 | 17 | 102 | 25.5 |
| 11 | 5206 | DISTURB TOOTH ERUPTION | 12 | 0 | 31 | 53 | 104 | 26 |
| 12 | 0340 | STREPTOCOCCAL SORPT THROAT | 6 | 6 | 27 | 66 | 105 | 26.25 |
| 13 | 4140 | CORONARY ARTERIOSCLEROSIS | 33 | 9 | 5 | 61 | 108 | 27 |
| 14 | 2765 | VOLUME DEPLETION | 41 | 7 | 33 | 28 | 109 | 27.25 |
| 15 | V670 | FOLLOW-UP EXAM, SURGERY | 22 | 18 | 7 | 65 | 112 | 28 |
| 16 | V717 | OBSERVATION SUSP CARDIOVASC DIS | 69 | 1 | 22 | 24 | 116 | 29 |
| 17 | 4659 | ACUTE UPPER RESP INFECT | 16 | 12 | 21 | 71 | 120 | 30 |
| 18 | V288 | ANTENATAL SCREENING | 1 | 13 | 9 | 100 | 123 | 30.75 |
| 19 | V675 | F/U EXAM, OTHER TREATMENT | 50 | 28 | 15 | 31 | 124 | 31 |
| 20 | 6441 | THREATENED LABOR (>37WKS) | 15 | 15 | 68 | 30 | 128 | 32 |
| 21 | 5920 | CALCULUS OF KIDNEY | 7 | 33 | 10 | 79 | 129 | 32.25 |
| 22 | 7159 | OSTEOARTHRITIS | 32 | 45 | 20 | 32 | 129 | 32.25 |
| 23 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 4 | 14 | 64 | 51 | 133 | 33.25 |
| 24 | 6450 | PROLONGED PREGNANCY | 21 | 42 | 45 | 25 | 133 | 33.25 |
| 25 | 6631 | UMBILICAL CORD AROUND NECK | 14 | 44 | 61 | 15 | 134 | 33.5 |
| 26 | V718 | OBSERVATION OTH SPECIFIED CONDO | 24 | 52 | 11 | 48 | 135 | 33.75 |
| 27 | 6612 | OTH/UNSPEC UTERINE INERTIA | 3 | 89 | 40 | 5 | 137 | 34.25 |
| 28 | 6641 | 2ND DEGREE LACERATION PERINEUM | 19 | 65 | 46 | 9 | 139 | 34.75 |
| 29 | 462 | ACUTE PHARYNGITIS | 18 | 10 | 39 | 75 | 142 | 35.5 |
| 30 | 6221 | DYSPLASIA OF CERVIX | 10 | 64 | 44 | 27 | 145 | 36.25 |
| 31 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 8 | 38 | 16 | 84 | 146 | 36.5 |
| 32 | 3092 | ADJUST REACT W/DIST OTH EMOT | 73 | 17 | 48 | 11 | 149 | 37.25 |
| 33 | 5921 | CALCULUS OF URETER | 40 | 29 | 23 | 57 | 149 | 37.25 |
| 34 | 6642 | 3RD DEGREE LACERATION PERINEUM | 37 | 50 | 50 | 14 | 151 | 37.75 |
| 35 | 6488 | ABNL GLUC TOL TEST IN PREGNANCY | 28 | 66 | 52 | 6 | 152 | 38 |
| 36 | 1629 | CANCER, BRONCHUS/LUNG NOS | 38 | 55 | 24 | 39 | 156 | 39 |
| 37 | 632 | MISSED ABORTION | 26 | 58 | 60 | 12 | 156 | 39 |
| 38 | 6424 | MILD/UNSPEC PREECLAMPSIA | 34 | 57 | 53 | 13 | 157 | 39.25 |
| 39 | 2113 | BENIGN NEOPLASM, COLON | 31 | 81 | 13 | 35 | 160 | 40 |
| 40 | 600 | HYPERPLASIA OF PROSTATE | 65 | 35 | 25 | 41 | 166 | 41.5 |
| 41 | 6563 | FETAL DISTRESS | 30 | 92 | 36 | 8 | 166 | 41.5 |
| 42 | 7221 | DISPLACEMENT INTERVERTEBRAL DISC | 70 | 27 | 14 | 60 | 171 | 42.75 |
| 43 | 463 | ACUTE TONSILLITIS | 60 | 16 | 8 | 90 | 174 | 43.5 |
| 44 | 6440 | THREATENED PREM LABOR | 9 | 87 | 59 | 20 | 175 | 43.75 |
| 45 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 46 | 20 | 65 | 46 | 177 | 44.25 |
| 46 | 0799 | VIRAL INFECT, NOS | 35 | 54 | 12 | 85 | 186 | 46.5 |
| 47 | 4139 | ANGINA, OTHER AND UNSPEC | 56 | 47 | 56 | 29 | 188 | 47 |
| 48 | 470 | DEVIATED NASAL SEPTUM | 63 | 41 | 42 | 44 | 190 | 47.5 |
| 49 | 650 | DELIVERY IN NORMAL CASE | 36 | 53 | 66 | 36 | 191 | 47.75 |
| 50 | 4740 | CHRONIC TONSILLITIS | 54 | 34 | 49 | 54 | 191 | 47.75 |
| 51 | 490 | BRONCHITIS | 51 | 49 | 41 | 50 | 191 | 47.75 |
| 52 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 39 | 79 | 35 | 42 | 195 | 48.75 |
| 53 | 3669 | CATARACT NOS | 72 | 78 | 28 | 18 | 196 | 49 |
| 54 | 0529 | VARICELLA W/O COMPLICATIONS | 58 | 5 | 72 | 69 | 204 | 51 |
| 55 | 3050 | DRUG ABUSE, ALCOHOL | 45 | 25 | 77 | 58 | 205 | 51.25 |
| 56 | 185 | CANCER, PROSTATE | 55 | 67 | 19 | 67 | 208 | 52 |
| 57 | 2189 | LEIOMYOMA, UTERUS, NOS | 43 | 80 | 37 | 62 | 222 | 55.5 |
| 58 | 3039 | ALCOHOL DEPENDENCE | 42 | 26 | 57 | 94 | 224 | 56 |
| 59 | 6262 | EXCESSIVE/FPEO MENSTRUATION | 86 | 62 | 55 | 3 | 226 | 56.5 |
| 60 | 6640 | 1ST DEGREE LACERATION PERINEUM | 57 | 71 | 83 | 21 | 232 | 58 |
| 61 | 4111 | INTERMEDIATE CORONARY SYNDROME | 79 | 31 | 75 | 47 | 232 | 58 |
| 62 | 7242 | LUMBAGO | 64 | 36 | 47 | 88 | 235 | 58.75 |
| 63 | 6542 | PREVIOUS CESARIAN SECTION | 68 | 73 | 74 | 22 | 237 | 59.25 |
| 64 | 6101 | DIFFUSE CYSTIC HYSTOPATHY | 25 | 96 | 67 | 49 | 237 | 59.25 |
| 65 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 62 | 61 | 51 | 63 | 237 | 59.25 |
| 66 | 6466 | INFECT GU TRACT IN PREGNANCY | 48 | 84 | 73 | 22 | 244 | 61 |
| 67 | 5589 | GASTROENTERITIS | 97 | 40 | 34 | 74 | 245 | 61.25 |
| 68 | 5301 | ESOPHAGITIS | 44 | 91 | 32 | 83 | 250 | 62.5 |
| 69 | 1749 | CANCER, BREAST, FEM, NOS | 53 | 48 | 58 | 96 | 255 | 63.75 |
| 70 | 4280 | CONGESTIVE HEART FAILURE | 90 | 39 | 84 | 45 | 258 | 64.5 |
| 71 | 7803 | CONVULSIONS | 49 | 83 | 38 | 89 | 259 | 64.75 |
| 72 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 84 | 76 | 62 | 38 | 260 | 65 |
| 73 | 6522 | BREECH PRESENT W/O VERSION | 59 | 99 | 85 | 19 | 262 | 65.5 |
| 74 | 496 | CHRONIC AIRWAY OBSTRUCTION | 81 | 30 | 97 | 55 | 263 | 65.75 |
| 75 | 7350 | HALLUX VALGUS | 71 | 72 | 69 | 52 | 264 | 66 |
| 76 | 7865 | CHEST PAIN | 52 | 54 | 88 | 64 | 264 | 66 |
| 77 | 7270 | SYNOVITIS/TENOSYNOVITIS | 89 | 68 | 80 | 34 | 271 | 67.75 |
| 78 | 5621 | DIVERTICULA OF COLON | 87 | 97 | 29 | 59 | 272 | 68 |
| 79 | V300 | SINGL INFANT BORN IN HOSP | 76 | 100 | 82 | 16 | 274 | 68.5 |
| 80 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 61 | 69 | 70 | 86 | 286 | 71.5 |
| 81 | 486 | PNEUMONIA, ORGANISM UNSPEC | 82 | 19 | 91 | 95 | 287 | 71.75 |
| 82 | 3540 | CARPAL TUNNEL SYNDROME | 80 | 46 | 96 | 70 | 292 | 73 |
| 83 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 75 | 75 | 63 | 82 | 295 | 73.75 |
| 84 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 99 | 51 | 71 | 78 | 299 | 74.75 |
| 85 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 96 | 43 | 93 | 68 | 300 | 75 |
| 86 | 6349 | SPONTANEOUS ABORTION | 85 | 84 | 92 | 40 | 301 | 75.25 |
| 87 | 5789 | HEMORRHOGE GI TRACT NOS | 67 | 82 | 54 | 98 | 301 | 75.25 |
| 88 | 3829 | OTITIS MEDIA NOS | 66 | 88 | 76 | 73 | 303 | 75.75 |
| 89 | 7178 | OTH SPEC INT DERRANGEMENT KNEE | 74 | 94 | 79 | 56 | 303 | 75.75 |
| 90 | 7802 | SYNCOPE AND COLLAPSE | 78 | 77 | 78 | 72 | 305 | 76.25 |
| 91 | 5990 | URINARY TRACT INFECTION | 44 | 37 | 87 | 92 | 310 | 77.5 |
| 92 | V252 | STERILIZATION | 83 | 60 | 86 | 87 | 316 | 79 |
| 93 | 7890 | ABDOMINAL PAIN | 92 | 63 | 94 | 77 | 326 | 81.5 |
| 94 | 7274 | GANGLION CYST | 91 | 74 | 81 | 81 | 327 | 81.75 |
| 95 | 4939 | ASTHMA NOS | 77 | 70 | 99 | 97 | 343 | 85.75 |
| 96 | 5741 | CALCULUS GALLBLADDER W/OTH CHOL | 88 | 90 | 98 | 76 | 352 | 88 |
| 97 | V340 | REMOVAL FX PLATE/FIXTH DEVICE | 95 | 85 | 95 | 80 | 355 | 88.75 |
| 98 | 5908 | PYELOPHRITIS/PYONEPHROSIS | 100 | 93 | 90 | 91 | 374 | 93.5 |
| 99 | 5409 | ACUTE APPENDICITIS W/O PERITON | 99 | 98 | 88 | 94 | 378 | 94.5 |
| 100 | 5909 | INDURIAL MEDIA | 93 | 95 | 100 | 93 | 381 | 95.25 |

KAPPA COEFFICIENT OF CONCORDANCE = .53; CHI SQUARE = 210; p<.001

SECTION 1: OVERALL RANKINGS BY DATA SET: VARIABILITY IN DISPOSITION RATE
TABLE 2. DIRECT CARE: BASED ON ADJUSTED RATE.

| | | RANKINGS | | | | | SUM | AVG |
|-----|------|--------------------------------|---------|---------|-----------|-----|-----|-------|
| | | MEDCENS | LMEDCAC | MED MED | SMALL MED | | | |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 10 | 9 | 17 | | 34 | 9.75 |
| 2 | U581 | AFTERCARE MAINT CHEMOTHERAPY | 10 | 9 | 17 | | 34 | 9.75 |
| 3 | 6565 | POOR FETAL GROWTH | 10 | 10 | 24 | | 44 | 12.25 |
| 4 | 0449 | HTLV-III/LAV NOS | 27 | 20 | 3 | | 52 | 13 |
| 5 | U501 | OTH PLASTIC SURG. COSMETIC APP | 53 | 22 | 1 | | 57 | 14.25 |
| 6 | 5243 | ANOMALIES TOOTH POSITION | 7 | 17 | 44 | | 75 | 18.75 |
| 7 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 24 | 17 | 15 | 24 | 85 | 21.25 |
| 8 | 5206 | DISTURB TOOTH ERUPTION | 4 | 7 | 30 | 50 | 91 | 22.75 |
| 9 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 5 | 28 | 4 | 58 | 95 | 23.75 |
| 10 | U717 | OBSERVATION SUSP CARDVASC DIS | 55 | 1 | 22 | 25 | 103 | 25.75 |
| 11 | 6633 | UMBILICAL CORD ENTANGLEMENT | 21 | 34 | 35 | 17 | 107 | 26.75 |
| 12 | U670 | FOLLOW-UP EXAM, SURGERY | 22 | 19 | 8 | 54 | 108 | 27 |
| 13 | 4140 | CORONARY ARTERIOSCLEROSIS | 34 | 5 | 5 | 64 | 112 | 28 |
| 14 | 2765 | VOLUME DEPLETION | 43 | 10 | 34 | 27 | 114 | 28.5 |
| 15 | 4659 | ACUTE UPPER RESP INFECT | 17 | 13 | 25 | 62 | 117 | 29.25 |
| 16 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 31 | 24 | 56 | 7 | 118 | 29.5 |
| 17 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 8 | 15 | 44 | 47 | 119 | 29.75 |
| 18 | 6631 | UMBILICAL CORD AROUND NECK | 15 | 33 | 58 | 15 | 121 | 30.25 |
| 19 | U288 | ANTENATAL SCREENING | 1 | 14 | 7 | 100 | 122 | 30.5 |
| 20 | 6641 | 2ND DEGREE LACERATION PERINEUM | 23 | 67 | 23 | 11 | 124 | 31 |
| 21 | 3092 | ADJUST REACT W/DIST OTH EMOT | 44 | 18 | 52 | 6 | 124 | 31 |
| 22 | U675 | F/U EXAM, OTHER TREATMENT | 50 | 25 | 18 | 30 | 125 | 31.25 |
| 23 | 6612 | OTH/UNSPEC UTERINE INERTIA | 3 | 75 | 45 | 5 | 128 | 32 |
| 24 | 0340 | STREPTOCOCCAL SORE THROAT | 13 | 8 | 33 | 74 | 128 | 32 |
| 25 | 6441 | THREATENED LABOR (<37WKS) | 14 | 11 | 77 | 28 | 130 | 32.5 |
| 26 | U718 | OBSERVATION OTH SPECIFIED COND | 25 | 39 | 12 | 54 | 130 | 32.5 |
| 27 | 463 | ACUTE TONSILLITIS | 20 | 16 | 9 | 88 | 133 | 33.25 |
| 28 | 6642 | 3RD DEGREE LACERATION PERINEUM | 39 | 55 | 28 | 13 | 135 | 33.75 |
| 29 | 6450 | PROLONGED PREGNANCY | 19 | 53 | 40 | 23 | 135 | 33.75 |
| 30 | 7159 | OSTEOARTHRITIS | 35 | 45 | 19 | 38 | 137 | 34.25 |
| 31 | 6488 | ABNL GLUC TOL TEST IN PREGNcy | 32 | 62 | 36 | 8 | 138 | 34.5 |
| 32 | 5920 | CALCULUS OF KIDNEY | 6 | 41 | 10 | 83 | 140 | 35 |
| 33 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 10 | 40 | 17 | 87 | 154 | 38.5 |
| 34 | 462 | ACUTE PHARYNGITIS | 26 | 9 | 41 | 79 | 155 | 38.75 |
| 35 | 6221 | DYSPLASIA OF CERVIX | 11 | 63 | 59 | 26 | 159 | 39.75 |
| 36 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 24 | 32 | 57 | 44 | 165 | 41.25 |
| 37 | 5921 | CALCULUS OF URETER | 44 | 35 | 26 | 57 | 167 | 41.75 |
| 38 | 6424 | MILD/UNSPEC PREECLAMPSIA | 30 | 61 | 64 | 10 | 167 | 41.75 |
| 39 | 632 | MISSED ABORTION | 36 | 54 | 70 | 10 | 170 | 42.5 |
| 40 | 650 | DELIVERY IN NORMAL CASE | 29 | 36 | 75 | 31 | 171 | 42.75 |
| 41 | 0799 | VIRAL INFECT, NOS | 34 | 50 | 16 | 73 | 173 | 43.25 |
| 42 | 6440 | THREATENED PREM LABOR | 12 | 94 | 50 | 19 | 175 | 43.75 |
| 43 | 2113 | BENIGN NEOPLASM, COLON | 33 | 95 | 11 | 37 | 176 | 44 |
| 44 | 4740 | CHRONIC TONSILLITIS | 41 | 38 | 53 | 46 | 178 | 44.5 |
| 45 | 600 | HYPERPLASIA OF PROSTATE | 80 | 27 | 21 | 52 | 180 | 45 |
| 46 | 6563 | FETAL DISTRESS | 40 | 97 | 38 | 9 | 184 | 46 |
| 47 | 7221 | DISPLACEMENT INTVERTBRAL DISC | 70 | 37 | 14 | 63 | 184 | 46 |
| 48 | 3669 | CATARACT NOS | 91 | 51 | 29 | 24 | 195 | 48.75 |
| 49 | 6542 | PREVIOUS CESARIAN SECTION | 62 | 46 | 66 | 21 | 195 | 48.75 |
| 50 | 185 | CANCER, PROSTATE | 81 | 21 | 20 | 76 | 198 | 49.5 |
| 51 | 1629 | CANCER, BRONCHUS/LUNG NOS | 61 | 69 | 27 | 42 | 200 | 50 |
| 52 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 37 | 84 | 37 | 42 | 200 | 50 |
| 53 | 3050 | DRUG ABUSE, ALCOHOL | 56 | 42 | 72 | 41 | 211 | 52.75 |
| 54 | 6466 | INFECT GU TRACT IN PREGNANCY | 44 | 73 | 61 | 35 | 213 | 53.25 |
| 55 | 6640 | 1ST DEGREE LACERATION PERINEUM | 64 | 83 | 46 | 20 | 213 | 53.25 |
| 56 | 490 | BRONCHITIS | 60 | 52 | 48 | 53 | 213 | 53.25 |
| 57 | 470 | DEVIATED NASAL SEPTUM | 47 | 82 | 47 | 39 | 215 | 53.75 |
| 58 | 2189 | LEIOMYOMA, UTERUS, NOS | 42 | 70 | 43 | 61 | 216 | 54 |
| 59 | 4111 | INTERMEDIATE CORONARY SYNDROME | 75 | 26 | 65 | 55 | 221 | 55.5 |
| 60 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 84 | 48 | 69 | 22 | 223 | 55.75 |
| 61 | 4139 | ANGINA, OTHER AND UNSPEC | 73 | 60 | 60 | 33 | 226 | 56.5 |
| 62 | 496 | CHRONIC AIRWAY OBSTRUCTION | 69 | 30 | 84 | 45 | 228 | 57 |
| 63 | 0529 | VARICELLA W/O COMPLICATIONS | 63 | 4 | 78 | 86 | 231 | 57.75 |
| 64 | 7242 | LUMBAGO | 66 | 31 | 44 | 91 | 232 | 58 |
| 65 | 5589 | GASTROENTERITIS | 93 | 44 | 31 | 68 | 236 | 59 |
| 66 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 18 | 74 | 79 | 60 | 237 | 59.25 |
| 67 | 6522 | BREACH PRESENT W/O VERSION | 63 | 93 | 63 | 18 | 239 | 59.75 |
| 68 | U300 | SINGLE INFANT BORN IN HOSP | 68 | 77 | 88 | 16 | 249 | 62.25 |
| 69 | 3039 | ALCOHOL DEPENDENCE | 46 | 47 | 62 | 95 | 250 | 62.5 |
| 70 | 7350 | HALLUX VALGUS | 57 | 66 | 81 | 49 | 253 | 63.25 |
| 71 | 5621 | DIVERTICULA OF COLON | 71 | 96 | 39 | 51 | 257 | 64.25 |
| 72 | 7865 | CHEST PAIN | 54 | 49 | 89 | 65 | 257 | 64.25 |
| 73 | 7270 | SYNOVITIS/TENOSYNOVITIS | 82 | 64 | 82 | 32 | 260 | 65 |
| 74 | 7803 | CONVULSIONS | 45 | 88 | 42 | 85 | 260 | 65 |
| 75 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 67 | 90 | 68 | 36 | 261 | 65.25 |
| 76 | 5301 | ESOPHAGITIS | 50 | 87 | 32 | 93 | 262 | 65.5 |
| 77 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 72 | 92 | 71 | 34 | 269 | 67.25 |
| 78 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 51 | 72 | 80 | 69 | 272 | 68 |
| 79 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 58 | 86 | 55 | 77 | 276 | 69 |
| 80 | 3829 | OTITIS MEDIA NOS | 59 | 89 | 67 | 72 | 287 | 71.75 |
| 81 | 3540 | CARPAL TUNNEL SYNDROME | 87 | 41 | 93 | 67 | 290 | 72.5 |
| 82 | 486 | PNEUMONIA, ORGANISM UNSPEC | 76 | 23 | 95 | 97 | 291 | 72.75 |
| 83 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 90 | 59 | 51 | 92 | 292 | 73 |
| 84 | 6349 | SPONTANEOUS ABORTION | 88 | 80 | 86 | 40 | 294 | 73.5 |
| 85 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 79 | 78 | 87 | 60 | 304 | 76 |
| 86 | 5990 | URINARY TRACT INFECTION | 95 | 29 | 92 | 90 | 306 | 76.5 |
| 87 | 5789 | HEMORRHOIDS GI TRACT NOS | 78 | 79 | 54 | 96 | 307 | 76.75 |
| 88 | 1749 | CANCER, BREAST, FEM, NOS | 85 | 57 | 74 | 94 | 310 | 77.5 |
| 89 | 4280 | CONGESTIVE HEART FAILURE | 97 | 58 | 73 | 82 | 310 | 77.5 |
| 90 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 98 | 65 | 76 | 78 | 317 | 79.25 |
| 91 | U252 | STERILIZATION | 89 | 55 | 20 | 85 | 324 | 81 |
| 92 | 7802 | SYNCOPE AND COLLAPSE | 74 | 91 | 85 | 75 | 325 | 81.25 |
| 93 | 7274 | GANGLION CYST | 86 | 76 | 83 | 81 | 326 | 81.5 |
| 94 | 7890 | ABDOMINAL PAIN | 92 | 71 | 97 | 71 | 331 | 82.75 |
| 95 | U540 | REMOVAL FX PLATE/FIXTN DEVICE | 94 | 85 | 96 | 56 | 331 | 82.75 |
| 96 | 4939 | ASTHMA NOS | 77 | 68 | 100 | 98 | 343 | 85.75 |
| 97 | 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 83 | 81 | 99 | 80 | 343 | 85.75 |
| 98 | 5409 | ACUTE APPENDICITIS W/O PERITON | 99 | 100 | 94 | 70 | 363 | 90.75 |
| 99 | 9988 | PYELONEPHRITIS/PHOSPHOSIS | 100 | 98 | 91 | 84 | 373 | 93.25 |
| 100 | 3889 | IMBILICAL HERNIA | 96 | 99 | 98 | 99 | 392 | 98 |

KENDALL COEFFICIENT OF CONCORDANCE = .53; CHI SQUARE = 210; p<.001

SECTION 1: OVERALL RANKINGS BY DATA SET: VARIABILITY IN DISPOSITION RATES
TABLE 3. DIRECT CARE AND CHAMPUS DATA COMBINED: BASED ON CRUDE RATES

| | | RANKINGS | | | | | | SUM | AVG |
|-----|------|---------------------------------|---------|---------|-----------|-----|-------|-----|-----|
| | | HEDCEMS | LMEDCAC | MED MED | SMALL MED | | | | |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 1 | 1 | 1 | 23 | 5.75 | | |
| 2 | 0449 | HTLV-III/LAV NOS | 14 | 17 | 10 | 41 | 10.25 | | |
| 3 | 6565 | POOR FETAL GROWTH | 10 | 8 | 10 | 48 | 12 | | |
| 4 | V501 | OTH PLASTIC SURG, COSMETIC APP | 44 | 1 | 1 | 48 | 12 | | |
| 5 | 5243 | ABNORMALITIES TOOTH POSITION | 13 | 18 | 21 | 54 | 13.5 | | |
| 6 | 5206 | DISTURB TOOTH ERUPTION | 12 | 8 | 24 | 66 | 16.5 | | |
| 7 | V670 | FOLLOW-UP EXAM, SURGERY | 20 | 15 | 35 | 75 | 18.75 | | |
| 8 | 4659 | ACUTE UPPER RESP INFECT | 15 | 4 | 42 | 83 | 20.75 | | |
| 9 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 28 | 20 | 14 | 85 | 21.25 | | |
| 10 | 0340 | STREPTOCOCCAL SORE THROAT | 6 | 5 | 56 | 88 | 22 | | |
| 11 | V675 | F/U EXAM, OTHER TREATMENT | 46 | 22 | 14 | 91 | 22.75 | | |
| 12 | V717 | OBSERVATION SUSP CARDIOVASC DIS | 64 | 1 | 18 | 93 | 23.25 | | |
| 13 | V581 | AFTERCARE MAINT CHEMOTHERAPY | 17 | 44 | 30 | 99 | 24.75 | | |
| 14 | 2765 | VOLUME DEPLETION | 41 | 10 | 32 | 102 | 25.5 | | |
| 15 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 5 | 55 | 4 | 110 | 27.5 | | |
| 16 | V718 | OBSERVATION OTH SPECIFIED COMD | 22 | 47 | 4 | 111 | 27.75 | | |
| 17 | 6631 | UMBILICAL CORD AROUND NECK | 14 | 35 | 55 | 112 | 28 | | |
| 18 | V288 | ANTENATAL SCREENING | 1 | 11 | 100 | 119 | 29.75 | | |
| 19 | 462 | ACUTE PHARYNGITIS | 18 | 7 | 63 | 121 | 30.25 | | |
| 20 | 6221 | DYSPLASIA OF CERVIX | 9 | 57 | 46 | 123 | 30.75 | | |
| 21 | 4140 | CORONARY ARTERIOSCLEROSIS | 35 | 25 | 10 | 127 | 31.75 | | |
| 22 | 1629 | CANCER, BRONCHUS/LUNG NOS | 32 | 30 | 27 | 130 | 32.5 | | |
| 23 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 8 | 29 | 16 | 131 | 32.75 | | |
| 24 | 7159 | OSTEOARTHRITIS | 29 | 49 | 26 | 131 | 32.75 | | |
| 25 | 2113 | BENIGN NEOPLASM, COLON | 27 | 76 | 13 | 133 | 33.25 | | |
| 26 | 6642 | 3RD DEGREE LACERATION PERINEUM | 33 | 40 | 49 | 134 | 33.5 | | |
| 27 | 632 | MISSED ABORTION | 25 | 53 | 53 | 138 | 34.5 | | |
| 28 | 5920 | CALCULUS OF KIDNEY | 7 | 39 | 11 | 142 | 35.5 | | |
| 29 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 37 | 21 | 65 | 146 | 36.5 | | |
| 30 | 463 | ACUTE TONSILLITIS | 57 | 14 | 6 | 148 | 37 | | |
| 31 | 0799 | VIRAL INFECT, NOS | 30 | 46 | 12 | 149 | 37.25 | | |
| 32 | 6430 | MILD HYPERTENSIS GRAVIDARUM | 4 | 12 | 60 | 150 | 37.5 | | |
| 33 | 5921 | CALCULUS OF URETER | 36 | 26 | 37 | 153 | 38.25 | | |
| 34 | 3092 | ADJUST REACT W/DIST OTH EMOT | 76 | 16 | 41 | 153 | 38.25 | | |
| 35 | 470 | DEVIATED NASAL SEPTUM | 60 | 33 | 35 | 157 | 39.25 | | |
| 36 | 6450 | PROLONGED PREGNANCY | 21 | 32 | 40 | 159 | 39.75 | | |
| 37 | 6488 | ABNL GLUC TOL TEST IN PREGNVCY | 26 | 65 | 54 | 160 | 40 | | |
| 38 | 490 | BRONCHITIS | 52 | 42 | 34 | 165 | 41.25 | | |
| 39 | 3050 | DRUG ABUSE, ALCOHOL | 45 | 23 | 71 | 167 | 41.75 | | |
| 40 | 3649 | CATARACT NOS | 68 | 72 | 22 | 168 | 42 | | |
| 41 | 6441 | THREATENED LABOR (<37WKS) | 16 | 13 | 82 | 169 | 42.25 | | |
| 42 | 6563 | FETAL DISTRESS | 31 | 85 | 36 | 170 | 42.5 | | |
| 43 | 6424 | MILD/UNSPEC PREECLAMPSIA | 34 | 56 | 18 | 172 | 43 | | |
| 44 | 185 | CANCER, PROSTATE | 53 | 66 | 19 | 178 | 44.5 | | |
| 45 | 600 | HYPERPLASIA OF PROSTATE | 63 | 41 | 30 | 179 | 44.75 | | |
| 46 | 6633 | UMBILICAL CORD ENTANGLEMENT | 40 | 50 | 48 | 181 | 45.25 | | |
| 47 | 6641 | 2ND DEGREE LACERATION PERINEUM | 23 | 64 | 47 | 184 | 46 | | |
| 48 | 4740 | CHRONIC TONSILLITIS | 54 | 27 | 61 | 186 | 46.5 | | |
| 49 | 6440 | THREATENED PREM LABOR | 11 | 86 | 69 | 191 | 47.75 | | |
| 50 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 39 | 80 | 38 | 193 | 48.25 | | |
| 51 | 0529 | VARICELLA W/O COMPLICATIONS | 56 | 4 | 62 | 198 | 49.5 | | |
| 52 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 48 | 24 | 66 | 198 | 49.5 | | |
| 53 | 6612 | OTH/UNSPEC UTERINE INERTIA | 3 | 92 | 43 | 203 | 50.75 | | |
| 54 | 4139 | AMBIJA, OTHER AND UNSPEC | 62 | 59 | 44 | 203 | 50.75 | | |
| 55 | 7221 | DISPLACEMENT INTVERTIBRAL DISC | 67 | 58 | 29 | 206 | 51.5 | | |
| 56 | 7242 | LUMBAGO | 61 | 37 | 39 | 212 | 53 | | |
| 57 | 5589 | GASTROENTERITIS | 97 | 31 | 31 | 218 | 54.5 | | |
| 58 | 1749 | CANCER, BREAST, FEM, NOS | 51 | 48 | 50 | 219 | 54.75 | | |
| 59 | 6101 | DIFFUSE CYSTIC ASTROPATHY | 24 | 47 | 58 | 227 | 56.75 | | |
| 60 | 7350 | MALLUM VALGUS | 66 | 74 | 64 | 230 | 57.5 | | |
| 61 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 79 | 73 | 56 | 230 | 57.5 | | |
| 62 | 7270 | SYNOVITIS/TENOSYNOVITIS | 87 | 63 | 72 | 235 | 58.75 | | |
| 63 | 496 | CHRONIC AIRWAY OBSTRUCTION | 80 | 28 | 95 | 235 | 58.75 | | |
| 64 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 85 | 68 | 78 | 235 | 58.75 | | |
| 65 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 58 | 60 | 70 | 241 | 60.25 | | |
| 66 | 2189 | LEIOMYOMA, UTERUS, NOS | 41 | 88 | 10 | 242 | 60.5 | | |
| 67 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 72 | 89 | 4 | 250 | 62.5 | | |
| 68 | 3540 | CARPAL TUNNEL SYNDROME | 75 | 34 | 92 | 250 | 62.5 | | |
| 69 | 5301 | ESOPHAGITIS | 42 | 91 | 28 | 251 | 62.75 | | |
| 70 | 3039 | ALCOHOL DEPENDENCE | 49 | 38 | 68 | 252 | 63 | | |
| 71 | 5621 | DIVERTICULA OF COLON | 86 | 98 | 25 | 256 | 64 | | |
| 72 | 6466 | INFECT GU TRACT IN PREGNANCY | 47 | 77 | 77 | 263 | 65.75 | | |
| 73 | 650 | DELIVERY IN NORMAL CASE | 38 | 62 | 75 | 267 | 66.75 | | |
| 74 | 5789 | MEMORANDUM GI TRACT NOS | 65 | 69 | 59 | 270 | 67.5 | | |
| 75 | 7803 | CONVULSIONS | 50 | 84 | 45 | 272 | 68 | | |
| 76 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 99 | 45 | 63 | 279 | 69.75 | | |
| 77 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 59 | 67 | 57 | 277 | 69.75 | | |
| 78 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 96 | 36 | 81 | 280 | 70 | | |
| 79 | 486 | PNEUMONIA, ORGANISM UNSPEC | 84 | 19 | 86 | 288 | 72 | | |
| 80 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 73 | 81 | 52 | 288 | 72 | | |
| 81 | 6349 | SPONTANEOUS ABORTION | 83 | 78 | 47 | 292 | 73 | | |
| 82 | V252 | STERILIZATION | 81 | 51 | 79 | 294 | 73.5 | | |
| 83 | 7274 | OBABION CYST | 89 | 70 | 74 | 297 | 74.25 | | |
| 84 | V340 | REMOVAL FX PLATE/FIXTN DEVICE | 95 | 79 | 87 | 300 | 75 | | |
| 85 | 3829 | OTITIS MEDIA NOS | 64 | 83 | 67 | 301 | 75.25 | | |
| 86 | 7865 | CHEST PAIN | 55 | 71 | 90 | 304 | 76 | | |
| 87 | 5990 | URINARY TRACT INFECTION | 94 | 43 | 80 | 308 | 77 | | |
| 88 | 4111 | INTERMEDIATE CORONARY SYNDROME | 77 | 54 | 91 | 308 | 77 | | |
| 89 | 6640 | 1ST DEGREE LACERATION PERINEUM | 70 | 82 | 88 | 308 | 77 | | |
| 90 | 7890 | ABDOMINAL PAIN | 93 | 61 | 85 | 312 | 78 | | |
| 91 | 6522 | BREECH PRESENT W/O VERSION | 71 | 100 | 49 | 315 | 78.75 | | |
| 92 | 7802 | SYNCOPE AND COLLAPSE | 74 | 87 | 76 | 316 | 79 | | |
| 93 | 4280 | CONGESTIVE HEART FAILURE | 88 | 52 | 96 | 325 | 81.25 | | |
| 94 | V300 | SIBAL INFANT BORN IN HOSP | 82 | 96 | 94 | 327 | 81.75 | | |
| 95 | 4939 | ASTHMA NOS | 78 | 75 | 100 | 351 | 87.75 | | |
| 96 | 5908 | PYELOPHRITIS/PYONEPHROSIS | 100 | 90 | 84 | 358 | 89.5 | | |
| 97 | 5409 | ACUTE APPENDICITIS W/O PERITON | 98 | 99 | 83 | 361 | 90.25 | | |
| 98 | 5741 | CALCULUS GALLBLADDER W/OTH CHOL | 91 | 95 | 98 | 364 | 91 | | |
| 99 | 6848 | PREVIOUS CESAREAN SECTION | 90 | 93 | 89 | 364 | 91.5 | | |
| 100 | 8809 | TRAUMATIC MENORR | 92 | 94 | 99 | 380 | 95 | | |

GENERAL COEFFICIENT OF CONCURRENCE = .57; CHI SQUARE = 227; p<.001

SECTION 1: OVERALL RANKINGS BY DATA SET: VARIABILITY IN DISPOSITION RATES
TABLE 4. DIRECT CARE AND CHAMPUS DATA COMBINED: BASED ON ADJUSTED RATES

| | | RANKINGS | | | | | SUM | AVG |
|-----|------|--------------------------------|---------|---------|-----------|-----|-----|-------|
| | | MEDCENS | LMEDDRC | MED MED | SMALL MED | | | |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 2 | 3 | 6 | 1 | 10 | 4 |
| 2 | 0449 | MTLV-III/LAV NOS | 24 | 18 | 3 | 2 | 45 | 11.25 |
| 3 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 1 | 24 | 4 | 1 | 46 | 11.5 |
| 4 | 5243 | ANOMALIES TOOTH POSITION | 1 | 17 | 2 | 20 | 47 | 11.75 |
| 5 | 6565 | POOR FETAL GROWTH | 2 | 2 | 24 | 1 | 50 | 12.5 |
| 6 | 5201 | OTH PLASTIC SURG. COSMETIC APP | 51 | 2 | 1 | 1 | 55 | 13.75 |
| 7 | 5206 | DISTURB TOOTH ERUPTION | 4 | 5 | 27 | 20 | 61 | 15.25 |
| 8 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 21 | 18 | 17 | 15 | 71 | 17.75 |
| 9 | 0717 | OBSERVATION SUSP CARDVASC DIS | 52 | 1 | 19 | 6 | 78 | 19.5 |
| 10 | 0670 | FOLLOW-UP EXAM, SURGERY | 14 | 15 | 6 | 41 | 81 | 20.25 |
| 11 | 0340 | STREPTOCOCCAL SORE THROAT | 13 | 6 | 30 | 34 | 88 | 22 |
| 12 | 0581 | AFTERCARE MAINT CHEMOTHERAPY | 16 | 36 | 9 | 30 | 91 | 22.75 |
| 13 | 6459 | ACUTE UPPER RESP INFECT | 17 | 4 | 20 | 48 | 94 | 23.5 |
| 14 | 0675 | F/U EXAM, OTHER TREATMENT | 50 | 22 | 15 | 7 | 94 | 23.5 |
| 15 | 0718 | OBSERVATION OTH SPECIFIED COND | 22 | 34 | 13 | 26 | 95 | 23.75 |
| 16 | 6631 | UMBILICAL CORD AROUND NECK | 14 | 26 | 47 | 11 | 98 | 24.5 |
| 17 | 2765 | VOLUME DEPLETION | 48 | 13 | 33 | 17 | 111 | 27.75 |
| 18 | 463 | ACUTE TONSILLITIS | 25 | 14 | 7 | 66 | 112 | 28 |
| 19 | 0288 | ANTENATAL SCREENING | 1 | 10 | 5 | 100 | 116 | 29 |
| 20 | 462 | ACUTE PHARYNGITIS | 23 | 7 | 35 | 52 | 117 | 29.25 |
| 21 | 6642 | 3RD DEGREE LACERATION PERINEUM | 36 | 46 | 22 | 14 | 118 | 29.5 |
| 22 | 7159 | OSTEOARTHRITIS | 33 | 48 | 23 | 21 | 125 | 31.25 |
| 23 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 10 | 31 | 16 | 73 | 130 | 32.5 |
| 24 | 6221 | DYSPLASIA OF CERVIX | 11 | 57 | 59 | 8 | 135 | 33.75 |
| 25 | 6488 | ABNL GLUC TOL TEST IN PREGNCT | 29 | 60 | 36 | 16 | 141 | 35.25 |
| 26 | 6430 | MILD HYPERTENSIS GRAVIDARUM | 6 | 12 | 45 | 84 | 147 | 36.75 |
| 27 | 0799 | VIRAL INFECT, NOS | 32 | 38 | 14 | 64 | 148 | 37 |
| 28 | 2113 | BENIGN NEOPLAS, COLON | 27 | 92 | 12 | 18 | 149 | 37.25 |
| 29 | 3092 | ADJUST REACT W/DIST OTH EMOT | 61 | 19 | 46 | 23 | 149 | 37.25 |
| 30 | 5920 | CALCULUS OF KIDNEY | 7 | 50 | 11 | 82 | 150 | 37.5 |
| 31 | 632 | MISSED ABORTION | 34 | 47 | 63 | 10 | 154 | 38.5 |
| 32 | 185 | CANCER, PROSTATE | 77 | 21 | 18 | 40 | 156 | 39 |
| 33 | 6641 | 2ND DEGREE LACERATION PERINEUM | 26 | 59 | 21 | 51 | 157 | 39.25 |
| 34 | 3669 | CATARACT NOS | 91 | 41 | 26 | 4 | 162 | 40.5 |
| 35 | 4140 | CORONARY ARTERIOSCLEROSIS | 45 | 23 | 10 | 85 | 163 | 40.75 |
| 36 | 600 | HYPERTENSIA OF PROSTATE | 76 | 30 | 25 | 35 | 166 | 41.5 |
| 37 | 5921 | CALCULUS OF URETER | 41 | 37 | 37 | 53 | 168 | 42 |
| 38 | 6450 | PROLONGED PREGNANCY | 20 | 44 | 43 | 61 | 168 | 42 |
| 39 | 490 | BRONCHITIS | 59 | 39 | 39 | 32 | 169 | 42.25 |
| 40 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 15 | 25 | 79 | 28 | 171 | 42.75 |
| 41 | 6441 | THREATENED LABOR (<37WKS) | 15 | 11 | 91 | 58 | 175 | 43.75 |
| 42 | 1629 | CANCER, BRONCHUS/LUNG NOS | 55 | 54 | 29 | 38 | 176 | 44 |
| 43 | 4740 | CHRONIC TONSILLITIS | 46 | 29 | 61 | 49 | 185 | 46.25 |
| 44 | 0529 | VARICELLA W/O COMPLICATIONS | 64 | 4 | 68 | 50 | 186 | 46.5 |
| 45 | 6440 | THREATENED PREM LABOR | 12 | 94 | 49 | 31 | 186 | 46.5 |
| 46 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 18 | 78 | 69 | 24 | 189 | 47.25 |
| 47 | 6424 | MILD/UNSPEC PREECLAMPSIA | 28 | 62 | 65 | 36 | 191 | 47.75 |
| 48 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 35 | 79 | 40 | 37 | 191 | 47.75 |
| 49 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 30 | 49 | 51 | 62 | 192 | 48 |
| 50 | 6612 | OTH/UNSPEC UTERINE INERTIA | 3 | 88 | 50 | 54 | 195 | 48.75 |
| 51 | 6563 | FETAL DISTRESS | 47 | 91 | 42 | 19 | 199 | 49.75 |
| 52 | 7242 | LUMBAGO | 62 | 32 | 38 | 67 | 199 | 49.75 |
| 53 | 470 | DEVIATED NASAL SEPTUM | 44 | 70 | 41 | 45 | 200 | 50 |
| 54 | 6433 | UMBILICAL CORD ENTANGLEMENT | 37 | 51 | 70 | 44 | 202 | 50.5 |
| 55 | 3050 | DRUG ABUSE, ALCOHOL | 57 | 40 | 67 | 42 | 206 | 51.5 |
| 56 | 7350 | MALLUM VALGUS | 53 | 65 | 71 | 27 | 216 | 54 |
| 57 | 4139 | ANGINA, OTHER AND UNSPEC | 81 | 67 | 48 | 22 | 218 | 54.5 |
| 58 | 5589 | GASTROENTERITIS | 93 | 35 | 31 | 60 | 219 | 54.75 |
| 59 | 496 | CHRONIC AIRWAY OBSTRUCTION | 65 | 28 | 81 | 46 | 220 | 55 |
| 60 | 7221 | DISPLACEMENT INTERVORTAL DISC | 67 | 83 | 28 | 43 | 221 | 55.25 |
| 61 | 7270 | SYNOVITIS/TENOSYNOVITIS | 80 | 55 | 74 | 12 | 221 | 55.25 |
| 62 | 6262 | EXCESSIVE/FRED MENSTRUATION | 83 | 52 | 82 | 5 | 223 | 55.75 |
| 63 | 650 | DELIVERY IN NORMAL CASE | 31 | 42 | 84 | 24 | 231 | 57.75 |
| 64 | 6466 | INFECT GU TRACT IN PREGNANCY | 38 | 74 | 58 | 64 | 239 | 59.75 |
| 65 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 63 | 82 | 62 | 33 | 240 | 60 |
| 66 | 2189 | LEIOMYOMA, UTERUS, NOS | 40 | 71 | 53 | 71 | 243 | 60.75 |
| 67 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 66 | 90 | 60 | 29 | 245 | 61.25 |
| 68 | 5301 | ESOPHAGITIS | 42 | 86 | 32 | 88 | 248 | 62 |
| 69 | 3540 | CARPAL TUNNEL SYNDROME | 85 | 33 | 85 | 47 | 250 | 62.5 |
| 70 | 5621 | DIVERTICULA OF COLON | 68 | 99 | 34 | 55 | 256 | 64 |
| 71 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 56 | 84 | 44 | 76 | 260 | 65 |
| 72 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 49 | 63 | 76 | 78 | 266 | 66.5 |
| 73 | 7803 | CONVULSIONS | 43 | 87 | 55 | 81 | 266 | 66.5 |
| 74 | 6349 | SPONTANEOUS ABORTION | 88 | 69 | 86 | 34 | 277 | 69.25 |
| 75 | 5789 | HEMORRHAGE GI TRACT NOS | 71 | 61 | 54 | 91 | 277 | 69.25 |
| 76 | 4111 | INTERMEDIATE CORONARY SYNDROME | 69 | 43 | 95 | 71 | 278 | 69.5 |
| 77 | 0252 | STERILIZATION | 89 | 45 | 80 | 70 | 284 | 71 |
| 78 | 3829 | OTITIS MEDIA NOS | 54 | 81 | 57 | 94 | 286 | 71.5 |
| 79 | 7274 | PNEUMONIA, ORGANISM UNSPEC | 86 | 66 | 75 | 59 | 286 | 71.5 |
| 80 | 486 | OTHER CELLULITIS/ABSCESS LEG | 75 | 20 | 93 | 99 | 287 | 71.75 |
| 81 | 6826 | ATRIAL FIBRILLATION/FLUTTER | 98 | 56 | 66 | 72 | 292 | 73 |
| 82 | 4273 | 1ST DEGREE LACERATION PERINEUM | 90 | 68 | 56 | 80 | 294 | 73.5 |
| 83 | 6440 | CANCER, BREAST, FEM, NOS | 74 | 89 | 52 | 79 | 294 | 73.5 |
| 84 | 1749 | ALCOHOL DEPENDENCE | 82 | 52 | 73 | 87 | 294 | 73.5 |
| 85 | 3039 | CHEST PAIN | 60 | 80 | 64 | 95 | 299 | 74.75 |
| 86 | 7865 | URINARY TRACT INFECTION | 58 | 58 | 96 | 90 | 302 | 75.5 |
| 87 | 5990 | BREACH PRESENT W/O VERSION | 96 | 27 | 89 | 92 | 304 | 76 |
| 88 | 6522 | INTRACRANIAL INJURY, NEC/NOS | 73 | 98 | 77 | 57 | 305 | 76.25 |
| 89 | 8540 | PREVIOUS CESARIAN SECTION | 78 | 72 | 78 | 83 | 311 | 77.75 |
| 90 | 6542 | SINGL INFANT BORN IN HOSP | 84 | 64 | 72 | 97 | 317 | 79.25 |
| 91 | 0300 | CONGESTIVE HEART FAILURE | 72 | 85 | 100 | 63 | 320 | 80 |
| 92 | 4280 | REMOVAL FX PLATE/FIXTN DEVICE | 97 | 77 | 92 | 56 | 322 | 80.5 |
| 93 | 0540 | ABDOMINAL PAIN | 94 | 75 | 90 | 65 | 324 | 81 |
| 94 | 7802 | SYNCOPE AND COLLAPSE | 92 | 71 | 94 | 75 | 332 | 83 |
| 95 | 7802 | CALCULUS GALLBLDOR W/OTH CHOL | 70 | 93 | 83 | 86 | 332 | 83 |
| 96 | 5741 | ASTHMA NOS | 87 | 95 | 98 | 68 | 348 | 87 |
| 97 | 4939 | MYELOMENINGEAL CYST | 79 | 76 | 99 | 98 | 352 | 88 |
| 98 | 5908 | ACUTE APPENDICITIS W/O PERITON | 100 | 96 | 87 | 89 | 372 | 93 |
| 99 | 5409 | INHERENT HEMIP | 99 | 100 | 88 | 93 | 380 | 95 |
| 100 | 5889 | INHERENT HEMIP | 95 | 97 | 97 | 96 | 385 | 96.25 |

OVERALL COEFFICIENT OF CONCORDANCE = .58; CHI SQUARE = 230; p<0.001

SECTION 1: OVERALL RANKINGS BY DATA SET: VARIABILITY IN DISPOSITION RATES
TABLE 5. RANKINGS ACROSS DATA GROUPS

| RANK | CODE | DIAGNOSIS | DATA GROUPS | | | | SUM | AVG |
|------|------|---------------------------------|-------------|---------|----------|----------------|-----|-------|
| | | | DIR CRD | DIR ADJ | DIR+CHAM | CRDIR+CHAM ADJ | | |
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 1 | 1 | 1 | 1 | 4 | 1 |
| 2 | 0444 | HTLV-III/LAV NOS | 4 | 4 | 4 | 4 | 12 | 3 |
| 3 | 6565 | POOR FETAL GROWTH | 3 | 3 | 3 | 3 | 14 | 3.5 |
| 4 | V501 | OTH PLASTIC SURG. COSMETIC APP | 5 | 5 | 5 | 5 | 20 | 5 |
| 5 | 5243 | ANOMALIES TOOTH POSITION | 6 | 6 | 6 | 6 | 21 | 5.25 |
| 6 | V581 | AFTERCARE MAINT CHEMOTHERAPY | 2 | 2 | 13 | 12 | 29 | 7.25 |
| 7 | 5206 | DISTURB TOOTH ERUPTION | 11 | 8 | 6 | 7 | 32 | 8 |
| 8 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 9 | 7 | 9 | 8 | 33 | 8.25 |
| 9 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 7 | 9 | 15 | 3 | 34 | 8.5 |
| 10 | V670 | FOLLOW-UP EXAM, SURGERY | 15 | 12 | 7 | 10 | 44 | 11 |
| 11 | V717 | OBSERVATION SUSP CARDIOVASC DIS | 16 | 10 | 12 | 9 | 47 | 11.75 |
| 12 | 4659 | ACUTE UPPER RESP INFECT | 17 | 15 | 8 | 13 | 53 | 13.25 |
| 13 | 0340 | STREPTOCOCCAL SORE THROAT | 12 | 24 | 10 | 11 | 57 | 14.25 |
| 14 | 2765 | VOLUME DEPLETION | 14 | 14 | 14 | 17 | 59 | 14.75 |
| 15 | V675 | F/U EXAM, OTHER TREATMENT | 19 | 22 | 11 | 14 | 66 | 16.5 |
| 16 | V288 | ANTENATAL SCREENING | 18 | 19 | 18 | 19 | 74 | 18.5 |
| 17 | 6631 | UMBILICAL CORD AROUND NECK | 25 | 18 | 17 | 16 | 76 | 19 |
| 18 | 4140 | CORONARY ARTERIOSCLEROSIS | 13 | 13 | 21 | 35 | 82 | 20.5 |
| 19 | V718 | OBSERVATION OTH SPECIFIED COND | 26 | 26 | 16 | 15 | 83 | 20.75 |
| 20 | 6442 | EARLY ONSET DELIVERY (<37WKS) | 8 | 16 | 29 | 40 | 93 | 23.25 |
| 21 | 7159 | OSTEOARTHRITIS | 22 | 30 | 24 | 22 | 98 | 24.5 |
| 22 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 23 | 17 | 32 | 26 | 98 | 24.5 |
| 23 | 462 | ACUTE PHARYNGITIS | 29 | 34 | 19 | 20 | 102 | 25.5 |
| 24 | 6642 | 3RD DEGREE LACERATION PERINEUM | 34 | 28 | 26 | 21 | 109 | 27.25 |
| 25 | 6221 | DYSPLASIA OF CERVIX | 30 | 35 | 20 | 24 | 109 | 27.25 |
| 26 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 31 | 33 | 23 | 23 | 110 | 27.5 |
| 27 | 5920 | CALCULUS OF KIDNEY | 21 | 32 | 28 | 30 | 111 | 27.75 |
| 28 | 3092 | ADJUST REACT W/DIST OTH EMOT | 32 | 21 | 34 | 29 | 116 | 29 |
| 29 | 463 | ACUTE TONSILLITIS | 43 | 27 | 30 | 18 | 118 | 29.5 |
| 30 | 6633 | UMBILICAL CORD ENTANGLEMENT | 10 | 11 | 46 | 54 | 121 | 30.25 |
| 31 | 6450 | PROLONGED PREGNANCY | 24 | 29 | 36 | 38 | 127 | 31.75 |
| 32 | 6441 | THREATENED LABOR (>37WKS) | 20 | 25 | 41 | 41 | 127 | 31.75 |
| 33 | 6641 | 2ND DEGREE LACERATION PERINEUM | 28 | 20 | 47 | 33 | 128 | 32 |
| 34 | 6488 | ABNL GLUC TOL TEST IN PREGN | 35 | 31 | 37 | 25 | 128 | 32 |
| 35 | 632 | MISSED ABORTION | 37 | 39 | 27 | 31 | 134 | 33.5 |
| 36 | 2113 | BENIGN NEOPLASM, COLON | 39 | 43 | 25 | 28 | 135 | 33.75 |
| 37 | 5921 | CALCULUS OF URETER | 33 | 37 | 33 | 37 | 140 | 35 |
| 38 | 0799 | VIRAL INFECT, NOS | 46 | 41 | 31 | 27 | 145 | 36.25 |
| 39 | 1629 | CANCER, BRONCHUS/LUNG NOS | 36 | 51 | 22 | 42 | 151 | 37.75 |
| 40 | 6612 | OTH/UNSPEC UTERINE INERTIA | 27 | 23 | 53 | 50 | 153 | 38.25 |
| 41 | 600 | HYPERPLASIA OF PROSTATE | 40 | 45 | 45 | 36 | 166 | 41.5 |
| 42 | 6424 | MILD/UNSPEC PREECLAMPSIA | 38 | 38 | 43 | 47 | 166 | 41.5 |
| 43 | 3669 | CATARACT NOS | 53 | 48 | 40 | 34 | 175 | 43.75 |
| 44 | 6563 | FETAL DISTRESS | 41 | 46 | 42 | 51 | 180 | 45 |
| 45 | 6440 | THREATENED PREM LABOR | 44 | 42 | 49 | 45 | 180 | 45 |
| 46 | 185 | CANCER, PROSTATE | 56 | 50 | 44 | 32 | 182 | 45.5 |
| 47 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 45 | 36 | 52 | 49 | 182 | 45.5 |
| 48 | 490 | BRONCHITIS | 51 | 56 | 38 | 39 | 184 | 46 |
| 49 | 4740 | CHRONIC TONSILLITIS | 50 | 44 | 48 | 43 | 185 | 46.25 |
| 50 | 470 | DEVIATED NASAL SEPTUM | 48 | 57 | 35 | 53 | 193 | 48.25 |
| 51 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 52 | 52 | 50 | 48 | 202 | 50.5 |
| 52 | 3050 | DRUG ABUSE, ALCOHOL | 55 | 53 | 39 | 55 | 202 | 50.5 |
| 53 | 7221 | DISPLACEMENT INTVERTBRAL DISC | 42 | 47 | 55 | 60 | 204 | 51 |
| 54 | 0529 | VARICELLA W/O COMPLICATIONS | 54 | 63 | 51 | 44 | 212 | 53 |
| 55 | 4139 | ANGINA, OTHER AND UNSPEC | 47 | 61 | 54 | 57 | 219 | 54.75 |
| 56 | 650 | DELIVERY IN NORMAL CASE | 49 | 40 | 73 | 63 | 225 | 56.25 |
| 57 | 7242 | LUMBAGO | 62 | 64 | 56 | 52 | 234 | 58.5 |
| 58 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 64 | 66 | 59 | 46 | 235 | 58.75 |
| 59 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 59 | 60 | 64 | 62 | 245 | 61.25 |
| 60 | 5589 | GASTROENTERITIS | 67 | 65 | 57 | 58 | 247 | 61.75 |
| 61 | 2189 | LEIOMYOMA, UTERUS, NOS | 57 | 58 | 66 | 66 | 247 | 61.75 |
| 62 | 6466 | INFECT GU TRACT IN PREGNANCY | 66 | 54 | 72 | 64 | 256 | 64 |
| 63 | 496 | CHRONIC AIRWAY OBSTRUCTION | 74 | 62 | 63 | 59 | 258 | 64.5 |
| 64 | 7350 | HALLUX VALGUS | 75 | 70 | 60 | 56 | 261 | 65.25 |
| 65 | 7270 | SYNOVITIS/TEMOSYNOVITIS | 72 | 73 | 62 | 61 | 273 | 68.25 |
| 66 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 72 | 71 | 61 | 67 | 277 | 69.25 |
| 67 | 5301 | ESOPHAGITIS | 68 | 76 | 69 | 68 | 281 | 70.25 |
| 68 | 3039 | ALCOHOL DEPENDENCE | 58 | 69 | 70 | 85 | 282 | 70.5 |
| 69 | 4111 | INTERMEDIATE CORONARY SYNDROME | 61 | 59 | 88 | 76 | 284 | 71 |
| 70 | 6640 | 1ST DEGREE LACERATION PERINEUM | 60 | 55 | 89 | 83 | 287 | 71.75 |
| 71 | 5621 | DIVERTICULA OF COLON | 78 | 71 | 71 | 70 | 290 | 72.5 |
| 72 | 7803 | CONVULSIONS | 71 | 74 | 75 | 73 | 293 | 73.25 |
| 73 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 80 | 78 | 65 | 72 | 295 | 73.75 |
| 74 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 89 | 75 | 67 | 65 | 296 | 74 |
| 75 | 1749 | CANCER, BREAST, FEM, NOS | 69 | 88 | 58 | 84 | 299 | 74.75 |
| 76 | 3540 | CARPAL TUNNEL SYNDROME | 82 | 81 | 68 | 69 | 300 | 75 |
| 77 | 6542 | PREVIOUS CESARIAN SECTION | 63 | 49 | 99 | 90 | 301 | 75.25 |
| 78 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 65 | 83 | 77 | 82 | 307 | 76.75 |
| 79 | 0888 | INTESTINAL INFECT, OTH ORG NEC | 83 | 79 | 80 | 71 | 313 | 78.25 |
| 80 | 6522 | BREECH PRESENT W/O VERSION | 73 | 67 | 91 | 88 | 319 | 79.75 |
| 81 | 7865 | CHEST PAIN | 76 | 72 | 86 | 86 | 320 | 80 |
| 82 | 486 | PNEUMONIA, ORGANISM UNSPFD | 81 | 82 | 79 | 80 | 322 | 80.5 |
| 83 | 5789 | HEMORRHAGE GI TRACT NOS | 87 | 87 | 74 | 75 | 323 | 80.75 |
| 84 | 6349 | SPONTANEOUS ABORTION | 86 | 84 | 81 | 74 | 325 | 81.25 |
| 85 | 3829 | OTITIS MEDIA NOS | 88 | 80 | 85 | 78 | 331 | 82.75 |
| 86 | 6826 | OTHER CELLULITIS/ABSCESS LEG | 84 | 90 | 76 | 81 | 331 | 82.75 |
| 87 | V300 | SINGL INFANT BORN IN HOSP | 79 | 68 | 94 | 81 | 332 | 83 |
| 88 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 85 | 85 | 78 | 89 | 337 | 84.25 |
| 89 | V252 | STERILIZATION | 92 | 91 | 82 | 77 | 342 | 85.5 |
| 90 | 4280 | CONGESTIVE HEART FAILURE | 70 | 89 | 93 | 92 | 344 | 86 |
| 91 | 7274 | GANGLION CYST | 94 | 93 | 83 | 79 | 349 | 87.25 |
| 92 | 5990 | URINARY TRACT INFECTION | 91 | 86 | 87 | 87 | 351 | 87.75 |
| 93 | 7802 | SYNCOPE AND COLLAPSE | 90 | 92 | 92 | 95 | 369 | 92.25 |
| 94 | V540 | REMOVAL FX PLATE/FIXTN DEVICE | 97 | 95 | 84 | 93 | 369 | 92.25 |
| 95 | 7830 | ABDOMINAL PAIN | 93 | 94 | 90 | 94 | 371 | 92.75 |
| 96 | 4939 | ASTHMA NOS | 95 | 96 | 95 | 97 | 383 | 95.75 |
| 97 | 3741 | CALCULUS GALLBLDOR W/OTH CHOL | 96 | 97 | 98 | 96 | 387 | 96.75 |
| 98 | 5908 | PYELOPHRITIS/PYONEPHROSIS | 98 | 99 | 96 | 98 | 391 | 97.75 |
| 99 | 5409 | ACUTE APPENDICITIS W/O PERITON | 99 | 98 | 97 | 99 | 393 | 98.25 |
| 100 | 8809 | INGUINAL HERNIA | 100 | 100 | 100 | 100 | 400 | 100 |

OVERALL COEFFICIENT OF CONCORDANCE = .95; CHI 50 = 376; p<.001

SECTION J: OVERALL RANKINGS BY DATA SET: VARIABILITY IN AVERAGE LENGTH OF STAY RATES
TABLE 1. DIRECT CARE: BASED ON CRUDE RATES

| | | MEDCENS | LMEDDAC | MED MED | SHLC MED | SUM | AVG |
|----------|---------------------------------|---------|---------|---------|----------|-----|-------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 2 | 9 | 2 | 1 | 14 | 3.5 |
| 2 V501 | OTH PLASTIC SURG. COSMETIC APP | 25 | 1 | 1 | 4 | 31 | 7.75 |
| 3 6565 | POOR FETAL GROWTH | 10 | 8 | 4 | 5 | 32 | 8 |
| 4 0449 | HTLV-III/LAV NOS | 24 | 4 | 3 | 3 | 34 | 8.5 |
| 5 7270 | SYNOVITIS/TENDOSYNOVITIS | 3 | 2 | 14 | 24 | 43 | 10.75 |
| 6 V675 | F/U EXAM, OTHER TREATMENT | 15 | 3 | 5 | 36 | 49 | 12.25 |
| 7 1 2 | ADJUST REACT W/DIST OTH EMOT | 19 | 16 | 28 | 6 | 69 | 17.25 |
| 8 V 1 | FOLLOW-UP EXAM, SURGERY | 26 | 5 | 29 | 31 | 91 | 22.75 |
| 9 2113 | BENIGN NEOPLASM, COLON | 7 | 17 | 20 | 47 | 91 | 22.75 |
| 10 6488 | ABNL GLUC TOL TEST IN PREGNVCY | 13 | 31 | 38 | 11 | 93 | 23.25 |
| 11 5243 | ANOMALIES TOOTH POSITION | 35 | 12 | 13 | 37 | 97 | 24.25 |
| 12 V581 | AFTERCARE MAINT CHEMOTHERAPY | 80 | 6 | 9 | 7 | 102 | 25.5 |
| 13 4149 | CHRONIC ISCHEMIC HEART DISEASE | 16 | 25 | 27 | 38 | 106 | 26.5 |
| 14 6450 | PROLONGED PREGNANCY | 22 | 59 | 16 | 9 | 106 | 26.5 |
| 15 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 27 | 18 | 34 | 28 | 107 | 26.75 |
| 16 185 | CANCER, PROSTATE | 29 | 35 | 24 | 27 | 115 | 28.75 |
| 17 6441 | THREATENED LABOR (+37WKS) | 1 | 57 | 44 | 17 | 120 | 30 |
| 18 8540 | INTRACRANIAL INJURY, NEC/NOS | 8 | 46 | 11 | 55 | 120 | 30.25 |
| 19 4140 | CORONARY ARTERIOSCLEROSIS | 39 | 14 | 15 | 53 | 121 | 30.25 |
| 20 7178 | OTH SPEC INT DERANGEMENT KNEE | 59 | 10 | 23 | 32 | 124 | 31 |
| 21 6612 | OTH/UNSPEC UTERINE INERTIA | 33 | 65 | 26 | 2 | 126 | 31.5 |
| 22 470 | DEVIATED NASAL SEPTUM | 32 | 34 | 12 | 48 | 126 | 31.5 |
| 23 1629 | CANCER, BRONCHUS/LUNG NOS | 34 | 28 | 36 | 30 | 128 | 32 |
| 24 6522 | BREECH PRESENT W/O VERSION | 46 | 26 | 40 | 16 | 128 | 32 |
| 25 3050 | DRUG ABUSE, ALCOHOL | 12 | 23 | 45 | 51 | 131 | 32.75 |
| 26 V288 | ANTENATAL SCREENING | 9 | 22 | 6 | 100 | 137 | 34.25 |
| 27 6424 | MILD/UNSPEC PREECLAMPSIA | 36 | 52 | 43 | 8 | 139 | 34.75 |
| 28 V717 | OBSERVATION SUSP CARDIOVASC DIS | 75 | 7 | 8 | 50 | 140 | 35 |
| 29 600 | HYPERPLASIA OF PROSTATE | 37 | 54 | 21 | 33 | 145 | 36.25 |
| 30 3039 | ALCOHOL DEPENDENCE | 14 | 29 | 30 | 74 | 147 | 36.75 |
| 31 7803 | CONVULSIONS | 30 | 41 | 22 | 58 | 151 | 37.75 |
| 32 2765 | VOLUME DEPLETION | 4 | 69 | 7 | 72 | 152 | 38 |
| 33 3669 | CATARACT NOS | 60 | 19 | 48 | 26 | 153 | 38.25 |
| 34 7159 | OSTEOARTHRITIS | 69 | 37 | 18 | 29 | 153 | 38.25 |
| 35 6633 | UMBILICAL CORD ENTANGLEMENT | 20 | 91 | 33 | 13 | 157 | 39.25 |
| 36 6563 | FETAL DISTRESS | 31 | 62 | 53 | 15 | 161 | 40.25 |
| 37 V540 | REMOVAL FX PLATE/FIXTN DEVICE | 38 | 33 | 41 | 56 | 168 | 42 |
| 38 4111 | INTERMEDIATE CORONARY SYNDROME | 28 | 20 | 80 | 45 | 173 | 43.25 |
| 39 6430 | MILD HYPEREMESIS GRAVIDARUM | 21 | 27 | 67 | 60 | 175 | 43.75 |
| 40 6442 | EARLY ONSET DELIVERY (+37WKS) | 23 | 100 | 39 | 14 | 176 | 44 |
| 41 6440 | THREATENED PREM LABOR | 11 | 93 | 50 | 22 | 176 | 44 |
| 42 5621 | DIVERTICULA OF COLON | 40 | 32 | 47 | 65 | 184 | 46 |
| 43 7802 | SYNCOPE AND COLLAPSE | 65 | 21 | 60 | 39 | 185 | 46.25 |
| 44 6631 | UMBILICAL CORD AROUND NECK | 42 | 92 | 37 | 18 | 189 | 47.25 |
| 45 4740 | CHRONIC TONSILLITIS | 58 | 70 | 19 | 43 | 190 | 47.5 |
| 46 7350 | MALLUM VALGUS | 62 | 15 | 62 | 52 | 191 | 47.75 |
| 47 6641 | 2ND DEGREE LACERATION PERINEUM | 51 | 67 | 63 | 10 | 191 | 47.75 |
| 48 4280 | CONGESTIVE HEART FAILURE | 71 | 24 | 32 | 66 | 193 | 48.25 |
| 49 5301 | ESOPHAGITIS | 47 | 98 | 10 | 40 | 195 | 48.75 |
| 50 632 | MISSED ABORTION | 97 | 36 | 42 | 25 | 200 | 50 |
| 51 6542 | PREVIOUS CESARIAN SECTION | 44 | 87 | 59 | 12 | 202 | 50.5 |
| 52 6349 | SPONTANEOUS ABORTION | 10 | 58 | 81 | 54 | 203 | 50.75 |
| 53 6466 | INFECT GU TRACT IN PREGNANCY | 18 | 99 | 54 | 34 | 205 | 51.25 |
| 54 V300 | SINGL INFANT BORN IN HOSP | 43 | 79 | 61 | 23 | 206 | 51.5 |
| 55 7242 | LUMBAGO | 64 | 48 | 25 | 70 | 207 | 51.75 |
| 56 5920 | CALCULUS OF KIDNEY | 66 | 11 | 70 | 61 | 208 | 52 |
| 57 4741 | HYPERTROPHY TONSILS/ADENOIDS | 70 | 63 | 17 | 59 | 209 | 52.25 |
| 58 5206 | DISTURB TOOTH ERUPTION | 95 | 39 | 35 | 42 | 211 | 52.75 |
| 59 6640 | 1ST DEGREE LACERATION PERINEUM | 53 | 84 | 55 | 20 | 212 | 53 |
| 60 5355 | GASTRITIS/GASTROENTERITIS NOS | 6 | 45 | 84 | 78 | 213 | 53.25 |
| 61 4139 | ANGINA, OTHER AND UNSPEC | 41 | 50 | 82 | 44 | 217 | 54.25 |
| 62 6101 | DIFFUSE CYSTIC MASTOPATHY | 17 | 56 | 73 | 71 | 217 | 54.25 |
| 63 6642 | 3RD DEGREE LACERATION PERINEUM | 49 | 96 | 56 | 19 | 220 | 55 |
| 64 650 | DELIVERY IN NORMAL CASE | 52 | 97 | 57 | 21 | 227 | 56.75 |
| 65 6221 | DYSPLASIA OF CERVIX | 45 | 75 | 74 | 35 | 229 | 57.25 |
| 66 7221 | DISPLACEMENT INTVERTBRAL DISC | 77 | 38 | 58 | 57 | 230 | 57.5 |
| 67 1749 | CANCER, BREAST, FEM. NOS | 95 | 30 | 68 | 44 | 232 | 58 |
| 68 605 | REDUNDANT PREPUCE/PHIMOSIS | 50 | 43 | 52 | 92 | 237 | 59.25 |
| 69 5921 | CALCULUS OF URETER | 90 | 53 | 31 | 67 | 241 | 60.25 |
| 70 6262 | EXCESSIVE/FREQ MENSTRUATION | 55 | 74 | 51 | 64 | 244 | 61 |
| 71 6259 | SYMPTOMS/PAIN FEM GENITAL | 79 | 86 | 46 | 46 | 257 | 64.25 |
| 72 4273 | ATRIAL FIBRILLATION/FLUTTER | 73 | 44 | 66 | 76 | 259 | 64.75 |
| 73 5789 | HEMORRAGE GI TRACT NOS | 63 | 76 | 49 | 73 | 261 | 65.25 |
| 74 7274 | GANGLION CYST | 57 | 55 | 71 | 79 | 262 | 65.5 |
| 75 3829 | OTITIS MEDIA NOS | 82 | 40 | 65 | 80 | 267 | 66.75 |
| 76 4659 | ACUTE UPPER RESP INFECT | 48 | 85 | 79 | 63 | 275 | 68.75 |
| 77 5509 | INGUINAL HERNIA | 56 | 73 | 78 | 69 | 276 | 69 |
| 78 7890 | ABDOMINAL PAIN | 86 | 13 | 87 | 90 | 276 | 69 |
| 79 3540 | CARPAL TUNNEL SYNDROME | 54 | 77 | 64 | 86 | 281 | 70.25 |
| 80 496 | CHRONIC BILIRY OBSTRUCTION | 87 | 61 | 76 | 62 | 286 | 71.5 |
| 81 V718 | OBSERVATION OTH SPECIFIED COMD | 68 | 51 | 86 | 81 | 286 | 71.5 |
| 82 6826 | OTHER CELLULITIS/ABSCESS LEG | 61 | 60 | 83 | 85 | 289 | 72.25 |
| 83 V252 | STERILIZATION | 91 | 42 | 75 | 84 | 292 | 73 |
| 84 5409 | ACUTE APPENDICITIS W/O PERITON | 84 | 49 | 90 | 75 | 298 | 74.5 |
| 85 6146 | PELVIC/PERITON ADHESIONS, FEM | 99 | 88 | 77 | 41 | 305 | 76.25 |
| 86 490 | BRONCHITIS | 88 | 82 | 72 | 82 | 324 | 81 |
| 87 5589 | GASTROENTERITIS | 83 | 64 | 94 | 87 | 328 | 82 |
| 88 5990 | URINARY TRACT INFECTION | 89 | 66 | 85 | 88 | 328 | 82 |
| 89 0529 | VARIICELLA W/O COMPLICATIONS | 67 | 72 | 97 | 93 | 329 | 82.25 |
| 90 486 | PNEUMONIA, ORGANISM UNSPFD | 72 | 81 | 93 | 89 | 335 | 83.75 |
| 91 462 | ACUTE PHARYNGITIS | 78 | 89 | 88 | 83 | 338 | 84.5 |
| 92 5908 | PYELONEPHRITIS/PYONEPHUSIS | 92 | 80 | 69 | 99 | 340 | 85 |
| 93 463 | ACUTE TONSILLITIS | 98 | 47 | 98 | 97 | 340 | 85 |
| 94 7865 | CHEST PAIN | 100 | 71 | 92 | 77 | 340 | 85 |
| 95 4939 | ASTHMA NOS | 76 | 68 | 100 | 98 | 342 | 85.5 |
| 96 0799 | VIRAL INFECT, NOS | 81 | 83 | 91 | 91 | 346 | 86.5 |
| 97 2189 | LEIOMYOMA, UTERUS, NOS | 96 | 94 | 89 | 68 | 347 | 86.75 |
| 98 0088 | INTESTINAL INFECT, OTH ORG NEC | 93 | 78 | 96 | 95 | 362 | 90.5 |
| 99 0340 | STREPTOCOCCAL SORE THROAT | 74 | 95 | 99 | 96 | 364 | 91 |
| 100 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 94 | 90 | 95 | 94 | 373 | 93.25 |

KENDALL COEFFICIENT OF CONCORDANCE = .58; CHI SQUARE = 230; p<.001

SECTION J: OVERALL RANKINGS BY DATA SET: VARIABILITY IN AVERAGE LENGTH OF STAY RATES
TABLE 2. DIRECT CARE: BASED ON ADJUSTED RATES

| | MEDCENS | LMEDDAC | MED MED | SHLE MED | SUM | AVG |
|----------|---------------------------------|---------|---------|----------|-----|-------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 2 | 14 | 1 | 21 | 5.25 |
| 2 6565 | POOR FETAL GROWTH | 14 | 13 | 6 | 38 | 9.5 |
| 3 6501 | OTH PLASTIC SURG, COSMETIC APP | 34 | 1 | 2 | 38 | 9.5 |
| 4 7270 | SYNOVITIS/TENOSYNOVITIS | 6 | 5 | 12 | 46 | 11.5 |
| 5 6675 | F/U EXAM, OTHER TREATMENT | 7 | 6 | 4 | 54 | 13.5 |
| 6 0449 | HTLV-III/LAV NOS | 57 | 4 | 3 | 66 | 16.5 |
| 7 2113 | BENIGN NEOPLASM, COLON | 5 | 40 | 8 | 84 | 21 |
| 8 6488 | ABNL GLUC TOL TEST IN PREGNCT | 11 | 23 | 40 | 85 | 21.25 |
| 9 3092 | ADJUST REACT W/DIST OTH EMOT | 31 | 19 | 30 | 88 | 22 |
| 10 1629 | CANCER, BRONCHUS/LUNG NOS | 8 | 16 | 24 | 91 | 22.75 |
| 11 6522 | BREECH PRESENT W/O VERSION | 47 | 22 | 9 | 94 | 23.5 |
| 12 600 | HYPERPLASIA OF PROSTATE | 26 | 12 | 17 | 96 | 24 |
| 13 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 10 | 20 | 44 | 98 | 24.5 |
| 14 185 | CANCER, PROSTATE | 42 | 5 | 20 | 102 | 25.5 |
| 15 4280 | CONGESTIVE HEART FAILURE | 39 | 2 | 35 | 102 | 25.5 |
| 16 6581 | AFTERCARE MAINT CHEMOTHERAPY | 78 | 9 | 15 | 108 | 27 |
| 17 5243 | ANGMALIES TOOTH POSITION | 20 | 15 | 27 | 108 | 27 |
| 18 7178 | OTH SPEC INT DERRANGEMENT KNEE | 15 | 24 | 47 | 115 | 28.75 |
| 19 6670 | FOLLOW-UP EXAM, SURGERY | 40 | 8 | 36 | 117 | 29.25 |
| 20 8540 | INTRACRANIAL INJURY, NEC/NOS | 3 | 55 | 11 | 120 | 30 |
| 21 6450 | PROLONGED PREGNANCY | 24 | 71 | 21 | 125 | 31.25 |
| 22 4140 | CORONARY ARTERIOSCLEROSIS | 18 | 26 | 28 | 127 | 31.75 |
| 23 4149 | CHRONIC ISCHEMIC HEART DISEASE | 22 | 45 | 26 | 127 | 31.75 |
| 24 6612 | OTH/UNSPEC UTERINE INERTIA | 43 | 61 | 22 | 129 | 32.25 |
| 25 6633 | UMBILICAL CORD ENTANGLEMENT | 29 | 86 | 13 | 140 | 35 |
| 26 3669 | CATARACT NOS | 64 | 10 | 39 | 141 | 35.25 |
| 27 632 | MISSD ABORTION | 67 | 34 | 14 | 142 | 35.5 |
| 28 6441 | THREATENED LABOR (<37WKS) | 1 | 83 | 45 | 144 | 36 |
| 29 6300 | SINGL INFANT BORN IN HOSP | 27 | 36 | 63 | 149 | 37.25 |
| 30 6424 | MILD/UNSPEC PREECLAMPSIA | 32 | 53 | 57 | 149 | 37.25 |
| 31 6563 | FETAL DISTRESS | 36 | 51 | 50 | 151 | 37.75 |
| 32 6288 | ANTENATAL SCREENING | 12 | 29 | 10 | 151 | 37.75 |
| 33 6717 | OBSERVATION SUSP CARDVASC DIS | 74 | 11 | 7 | 153 | 38.25 |
| 34 6542 | PREVIOUS CESARIAN SECTION | 50 | 60 | 32 | 155 | 38.75 |
| 35 3039 | ALCOHOL DEPENDENCE | 38 | 25 | 31 | 160 | 40 |
| 36 496 | CHRONIC AIRWAY OBSTRUCTION | 76 | 7 | 48 | 161 | 40.25 |
| 37 2765 | VOLUME DEPLETION | 4 | 79 | 5 | 162 | 40.5 |
| 38 3050 | DRUG ABUSE, ALCOHOL | 25 | 27 | 53 | 163 | 40.75 |
| 39 6442 | EARLY ONSET DELIVERY (<37WKS) | 19 | 97 | 33 | 166 | 41.5 |
| 40 6641 | 2ND DEGREE LACERATION PERINEUM | 62 | 54 | 43 | 169 | 42.25 |
| 41 7221 | DISPLACEMENT INTVERTBRAL DISC | 9 | 39 | 67 | 171 | 42.75 |
| 42 470 | DEVIATED NASAL SEPTUM | 41 | 63 | 16 | 173 | 43.25 |
| 43 7803 | CONVULSIONS | 37 | 42 | 29 | 177 | 44.25 |
| 44 6430 | MILD HYPEREMESIS GRAVIDARUM | 16 | 32 | 65 | 178 | 44.5 |
| 45 6440 | THREATENED PREM LABOR | 17 | 80 | 62 | 181 | 45.25 |
| 46 6631 | UMBILICAL CORD AROUND NECK | 46 | 78 | 41 | 183 | 45.75 |
| 47 4111 | INTERMEDIATE CORONARY SYNDROME | 60 | 28 | 60 | 188 | 47 |
| 48 6640 | 1ST DEGREE LACERATION PERINEUM | 63 | 64 | 46 | 193 | 48.25 |
| 49 6349 | SPONTANEOUS ABORTION | 28 | 56 | 61 | 195 | 48.75 |
| 50 5621 | DIVERTICULA OF COLON | 56 | 48 | 38 | 196 | 49 |
| 51 5206 | DISTURB TOOTH ERUPTION | 72 | 37 | 42 | 199 | 49.75 |
| 52 6540 | REMOVAL FX PLATE/FIXTN DEVICE | 61 | 33 | 49 | 202 | 50.5 |
| 53 7159 | OSTEOARTHRITIS | 84 | 68 | 19 | 203 | 50.75 |
| 54 7242 | LUMBAGO | 44 | 57 | 34 | 205 | 51.25 |
| 55 4740 | CHRONIC TONSILLITIS | 55 | 88 | 25 | 207 | 51.75 |
| 56 4741 | HYPERTROPHY TONSILS/ADENOIDS | 52 | 69 | 23 | 208 | 52 |
| 57 650 | DELIVERY IN NORMAL CASE | 54 | 84 | 54 | 213 | 53.25 |
| 58 6101 | DIFFUSE CYSTIC MASTOPATHY | 30 | 35 | 72 | 213 | 53.25 |
| 59 7350 | MALLUM VALGUS | 53 | 31 | 71 | 215 | 53.75 |
| 60 4273 | ATRIAL FIBPILLATION/FLUTTER | 77 | 18 | 58 | 216 | 54 |
| 61 6642 | 3RD DEGREE LACERATION PERINEUM | 51 | 94 | 55 | 219 | 54.75 |
| 62 5301 | ESOPHAGITIS | 66 | 95 | 18 | 221 | 55.25 |
| 63 5789 | HEMORRHAGE GI TRACT NOS | 93 | 38 | 56 | 223 | 55.75 |
| 64 5355 | GASTRITIS/GASTROENTERITIS NOS | 13 | 49 | 89 | 230 | 57.5 |
| 65 6466 | INFECT GU TRACT IN PREGNANCY | 23 | 100 | 69 | 230 | 57.5 |
| 66 7802 | SYNCOPE AND COLLAPSE | 83 | 30 | 66 | 231 | 57.75 |
| 67 5920 | CALCULUS OF KIDNEY | 80 | 17 | 76 | 235 | 58.75 |
| 68 605 | REDUNDANT PREPUCE/PNIMOSIS | 49 | 44 | 59 | 248 | 62 |
| 69 4659 | ACUTE UPPER RESP INFECT | 33 | 85 | 73 | 248 | 62 |
| 70 4139 | ANGINA, OTHER AND UNSPEC | 65 | 70 | 70 | 254 | 63.5 |
| 71 6221 | DYSPLASIA OF CERVIX | 59 | 72 | 84 | 259 | 64.75 |
| 72 462 | ACUTE PHARYNGITIS | 35 | 58 | 83 | 264 | 66 |
| 73 7274 | GABLION CYST | 58 | 46 | 80 | 266 | 66.5 |
| 74 0529 | VARICELLA W/O COMPLICATIONS | 21 | 74 | 85 | 267 | 66.75 |
| 75 6146 | PELVIC/PERITON ADHESIONS, FEM | 89 | 59 | 75 | 268 | 67 |
| 76 3829 | OTITIS MEDIA NOS | 70 | 47 | 68 | 275 | 68.75 |
| 77 463 | ACUTE TONSILLITIS | 45 | 73 | 78 | 276 | 69 |
| 78 6259 | SYMPTOMS/PAIN FEM UENITAL | 90 | 66 | 74 | 277 | 69.25 |
| 79 1749 | CANCER, BREAST, FEM, NOS | 96 | 67 | 51 | 281 | 70.25 |
| 80 5921 | CALCULUS OF URETER | 98 | 75 | 37 | 281 | 70.25 |
| 81 0340 | STREPTOCOCCAL SORE THROAT | 48 | 62 | 86 | 282 | 70.5 |
| 82 6262 | EXCESSIVE/FRED MENSTRUATION | 71 | 96 | 52 | 287 | 71.75 |
| 83 5405 | ACUTE APPENDICITIS W/O PERITON | 79 | 41 | 95 | 292 | 73 |
| 84 7890 | ABDOMINAL PAIN | 85 | 21 | 94 | 294 | 73.5 |
| 85 6252 | STERILIZATION | 68 | 52 | 87 | 298 | 74.5 |
| 86 3540 | CARPAL TUNNEL SYNDROME | 69 | 82 | 64 | 308 | 77 |
| 87 5990 | URINARY TRACT INFECTION | 88 | 43 | 92 | 315 | 78.75 |
| 88 6718 | OBSERVATION OTH SPECIFIED CONO | 73 | 76 | 93 | 326 | 81.5 |
| 89 7865 | CHEST PAIN | 94 | 81 | 79 | 326 | 81.5 |
| 90 490 | BRONCHITIS | 75 | 93 | 82 | 328 | 82 |
| 91 5509 | INGUINAL HERNIA | 82 | 87 | 88 | 332 | 83 |
| 92 5908 | PYELONEPHRITIS/PYONEPHOSIS | 61 | 77 | 81 | 338 | 84.5 |
| 93 5741 | CALCULUS GALLBLDDEOR W/OTH CHOL | 100 | 50 | 99 | 346 | 86.5 |
| 94 4939 | ASTHMA NOS | 87 | 65 | 100 | 350 | 87.5 |
| 95 6826 | OTHER CELLULITIS/ABSCESS LEG | 99 | 92 | 77 | 351 | 87.75 |
| 96 0799 | VIRAL INFECT, NOS | 86 | 98 | 91 | 356 | 89 |
| 97 2189 | LEIOMYOMA, UTERUS, NOS | 97 | 99 | 90 | 359 | 89.75 |
| 98 5589 | GASTROENTERITIS | 91 | 89 | 97 | 362 | 90.5 |
| 99 486 | PNEUMONIA, ORGANISM UNSPFD | 95 | 91 | 96 | 371 | 92.75 |
| 100 0088 | INTESTINAL INFECT, OTH ORG NEC | 92 | 90 | 98 | 375 | 93.75 |

KENDALL COEFFICIENT OF CONCORDANCE = .58; CHI SQUARE = 230; p<.001

SECTION J: OVERALL RANKINGS BY DATA SET: VARIABILITY IN AVERAGE LENGTH OF STAY RATES
TABLE 3. DIRECT CARE AND CHAMPUS COMBINED: BASED ON CRUDE RATES

| | | MEDCENS | LMEDDAC | MED | MED | SMALL | MED | SUM | AVG |
|-----|------|---------------------------------|---------|-----|-----|-------|-----|-----|-------|
| 1 | 6566 | EXCESSIVE FETAL GROWTH | 2 | 7 | 3 | 6 | | 18 | 4.5 |
| 2 | 6775 | F/U EXAM, OTHER TREATMENT | 5 | 3 | 5 | 11 | | 24 | 6 |
| 3 | 7270 | SYNOVITIS/TENOSYNOVITIS | 3 | 2 | 10 | 10 | | 25 | 6.25 |
| 4 | 0449 | MTLV-III/LAV NOS | 19 | 4 | 2 | 2 | | 27 | 6.75 |
| 5 | 0501 | OTH PLASTIC SURG, COSMETIC APP | 29 | 1 | 1 | 1 | | 32 | 8 |
| 6 | 2113 | BENIGN NEOPLASM, COLON | 9 | 18 | 11 | 3 | | 41 | 10.25 |
| 7 | 6565 | POOR FETAL GROWTH | 11 | 6 | 17 | 18 | | 52 | 13 |
| 8 | 5243 | ANOMALIES TOOTH POSITION | 26 | 10 | 4 | 17 | | 57 | 14.25 |
| 9 | 0670 | FOLLOW-UP EXAM, SURGERY | 18 | 5 | 19 | 16 | | 58 | 14.5 |
| 10 | 4149 | CHRONIC ISCHEMIC HEART DISEASE | 22 | 21 | 14 | 14 | | 71 | 17.75 |
| 11 | 7178 | OTH SPEC INT DERANGEMENT KNEE | 40 | 9 | 12 | 12 | | 73 | 18.25 |
| 12 | 8540 | INTRACRANIAL INJURY, NEC/NOS | 8 | 57 | 16 | 5 | | 86 | 21.5 |
| 13 | 3092 | ADJUST REACT W/DIST OTH EMOT | 16 | 11 | 46 | 22 | | 95 | 23.75 |
| 14 | 3050 | DRUG ABUSE, ALCOHOL | 43 | 28 | 24 | 7 | | 102 | 25.5 |
| 15 | 7350 | HALLUX VALGUS | 30 | 13 | 38 | 27 | | 108 | 27 |
| 16 | 0540 | REMOVAL FX PLATE/FIXTN DEVICE | 20 | 33 | 22 | 37 | | 112 | 28 |
| 17 | 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 15 | 22 | 48 | 28 | | 112 | 28.25 |
| 18 | 6441 | THREATENED LABOR (>37WKS) | 1 | 41 | 52 | 23 | | 117 | 29.25 |
| 19 | 3669 | CATARACT NOS | 72 | 17 | 26 | 4 | | 119 | 29.75 |
| 20 | 185 | CANCER, PROSTATE | 54 | 34 | 20 | 13 | | 121 | 30.25 |
| 21 | 2765 | VOLUME DEPLETION | 4 | 63 | 7 | 53 | | 127 | 31.75 |
| 22 | 470 | DEVIATED NASAL SEPTUM | 25 | 30 | 25 | 49 | | 129 | 32.25 |
| 23 | 0288 | ANTENATAL SCREENING | 6 | 20 | 6 | 100 | | 132 | 33 |
| 24 | 0717 | OBSERVATION SUSP CARDVASC DIS | 87 | 8 | 8 | 31 | | 134 | 33.5 |
| 25 | 5621 | DIVERTICULA OF COLON | 44 | 26 | 33 | 36 | | 139 | 34.75 |
| 26 | 1629 | CANCER, BRONCHUS/LUNG NOS | 45 | 43 | 32 | 20 | | 140 | 35 |
| 27 | 6612 | OTH/UNSPEC UTERINE INERTIA | 21 | 75 | 28 | 25 | | 149 | 37.25 |
| 28 | 5301 | ESOPHAGITIS | 37 | 78 | 9 | 34 | | 158 | 39.5 |
| 29 | 6450 | PROLONGED PREGNANCY | 31 | 55 | 21 | 52 | | 159 | 39.75 |
| 30 | 632 | MISSED ABORTION | 65 | 35 | 30 | 30 | | 160 | 40 |
| 31 | 5206 | DISTURB TOOTH ERUPTION | 89 | 36 | 18 | 19 | | 162 | 40.5 |
| 32 | 4111 | INTERMEDIATE CORONARY SYNDROME | 35 | 16 | 71 | 41 | | 163 | 40.75 |
| 33 | 7802 | SYNCOPE AND COLLAPSE | 55 | 19 | 35 | 54 | | 163 | 40.75 |
| 34 | 7242 | LUMBAGO | 49 | 59 | 13 | 43 | | 164 | 41 |
| 35 | 7803 | CONVULSIONS | 23 | 45 | 27 | 70 | | 165 | 41.25 |
| 36 | 7159 | OSTEOARTHRITIS | 68 | 29 | 23 | 48 | | 168 | 42 |
| 37 | 6101 | DIFFUSE CYSTIC MASTOPATHY | 17 | 52 | 49 | 51 | | 169 | 42.25 |
| 38 | 0581 | AFTERCARE MAINT CHEMOTHERAPY | 92 | 12 | 39 | 29 | | 172 | 43 |
| 39 | 4280 | CONGESTIVE HEART FAILURE | 96 | 27 | 41 | 9 | | 173 | 43.25 |
| 40 | 4740 | CHRONIC TONSILLITIS | 51 | 60 | 31 | 35 | | 177 | 44.25 |
| 41 | 6349 | SPONTANEOUS ABORTION | 7 | 50 | 66 | 56 | | 179 | 44.75 |
| 42 | 6259 | SYMPTOMS/PAIN FEM GENITAL | 34 | 87 | 15 | 44 | | 180 | 45 |
| 43 | 1749 | CANCER, BREAST, FEM, NOS | 73 | 31 | 44 | 33 | | 181 | 45.25 |
| 44 | 6221 | DYSPLASIA OF CERVIX | 32 | 67 | 59 | 26 | | 184 | 46 |
| 45 | 6488 | ABNL GLUC TOL TEST IN PREGNCT | 47 | 25 | 34 | 79 | | 185 | 46.25 |
| 46 | 5355 | GASTRITIS/GASTROENTERITIS NOS | 14 | 42 | 68 | 61 | | 185 | 46.25 |
| 47 | 5920 | CALCULUS OF KIDNEY | 63 | 32 | 60 | 32 | | 187 | 46.75 |
| 48 | 4140 | CORONARY ARTERIOSCLEROSIS | 53 | 14 | 55 | 69 | | 191 | 47.75 |
| 49 | 6430 | MILD HYPEREMESIS GRAVIDARUM | 10 | 24 | 82 | 75 | | 191 | 47.75 |
| 50 | 605 | REDUNDANT PREPUCE/PHIMOSIS | 39 | 39 | 29 | 89 | | 196 | 49 |
| 51 | 3039 | ALCOHOL DEPENDENCE | 52 | 44 | 62 | 39 | | 197 | 49.25 |
| 52 | 7221 | DISPLACEMENT INTVERTBRAL DISC | 59 | 74 | 50 | 15 | | 198 | 49.5 |
| 53 | 4659 | ACUTE UPPER RESP INFECT | 33 | 89 | 58 | 24 | | 204 | 51 |
| 54 | 6440 | THREATENED PREM LABOR | 12 | 65 | 78 | 50 | | 205 | 51.25 |
| 55 | 4139 | ANGINA, OTHER AND UNSPEC | 42 | 53 | 65 | 46 | | 206 | 51.5 |
| 56 | 7274 | BANGLION CYST | 48 | 46 | 54 | 62 | | 210 | 52.5 |
| 57 | 6262 | EXCESSIVE/FREQ MENSTRUATION | 36 | 66 | 43 | 68 | | 213 | 53.25 |
| 58 | 6631 | UMBILICAL CORD AROUND NECK | 27 | 97 | 47 | 45 | | 216 | 54 |
| 59 | 4741 | HYPERTROPHY TONSILS/ADENOIDS | 66 | 48 | 51 | 58 | | 223 | 55.75 |
| 60 | 3829 | OTITIS MEDIA NOS | 79 | 40 | 40 | 73 | | 232 | 58 |
| 61 | 0718 | OBSERVATION OTH SPECIFIED CONO | 41 | 47 | 83 | 63 | | 234 | 58.5 |
| 62 | 6424 | MILD/UNSPEC PREECLAMPSIA | 58 | 49 | 74 | 55 | | 236 | 59 |
| 63 | 5921 | CALCULUS OF URETER | 44 | 54 | 36 | 90 | | 244 | 61 |
| 64 | 600 | HYPERPLASIA OF PROSTATE | 80 | 61 | 64 | 40 | | 245 | 61.25 |
| 65 | 3540 | CARPAL TUNNEL SYNDROME | 50 | 77 | 37 | 82 | | 246 | 61.5 |
| 66 | 6466 | INFECT GU TRACT IN PREGNANCY | 13 | 100 | 73 | 60 | | 246 | 61.5 |
| 67 | 496 | CHRONIC AIRWAY OBSTRUCTION | 97 | 70 | 76 | 8 | | 251 | 62.75 |
| 68 | 4273 | ATRIAL FIBRILLATION/FLUTTER | 99 | 37 | 69 | 47 | | 252 | 63 |
| 69 | 7890 | ABDOMINAL PAIN | 71 | 15 | 80 | 86 | | 252 | 63 |
| 70 | 5509 | INGUINAL HERNIA | 61 | 73 | 61 | 57 | | 252 | 63 |
| 71 | 6633 | UMBILICAL CORD ENTANGLEMENT | 28 | 94 | 42 | 88 | | 254 | 63.5 |
| 72 | 5789 | HEMORRHAGE GI TRACT NOS | 98 | 82 | 53 | 21 | | 254 | 63.5 |
| 73 | 0252 | STERILIZATION | 77 | 38 | 56 | 84 | | 255 | 63.75 |
| 74 | 6563 | FETAL DISTRESS | 38 | 56 | 86 | 76 | | 256 | 64 |
| 75 | 6826 | OTHER CELLULITIS/ABSCCESS LEG | 83 | 58 | 67 | 66 | | 274 | 68.5 |
| 76 | 6146 | PELVIC/PERITON ADHESIONS, FEM | 78 | 79 | 77 | 42 | | 276 | 69 |
| 77 | 6522 | BREECH PRESENT W/O VERSION | 90 | 24 | 70 | 93 | | 276 | 69 |
| 78 | 0799 | VIRAL INFECT, NOS | 67 | 85 | 63 | 65 | | 280 | 70 |
| 79 | 5990 | URINARY TRACT INFECTION | 46 | 72 | 72 | 95 | | 285 | 71.25 |
| 80 | 463 | ACUTE TONSILLITIS | 86 | 51 | 91 | 59 | | 287 | 71.75 |
| 81 | 490 | BRONCHITIS | 75 | 88 | 57 | 67 | | 287 | 71.75 |
| 82 | 0529 | VARICELLA W/O COMPLICATIONS | 56 | 71 | 84 | 78 | | 289 | 72.25 |
| 83 | 6442 | EARLY ONSET DELIVERY (>37WKS) | 24 | 96 | 79 | 97 | | 289 | 72.25 |
| 84 | 5908 | PYELOPHREITIS/PYONEPHROSIS | 74 | 83 | 45 | 98 | | 300 | 75 |
| 85 | 5409 | ACUTE APPENDICITIS W/O PERITON | 69 | 64 | 85 | 85 | | 303 | 75.75 |
| 86 | 6642 | 3RD DEGREE LACERATION PERINEUM | 81 | 93 | 95 | 38 | | 307 | 76.75 |
| 87 | 6641 | 2ND DEGREE LACERATION PERINEUM | 85 | 68 | 92 | 72 | | 317 | 79.25 |
| 88 | 0340 | STREPTOCOCCAL SORE THROAT | 57 | 91 | 98 | 71 | | 317 | 79.25 |
| 89 | 5589 | GASTROENTERITIS | 84 | 62 | 89 | 83 | | 318 | 79.5 |
| 90 | 462 | ACUTE PHARYNGITIS | 60 | 99 | 81 | 80 | | 320 | 80 |
| 91 | 486 | PNEUMONIA, ORGANISM UNSPEC | 62 | 81 | 93 | 94 | | 330 | 82.5 |
| 92 | 0088 | INTESTINAL INFECT, OTH ORG NEC | 94 | 60 | 75 | 81 | | 330 | 82.5 |
| 93 | 2189 | LEIOMYOMA, UTERUS, NOS | 70 | 98 | 94 | 74 | | 336 | 84 |
| 94 | 6542 | PREVIOUS CESARIAN SECTION | 76 | 84 | 96 | 87 | | 343 | 85.75 |
| 95 | 7865 | CHEST PAIN | 95 | 76 | 99 | 77 | | 347 | 86.75 |
| 96 | 0300 | SINGL INFANT BORN IN HOSP | 88 | 90 | 100 | 64 | | 347 | 86.75 |
| 97 | 4939 | ASTHMA NOS | 93 | 69 | 97 | 99 | | 353 | 88.25 |
| 98 | 5741 | CALCULUS GALLBLADDER W/OTH CHOL | 82 | 95 | 88 | 91 | | 356 | 89 |
| 99 | 650 | DELIVERY IN NORMAL CASE | 91 | 92 | 87 | 92 | | 362 | 90.5 |
| 100 | 6640 | 1ST DEGREE LACERATION PERINEUM | 100 | 86 | 90 | 96 | | 372 | 93 |

KENDALL COEFFICIENT OF CONCORDANCE = .61; CHI SQUARE = 242; p<0.001

SECTION J: OVERALL RANKINGS BY DATA SET: VARIABILITY IN AVERAGE LENGTH OF STAY RATES
TABLE 4. DIRECT CARE AND CHAMPUS COMBINED: BASED ON ADJUSTED RATES

| | | MEDCENS | LMEDDAC | MED MED | SMLT MED | SUM | AVG |
|---------|---------------------------------|---------|---------|---------|----------|-----|-------|
| 1 6566 | EXCESSIVE FETAL GROWTH | 2 | 13 | 2 | 8 | 25 | 6.25 |
| 2 7270 | SYNOVITIS/TENOSYNOVITIS | 6 | 5 | 10 | 7 | 28 | 6.25 |
| 3 6675 | F/U EXAM, OTHER TREATMENT | 11 | 8 | 4 | 11 | 32 | 8 |
| 4 0449 | MTLV-III/LAV NOS | 32 | 3 | 3 | 2 | 40 | 10 |
| 5 2113 | BENIGN NEOPLASM, COLON | 4 | 34 | 6 | 3 | 47 | 11.75 |
| 6 6501 | OTH PLASTIC SURG, COSMETIC APP | 47 | 1 | 1 | 1 | 50 | 12.5 |
| 7 1629 | CANCER, BRONCHUS/LUNG NOS | 10 | 18 | 17 | 9 | 54 | 13.5 |
| 8 5243 | ANOMALIES TOOTH POSITION | 43 | 14 | 5 | 12 | 74 | 18.5 |
| 9 7178 | OTH SPEC INT DERRANGEMENT KNEE | 9 | 24 | 24 | 19 | 76 | 19 |
| 10 185 | CANCER, PROSTATE | 39 | 5 | 22 | 10 | 76 | 19 |
| 11 6565 | POOR FETAL GROWTH | 14 | 12 | 34 | 17 | 77 | 19.25 |
| 12 3092 | ADJUST REACT W/DIST OTH EMOT | 8 | 15 | 31 | 27 | 81 | 20.25 |
| 13 3090 | ADJUST REACT, BRIEF DEPRESSIVE | 5 | 26 | 25 | 26 | 82 | 20.5 |
| 14 3669 | CATARACT NOS | 54 | 9 | 21 | 4 | 88 | 22 |
| 15 6670 | FOLLOW-UP EXAM, SURGERY | 36 | 8 | 32 | 15 | 91 | 22.75 |
| 16 8540 | INTRACRANIAL INJURY, NEC/NOS | 3 | 77 | 13 | 5 | 98 | 24.5 |
| 17 3050 | DRUG ABUSE, ALCOHOL | 33 | 33 | 27 | 6 | 99 | 24.75 |
| 18 4149 | CHRONIC ISCHEMIC HEART DISEASE | 17 | 53 | 11 | 21 | 102 | 25.5 |
| 19 600 | HYPERPLASIA OF PROSTATE | 19 | 11 | 39 | 37 | 106 | 26.5 |
| 20 6717 | OBSERVATION SUSP CARDIOVASC DIS | 64 | 17 | 8 | 18 | 107 | 26.75 |
| 21 6540 | REMOVAL FX PLATE/FIXTN DEVICE | 23 | 32 | 28 | 36 | 119 | 29.75 |
| 22 6441 | THREATENED LABOR (+37WKS) | 1 | 72 | 38 | 14 | 125 | 31.25 |
| 23 2765 | VOLUME DEPLETION | 7 | 63 | 7 | 50 | 127 | 31.75 |
| 24 632 | MISSED ABORTION | 53 | 36 | 14 | 25 | 128 | 32 |
| 25 7350 | HALLUX VALGUS | 30 | 21 | 60 | 24 | 135 | 33.75 |
| 26 5206 | DISTURB TOOTH ERUPTION | 65 | 37 | 20 | 13 | 135 | 33.75 |
| 27 4280 | CONGESTIVE HEART FAILURE | 40 | 4 | 29 | 71 | 144 | 36 |
| 28 6612 | OTH/UNSPEC UTERINE INERTIA | 24 | 60 | 37 | 29 | 150 | 37.5 |
| 29 6288 | ANTENATAL SCREENING | 13 | 29 | 9 | 100 | 151 | 37.75 |
| 30 4140 | CORONARY ARTERIOSCLEROSIS | 22 | 23 | 49 | 59 | 153 | 38.25 |
| 31 1749 | CANCER, BREAST, FEM. NOS | 95 | 10 | 36 | 16 | 157 | 39.25 |
| 32 496 | CHRONIC AIRWAY OBSTRUCTION | 71 | 7 | 30 | 49 | 157 | 39.25 |
| 33 6101 | DIFFUSE CYSTIC MASTOPATHY | 25 | 30 | 57 | 46 | 158 | 39.5 |
| 34 4273 | ATRIAL FIBRILLATION/FLUTTER | 67 | 16 | 47 | 34 | 164 | 41 |
| 35 6581 | AFTERCARE MAINT CHEMOTHERAPY | 80 | 20 | 43 | 23 | 166 | 41.5 |
| 36 5621 | DIVERTICULA OF COLON | 45 | 43 | 19 | 63 | 170 | 42.5 |
| 37 7242 | LUMBAGO | 34 | 78 | 16 | 44 | 172 | 43 |
| 38 6488 | ABNL GLUC TOL TEST IN PREGNCT | 48 | 22 | 35 | 69 | 174 | 43.5 |
| 39 470 | DEVIATED NASAL SEPTUM | 26 | 66 | 41 | 43 | 176 | 44 |
| 40 6259 | SYMPTOMS/PAIN FEM GENITAL | 57 | 67 | 23 | 35 | 182 | 45.5 |
| 41 4111 | INTERMEDIATE CORONARY SYNDROME | 56 | 27 | 62 | 38 | 183 | 45.75 |
| 42 7159 | OSTEOARTHRITIS | 83 | 35 | 26 | 39 | 183 | 45.75 |
| 43 6430 | MILD HYPERTENSIS GRAVIDARUM | 12 | 28 | 63 | 82 | 185 | 46.25 |
| 44 6349 | SPONTANEOUS ABORTION | 18 | 55 | 42 | 74 | 189 | 47.25 |
| 45 5355 | GASTRITIS/GASTROENTERITIS NOS | 16 | 41 | 85 | 53 | 195 | 48.75 |
| 46 7803 | CONVULSIONS | 35 | 62 | 45 | 54 | 196 | 49 |
| 47 5301 | ESOPHAGITIS | 55 | 96 | 12 | 33 | 196 | 49 |
| 48 4659 | ACUTE UPPER RESP INFECT | 20 | 87 | 61 | 30 | 198 | 49.5 |
| 49 605 | REDUNDANT PREPUCE/PHIMOSIS | 44 | 45 | 33 | 77 | 199 | 49.75 |
| 50 7802 | SYNCOPE AND COLLAPSE | 74 | 31 | 59 | 42 | 206 | 51.5 |
| 51 5920 | CALCULUS OF KIDNEY | 69 | 40 | 72 | 28 | 209 | 52.25 |
| 52 3039 | ALCOHOL DEPENDENCE | 81 | 38 | 46 | 47 | 212 | 53 |
| 53 7274 | GANGLION CYST | 41 | 42 | 76 | 56 | 215 | 53.75 |
| 54 6631 | UMBILICAL CORD AROUND NECK | 38 | 83 | 56 | 41 | 218 | 54.5 |
| 55 6450 | PROLONGED PREGNANCY | 42 | 70 | 40 | 67 | 219 | 54.75 |
| 56 6440 | THREATENED PREM LABOR | 29 | 51 | 84 | 55 | 219 | 54.75 |
| 57 6522 | BREECH PRESENT W/O VERSION | 88 | 25 | 15 | 91 | 219 | 54.75 |
| 58 4740 | CHRONIC TONSILLITIS | 52 | 84 | 53 | 32 | 221 | 55.25 |
| 59 7221 | DISPLACEMENT INTVERTBRAL DISC | 72 | 69 | 64 | 20 | 225 | 56.25 |
| 60 6221 | DYSPLASIA OF CERVIX | 50 | 76 | 79 | 22 | 227 | 56.75 |
| 61 6633 | UMBILICAL CORD ENTANGLEMENT | 46 | 73 | 18 | 94 | 231 | 57.75 |
| 62 462 | ACUTE PHARYNGITIS | 21 | 65 | 80 | 66 | 232 | 58 |
| 63 6424 | MILD/UNSPEC PREECLAMPSIA | 63 | 57 | 73 | 48 | 241 | 60.25 |
| 64 3829 | OTITIS MEDIA NOS | 85 | 46 | 52 | 58 | 241 | 60.25 |
| 65 6252 | STERILIZATION | 49 | 52 | 81 | 61 | 243 | 60.75 |
| 66 6146 | PELVIC/PERITON ADHESIONS, FEM | 77 | 49 | 90 | 31 | 247 | 61.75 |
| 67 6563 | FETAL DISTRESS | 51 | 48 | 67 | 90 | 256 | 64 |
| 68 5789 | HEMORRHAGE GI TRACT NOS | 98 | 44 | 66 | 51 | 259 | 64.75 |
| 69 3540 | CARPAL TUNNEL SYNDROME | 59 | 92 | 48 | 62 | 261 | 65.25 |
| 70 4139 | ANGINA, OTHER AND UNSPEC | 58 | 95 | 65 | 45 | 263 | 65.75 |
| 71 6442 | EARLY ONSET DELIVERY (+37WKS) | 31 | 89 | 51 | 93 | 264 | 66 |
| 72 0340 | STREPTOCOCCAL SORE THROAT | 27 | 61 | 87 | 89 | 264 | 66 |
| 73 6542 | PREVIOUS CESARIAN SECTION | 73 | 47 | 50 | 95 | 265 | 66.25 |
| 74 6262 | EXCESSIVE/FREO MENSTRUATION | 60 | 100 | 44 | 64 | 268 | 67 |
| 75 4741 | HYPERTROPHY TONSILS/ADENOIDS | 62 | 59 | 82 | 68 | 271 | 67.75 |
| 76 0529 | VARICELLA W/O COMPLICATIONS | 28 | 81 | 74 | 88 | 271 | 67.75 |
| 77 7890 | ABDOMINAL PAIN | 84 | 19 | 96 | 76 | 275 | 68.75 |
| 78 6300 | SINGL INFANT BORN IN HOSP | 68 | 39 | 91 | 81 | 279 | 69.75 |
| 79 6466 | INFECT GU TRACT IN PREGNANCY | 15 | 99 | 95 | 72 | 281 | 70.25 |
| 80 6718 | OBSERVATION OTH SPECIFIED COND | 61 | 71 | 93 | 57 | 282 | 70.5 |
| 81 6642 | 3RD DEGREE LACERATION PERINEUM | 78 | 90 | 75 | 40 | 283 | 70.75 |
| 82 463 | ACUTE TONSILLITIS | 37 | 80 | 77 | 92 | 286 | 71.5 |
| 83 6641 | 2ND DEGREE LACERATION PERINEUM | 34 | 50 | 58 | 85 | 287 | 71.75 |
| 84 5409 | ACUTE APPENDICITIS W/O PERITON | 66 | 54 | 94 | 75 | 289 | 72.25 |
| 85 5501 | INGUINAL HERNIA | 76 | 85 | 86 | 52 | 299 | 74.75 |
| 86 5521 | CALCULUS OF URETER | 86 | 86 | 54 | 79 | 305 | 76.25 |
| 87 6640 | 1ST DEGREE LACERATION PERINEUM | 100 | 56 | 55 | 99 | 310 | 77.5 |
| 88 7865 | CHEST PAIN | 70 | 74 | 88 | 86 | 318 | 79.5 |
| 89 5908 | PYELONEPHRITIS/PYONEPHROSIS | 89 | 64 | 69 | 96 | 318 | 79.5 |
| 90 490 | BRONCHITIS | 75 | 97 | 78 | 70 | 320 | 80 |
| 91 6826 | OTHER CELLULITIS/ABSCESS LEG | 47 | 88 | 70 | 65 | 320 | 80 |
| 92 5990 | URINARY TRACT INFECTION | 91 | 68 | 83 | 83 | 325 | 81.25 |
| 93 0799 | VIRAL INFECT, NOS | 79 | 98 | 71 | 78 | 326 | 81.5 |
| 94 2189 | LEIOMYOMA, UTERUS, NOS | 82 | 93 | 92 | 60 | 327 | 81.75 |
| 95 650 | DELIVERY IN NORMAL CASE | 87 | 75 | 68 | 97 | 327 | 81.75 |
| 96 5741 | CALCULUS GALLBLDOR W/OTH CHOL | 99 | 58 | 100 | 84 | 341 | 85.25 |
| 97 5389 | GASTROENTERITIS | 93 | 82 | 98 | 73 | 346 | 86.5 |
| 98 0088 | INTESTINAL INFECT, OTH ORG NEC | 96 | 91 | 89 | 80 | 356 | 89 |
| 99 4939 | ASTHMA NOS | 90 | 79 | 99 | 98 | 366 | 91.5 |
| 100 486 | PNEUMONIA, ORIGIN UNKPFD | 92 | 94 | 97 | 87 | 370 | 92.5 |

KENDALL COEFFICIENT OF CONCORDANCE = .59; CHI SQUARE = 234; p<0.001

SECTION J: OVERALL RANKINGS BY DATA SET: VARIABILITY IN AVERAGE LENGTH OF STAY RATES
TABLE 5. RANKINGS ACROSS DATA GROUPS

| RANKCODE | DIAGNOSES | DATA GROUPS | | | | SUM | AVG |
|----------|---------------------------------|-------------|--------|-----|--------------|-----|-------|
| | | DIR CRD | DIRECT | ADJ | DIR+CHAM CRD | | |
| 1 6566 | EXCESSIVE FETAL GROWTH | 1 | 1 | 1 | 1 | 4 | 1 |
| 2 7270 | SYNOVITIS/TENOSYNOVITIS | 5 | 4 | 3 | 2 | 14 | 3.5 |
| 3 6675 | F/U EXAM, OTHER TREATMENT | 6 | 5 | 2 | 1 | 16 | 4 |
| 4 0449 | HTLV-III/LAV NOS | 2 | 3 | 5 | 6 | 16 | 4 |
| 5 6565 | POOR FETAL GROWTH | 4 | 6 | 4 | 4 | 18 | 4.5 |
| 6 2113 | BENIGN NEOPLASIA, COLON | 3 | 2 | 7 | 11 | 23 | 5.75 |
| 7 3092 | ADJUST REACT W/DIST OTH EMOT | 9 | 7 | 6 | 5 | 27 | 6.75 |
| 8 5243 | ANOMALIES TOOTH POSITION | 7 | 9 | 13 | 12 | 41 | 10.25 |
| 9 5243 | FOLLOW-UP EXAM, SURGERY | 11 | 17 | 8 | 8 | 44 | 11 |
| 10 6670 | OTH SPEC INT DERRANGEMENT KNEE | 8 | 19 | 9 | 15 | 51 | 12.75 |
| 11 7178 | ADJUST REACT, BRIEF DEPRESSIVE | 20 | 18 | 11 | 9 | 58 | 14.5 |
| 12 3090 | CANCER, PROSTATE | 15 | 13 | 17 | 13 | 58 | 14.5 |
| 13 185 | CHRONIC ISCHEMIC HEART DISEASE | 13 | 14 | 20 | 10 | 60 | 15 |
| 14 4149 | CANCER, BRONCHUS/LUNG NOS | 16 | 23 | 10 | 18 | 64 | 16 |
| 15 1629 | INTRACRANIAL INJURY, NEC/NOS | 23 | 20 | 26 | 7 | 66 | 16.5 |
| 16 8540 | THREATENED LABOR (>37WKS) | 18 | 28 | 18 | 16 | 66 | 16.5 |
| 17 6441 | CATARACT NOS | 17 | 28 | 18 | 22 | 85 | 21.25 |
| 18 3669 | DRUG ABUSE, ALCOHOL | 33 | 26 | 19 | 14 | 92 | 23 |
| 19 3050 | OTH/UNSPEC UTERINE INERTIA | 25 | 38 | 14 | 17 | 94 | 23.5 |
| 20 6612 | AFTERCARE MAINT CHEMOTHERAPY | 21 | 24 | 27 | 28 | 100 | 25 |
| 21 0501 | ABNL GLUC TOL TEST IN PREGNVCY | 12 | 16 | 38 | 35 | 101 | 25.25 |
| 22 6408 | OBSERVATION SUSP CARDVASC DIS | 10 | 8 | 45 | 38 | 101 | 25.25 |
| 23 0717 | ANTENATAL SCREENING | 28 | 33 | 24 | 20 | 105 | 26.25 |
| 24 0208 | VOLUME DEPLETION | 26 | 32 | 23 | 29 | 110 | 27.5 |
| 25 2765 | PROLONGED PREGNANCY | 32 | 37 | 21 | 23 | 113 | 28.25 |
| 26 6450 | CORONARY ARTERIOSCLEROSIS | 14 | 21 | 29 | 55 | 119 | 29.75 |
| 27 4140 | HYPERPLASIA OF PROSTATE | 19 | 22 | 48 | 30 | 119 | 29.75 |
| 28 600 | DEVIATED NASAL SEPTUM | 29 | 12 | 64 | 19 | 124 | 31 |
| 29 470 | REMOVAL FX PLATE/FIXTN DEVICE | 22 | 42 | 22 | 39 | 125 | 31.25 |
| 30 0540 | CONGESTIVE HEART FAILURE | 37 | 52 | 16 | 21 | 126 | 31.5 |
| 31 4280 | MISSSED ABORTION | 48 | 15 | 39 | 27 | 129 | 32.25 |
| 32 632 | MALLUX VALGUS | 50 | 27 | 30 | 24 | 131 | 32.75 |
| 33 7350 | DIVERTICULA OF COLON | 46 | 59 | 15 | 25 | 145 | 36.25 |
| 34 5621 | CONVULSIONS | 42 | 50 | 25 | 36 | 153 | 38.25 |
| 35 7803 | INTERMEDIATE CORONARY SYNDROME | 31 | 43 | 35 | 46 | 155 | 38.75 |
| 36 4111 | OSTEOARTHRITIS | 38 | 47 | 32 | 41 | 158 | 39.5 |
| 37 7159 | DISTURB TOOTH ERUPTION | 34 | 53 | 36 | 42 | 165 | 41.25 |
| 38 5206 | ALCOHOL DEPENDENCE | 58 | 51 | 31 | 26 | 166 | 41.5 |
| 39 3039 | BREACH PRESENT W/O VERSION | 30 | 35 | 51 | 52 | 168 | 42 |
| 40 6522 | MILD HYPEREMESIS GRAVIDARUM | 24 | 11 | 77 | 57 | 169 | 42.25 |
| 41 6450 | LUMBAGO | 39 | 44 | 49 | 43 | 175 | 43.75 |
| 42 7242 | MILD/UNSPEC PREECLAMPSIA | 55 | 54 | 34 | 37 | 180 | 45 |
| 43 6424 | SPONTANEOUS ABORTION | 27 | 30 | 62 | 63 | 182 | 45.5 |
| 44 6349 | ESOPHAGITIS | 52 | 49 | 41 | 44 | 186 | 46.5 |
| 45 5301 | DIFFUSE CYSTIC MASTOPATHY | 49 | 62 | 28 | 47 | 186 | 46.5 |
| 46 6101 | SYNCOPE AND COLLAPSE | 62 | 58 | 37 | 33 | 190 | 47.5 |
| 47 7802 | UNBILICAL CORD ENTANGLEMENT | 43 | 25 | 71 | 50 | 192 | 48 |
| 48 6633 | THREATENED PREM LABOR | 35 | 45 | 54 | 61 | 192 | 48 |
| 49 6440 | CHRONIC TONSILLITIS | 41 | 55 | 40 | 56 | 196 | 49 |
| 50 4740 | UNBILICAL CORD AROUND NECK | 45 | 46 | 58 | 58 | 198 | 49.5 |
| 51 6631 | FETAL DISTRESS | 44 | 46 | 58 | 54 | 202 | 50.5 |
| 52 6563 | CHRONIC AIRWAY OBSTRUCTION | 36 | 31 | 74 | 67 | 208 | 52 |
| 53 496 | GASTRITIS/GASTROENTERITIS NOS | 80 | 36 | 67 | 32 | 215 | 53.75 |
| 54 5355 | DISPLACEMENT INTVERTBRAL DISC | 60 | 64 | 46 | 45 | 215 | 53.75 |
| 55 7221 | CANCER, BREAST, FEM, NOS | 66 | 41 | 52 | 59 | 218 | 54.5 |
| 56 1749 | CALCULUS OF KIDNEY | 67 | 79 | 43 | 31 | 220 | 55 |
| 57 5920 | SYMPTOMS/PAIN FEM GENITAL | 56 | 67 | 47 | 51 | 221 | 55.25 |
| 58 6259 | EARLY ONSET DELIVERY (>37WKS) | 71 | 78 | 42 | 40 | 231 | 57.75 |
| 59 6442 | ATRIAL FIBRILLATION/FLUTTER | 40 | 39 | 83 | 71 | 233 | 58.25 |
| 60 4273 | REDUNDANT PREPUCE/PHIMOSIS | 72 | 60 | 68 | 34 | 234 | 58.5 |
| 61 605 | DYSPLASIA OF CERVIX | 68 | 68 | 50 | 49 | 235 | 58.75 |
| 62 6221 | ACUTE UPPER RESP INFECT | 65 | 71 | 44 | 60 | 240 | 60 |
| 63 4659 | HYPERTROPHY TONSILS/ADENOIDS | 76 | 69 | 53 | 48 | 246 | 61.5 |
| 64 4741 | PREVIOUS CESARIAN SECTION | 57 | 56 | 59 | 75 | 247 | 61.75 |
| 65 6542 | ANGINA, OTHER AND UNSPEC | 51 | 34 | 94 | 73 | 252 | 63 |
| 66 4139 | BANGLION CYST | 61 | 70 | 55 | 70 | 256 | 64 |
| 67 7274 | 2ND DEGREE LACERATION PERINEUM | 74 | 73 | 56 | 53 | 256 | 64 |
| 68 6641 | SINGL INFANT BORN IN HOSP | 47 | 40 | 87 | 83 | 257 | 64.25 |
| 69 0300 | INFECT GU TRACT IN PREGNANCY | 54 | 29 | 96 | 78 | 257 | 64.25 |
| 70 6466 | OTITIS MEDIA NOS | 53 | 65 | 66 | 79 | 263 | 65.75 |
| 71 3029 | HEMORRAGE GI TRACT NOS | 75 | 76 | 60 | 64 | 275 | 68.75 |
| 72 5789 | EXCESSIVE/PRED MENSTRUATION | 73 | 63 | 72 | 68 | 276 | 69 |
| 73 6262 | 3RD DEGREE LACERATION PERINEUM | 70 | 82 | 57 | 74 | 283 | 70.75 |
| 74 6442 | 1ST DEGREE LACERATION PERINEUM | 63 | 61 | 86 | 81 | 291 | 72.75 |
| 75 6440 | CALCULUS OF URETER | 59 | 48 | 100 | 87 | 294 | 73.5 |
| 76 5921 | CARPAL TUNNEL SYNDROME | 69 | 80 | 63 | 86 | 298 | 74.5 |
| 77 3540 | PELVIC/PERITON ADHESIONS, FEM | 79 | 86 | 65 | 69 | 299 | 74.75 |
| 78 6146 | STERILIZATION | 85 | 75 | 76 | 66 | 302 | 75.5 |
| 79 0252 | ABDOMINAL PAIN | 83 | 85 | 73 | 65 | 306 | 76.5 |
| 80 7990 | OBSERVATION OTH SPECIFIED COMD | 78 | 84 | 69 | 77 | 308 | 77 |
| 81 0718 | DELIVERY IN NORMAL CASE | 81 | 88 | 61 | 80 | 310 | 77.5 |
| 82 650 | ACUTE PHARYNGITIS | 91 | 72 | 99 | 95 | 315 | 78.75 |
| 83 462 | VARICELLA W/O COMPLICATIONS | 89 | 74 | 82 | 62 | 315 | 78.75 |
| 84 0529 | INGUINAL HERNIA | 77 | 91 | 85 | 76 | 321 | 80.25 |
| 85 5509 | ACUTE TONSILLITIS | 93 | 77 | 80 | 82 | 332 | 83 |
| 86 463 | ACUTE APPENDICITIS W/O PERITON | 84 | 83 | 85 | 84 | 336 | 84 |
| 87 5409 | STREPTOCOCCAL SORE THROAT | 99 | 81 | 88 | 72 | 340 | 85 |
| 88 0340 | OTHER CELLULITIS/ABSCESS LEG | 82 | 95 | 75 | 91 | 343 | 85.75 |
| 89 6826 | URINARY TRACT INFECTION | 88 | 87 | 79 | 92 | 346 | 86.5 |
| 90 5990 | BRONCHITIS | 86 | 90 | 81 | 90 | 347 | 86.75 |
| 91 490 | PYELOPHRITIS/PYONEPHOSIS | 92 | 92 | 84 | 89 | 357 | 89.25 |
| 92 5908 | VIRAL INFECT, NOS | 96 | 96 | 78 | 93 | 363 | 90.75 |
| 93 0799 | CHEST PAIN | 94 | 89 | 95 | 88 | 366 | 91.5 |
| 94 7865 | GASTROENTERITIS | 87 | 98 | 89 | 97 | 371 | 92.75 |
| 95 5589 | PNEUMONIA, ORGANISM UNSPEC | 90 | 99 | 91 | 100 | 380 | 95 |
| 96 486 | LEIOMYOMA, UTERUS, NOS | 97 | 97 | 93 | 94 | 381 | 95.25 |
| 97 2189 | ASTHMA NOS | 95 | 94 | 97 | 99 | 385 | 96.25 |
| 98 4939 | CALCULUS GALLBLADDER W/OTH CHOL | 100 | 93 | 98 | 96 | 387 | 96.75 |
| 99 5741 | GENERAL INFECT, OTH ORG NOS | 98 | 100 | 92 | 98 | 388 | 97 |

OVERALL COEFFICIENT OF CONCORDANCE = .87; CHI SQUARE = 3.44; p<0.001